Sr. No.	Generic Name / Brand Name	Composition		Mfg. for	Reference		
		Each film coated Tablet Contains: Dapagliflozin propanediol	IHS				
01	Dapagliflozin	Monohydrate Eq. to Dapagliflozin	1113	10	mg		
01	Tablets IHS	Excipients			1115	Our Self	
		Approved colour used in tablets		q.s.			
		Each Uncoated Tablet Contain					
	Doxofylline &	Doxofylline Doxofylline	IP	400	ma		
02	Ambroxol Hydrochloride	Ambroxol Hydrochloride	IP	30	mg	Our Self	
	Tablets IHS		IP		mg	Our Sen	
	Tablets His	Excipients		q.s.			
		Each Film Coated Tablet Contains:	T .	100			
		Ferrous Ascorbates		100	mg		
	Ferrous Ascorbate,	Eq. to. Elemental Iron Folic acid	IP	1.5	ma		
03	Folic acid & Zinc	Zinc sulphate Monohydrate	IP	1.3	mg	Our Self	
	Tablet IHS	Eq. to. Elemental Zinc	11	22.5	mg	Our Ben	
		Excipients		q.s.	1115		
		Colour-Approved colour used	I	1			
		Each Film Coated Tablet Contains:					
		Ferrous Ascorbate	et contains.				
	Ferrous Ascorbate,	Eq. to. Elemental Iron		100	mg		
	Folic acid,	Folic acid	IP	1.5	mg		
04		Zinc Sulphate Monohydrate	IP			Our Self	
		Eq. to. Elemental Zinc		22.5	mg	Our Sen	
		Methylcobalamin		1500	mcg		
		Excipients		q.s.			
		Approved colour used					
0.5	Glimepiride 1 MG	Each Uncoated Tablet Contains:	ID	1		0 0 10	
05	Tablet IP	Glimepiride	IP	1	mg	Our Self	
		Excipients Each Ungested Tablet Contains:		q.s.			
06	Glimepiride 2 MG	Each Uncoated Tablet Contains: Glimepiride	IP	2	ma	Over Solf	
06	Tablet IP	Excipients	IF		mg	Our Self	
		*		q.s.			
07	Glimepiride 3 MG	Each Uncoated Tablet Contains: Glimepiride	IP	3	ma	0 0 10	
07	Tablet	Excipients	IF	+	mg	Our Self	
				q.s.			
08	Glimepiride 4 MG	Each Uncoated Tablet Contains: Glimepiride	IP	4	ma	Our Self	
08	Tablet	Excipients	11	q.s.	mg	Our Sen	
		^	atoine:	4.5.			
	Glimepiride &	Each Uncoated Bi-layered tablet con Glimepiride	IP	1	mg		
09	Metformin	Metformin Hydrochloride	IP	500	mg	Our Self	
	(Prolonged Release)	(As Prolonged Release)	11		****5		
	Tablet IP	Excipients		q.s.			
	G11	Each Uncoated Bi-layered tablet con	ntains:				
	Glimepiride &	Glimepiride	IP	2	mg		
10	Metformin (Prolonged Pologo)	Metformin Hydrochloride	IP	500	mg	Our Self	
	(Prolonged Release) Tablet IP	(As Prolonged Release)				Our Sell	
	1 40101 11	Excipients		q.s.			

Sr. No.	Generic Name / Brand Name	Compositio	Composition						
11	Glimepiride & Metformin (Prolonged Release) Tablet	Each Uncoated Bi-layered tablet con Glimepiride Metformin Hydrochloride (As Prolonged Release) Excipients	IP IP	1 1000	mg mg	Our Self			
12	Glimepiride & Metformin (Prolonged Release) Tablet	Each Uncoated Bi-layered tablet con Glimepiride Metformin Hydrochloride (As Prolonged Release) Excipients	ntains: IP IP	q.s. 2 1000 q.s.	mg mg	Our Self			
13	Gliclazide & Metformin (Extended Release) Tablet	Each Uncoated Tablet Contains: Gliclazide Metformin Hydrochloride (As Extended Release) Excipients Approved colour used in tablet	IP IP	80 500 q.s.	mg mg	Our Self			
14	Griseofulvin Tablets IP	Each Uncoated Tablet Contains: Griseofulvin Excipients	IP	125 q.s.	mg	Our Self			
15	Hydroxychloroquine Sulphate Tablets IP	Each film coated tablet contains: Hydroxychloroquine Sulphate Excipients Colour- Approved colour used	IP	200 q.s.	mg	Our Self			
16	Levocetrizine & Monteleukast Sodium Tablet IP	Each Film Coated Tablet Contains: Levocetrizine Dihydrochloride Monteleukast Sodium eq. to. Monteleukast Excipients Colour – Approved colour used	IP IP	5 10 q.s.	mg mg	Our Self			
17	Levocetrizine & Ambroxol Hydrochloride (Sustain Release) TABLET IHS	Each Uncoated Tablet Contains: Levocetrizine Hydrochloride Ambroxol Hydrochloride (As Sustain Release) Excipients Colour – Approved colour used	IP IP	5 75 q.s.	mg mg	Our Self			
18	Levetiracetam Tablets IP	Each Film Coated Tablet Contains: Levetiracetam Excipients Approved colour used in tablet	IP	500 q.s.	mg	Our Self			
19	Levetiracetam Tablets IP	Each Film Coated Tablet Contains: Levetiracetam Excipients Approved colour used in tablet	IP	250 q.s.	mg	Our Self			
20	Mefenamic & Dicyclomine Hydrochloride Tablets IP	Each uncoated tablet contains: Mefenamic Acid Dicyclomine Hydrochloride Excipients Approved colour used in tablet	IP IP	250 10 q.s.	mg mg	Our Self			

Sr. No.	Generic Name / Brand Name	Composition	Composition						
		Each uncoated tablet contains:							
	Mefenamic &	Mefenamic Acid	IP	500	mg				
21	Dicyclomine	Dicyclomine Hydrochloride	IP	20	mg	0 0 10			
	Hydrochloride -	Excipients		q.s.		Our Self			
	Tablets IP	Approved colour used in tablet							
		Each film coated tablet contains:							
		Metoprolol Succinate	IP						
	Metoprolol Succinate	Eq. to Metoprolol Tartrate (As		25	mg				
22	Prolonged release &	prolonged release)							
22	Amlodipine Tablets	Amlodipine Besylate	IP			Our Self			
	IP	Eq. to Amlodipine		5	mg				
		Excipients		q.s.					
		Approved colour used in tablet							
		Each film coated tablet contains:							
	M (110 ')	Metoprolol Succinate	IP						
	Metoprolol Succinate	Eq. to Metoprolol Tartrate		50	mg				
23	Prolonged release &	(As prolonged release)							
23	Amlodipine Tablets IP	Amlodipine Besylate	IP			Our Self			
	Iľ	Eq. to Amlodipine		5	mg				
		Excipients		q.s.					
	Approved colour used in tablet								
		Each film coated tablet contains:							
		Metoprolol Succinate	IP						
	Metoprolol Succinate	Eq. to Metoprolol Tartrate		25	mg				
24	Prolonged release &	(As prolonged release)							
2-4	Amlodipine Tablets IP	Amlodipine Besylate	IP			Our Self			
	rimosipine ruotets ir	Eq. to Allifourpine		2.5	mg				
		Excipients		q.s.					
		Colour- Approved colour used							
		Each Uncoated Mouth Dissolving							
	Nimesulide Mouth	Nimesulide	BP	100	mg				
25	Dissolving Tablets	Excipients		q.s.		0 0 10			
	IHS	Approved colour used in tablet	EN DE		•	Our Self			
		(NOT TO BE USED IN CHILDE	KEN BE	LOW I	2				
		YEARS OF AGE							
	Piroxicam	Each uncoated tablet contains:		1 1					
26	Betacyclodextrin	Piroxicam Betacyclodextrin Equivalent to Piroxicam		20	m ~	Our Self			
	Tablets IHS	1		-	mg				
		Excipients		q.s.					
	Tranexamic acid &	Each Uncoated Tablet Contains:	ID.	500					
27	Mafenamic Acid	Tranexamic Acid	IP	500	mg	Over 0 - 16			
	Tablets IHS	Mefenamic Acid	IP	250	mg	Our Self			
		Excipients		q.s.	1				
	_	Each film coated tablet contains:	1 **	2.70	1				
•	Tranexamic Acid &	Tranexamic Acid	IP	250	mg				
28	Ethamsylate Tablets	Ethamsylate	BP	500	mg	Our Self			
	IHS	Excipients		q.s.	1				
		Approved colour used in tablet							

Sr. No.	Generic Name / Brand Name	Composition					Mfg. for	Reference
29	Teneligliptin Hydrobromide Hydrate Tablets	Each film coated tablet contains: Teneligliptin Hydrobromide Hydrate Eq. to Teneligliptin Excipients Approved colour used in tablet	e IH	IS	20 q.s.	mg	Our Self	
30	Vildagliptin Tablets	Each uncoated tablet contains: Vildagliptin Excipients Approved colour used in tablet	IH	S	50 q.s.	mg	Our Self	
31	Metformin & Vildagliptin Tablets	Each film coated tablet contains: Vildagliptin Metformin Hcl Excipients Approved colour used in tablet	IP		50 500 q.s.	mg mg	Our Self	
32	Etodolac and Thiocolchicoside Tablets	Each film coated tablet contains: Etodolac Thiocolchicoside Excipients Approved colour used in tablet	IP IP		400 4 q.s.	mg mg	Our Self	
33	Etodolac and Paracetamol Tablets	Each film coated tablet contains: Etodolac Paracetamol Excipients Approved colour used in tablet	IP IP		300 325 q.s.	mg mg	Our Self	
34	Alpha lipoic acid, Folic acid, Methylcobalamin, Pyridoxine Hydrochloride, Vit. D ₃ Tablets	Each film coated tablet contains Alpha Lipoic Acid Methylcobalamin Folic Acid Pyridoxine Hydrochloride Vitamin D ₃ Excipeints Approved colour used in tablet	US IP IP IP IP	P	100 1500 1.5 3 1000 q.s.	mg mcg mg mg	Our Self	
35	Metformin and Gliclazide Tablets	Each uncoated tablet contains: Metformin Hydrochloride Gliclazide Excipients	IP IP		500 40 q.s.	mg mg	Our Self	
36	Artemether and Lumefantrine Dispersible Tablets	Each uncoated dispersible tablet con Artemether Lumefantrine Excipients Approved colour used in tablet	tains IP IHS		20 120 q.s.	mg mg	Our Self	
37	Artemether and Lumefantrine Dispersible Tablets	Each uncoated dispersible tablet con Artemether Lumefantrine Excipients Approved colour used in tablet	tains IP IHS		40 240 q.s.	mg mg	Our Self	
38	Ebastine Tablets IP	Each film coated tablet contains: Ebastine Excipients Approved colour used in tablet	I	P	10 q.s.	mg	Our Self	

Sr. No.	Generic Name / Brand Name	Composition	1			Mfg. for	Reference
1100	Diana i tame	Each film coated tablet contains:				1	
		Ebastine	I	P 10	mg		
	Ebastine and	Montelukast Sodium	I		Ing		
39	Montelukast Tablets	Eq. to Montelukast		10	mg	Our Self	
	Troncordinast Tuorous	Excipients		q.s			
		Approved colour used in tablet	I	1 1.~			
		Each film coated bilayered tablet co	ontains				
		Metoprolol Succinate	IP			-	
	Metoprolol Succinate	1		25	mg		
40	(ER) & Telmisartan	(As Extended-release form)			8		
	Tablets	Telmisartan	IP	40	mg	Our Self	
		Excipients		q.s.		-	
		Colour- Approved colour used	1	1 1	ı	-	
		Each uncoated chewable tablet conta	ins:				
	Ivermectin and	Ivermectin	IP	6	mg		
41	Albendazole Tablets	Albendazole	IP	400	mg	Our Self	
		Excipients		q.s.		0 0.2 10 022	
		Approved colour used in tablet	I	1	1		
		Each Film Coated Tablet Contains:					
	-	Ferrous Ascorbates		100	mg		
	Ferrous Ascorbate,	Eq. to. Elemental Iron		100	mg		
42	Folic acid & Zinc	Folic acid	IP	1.5	mg		
42		Zinc Oxide	IP	22.5	mg	Our Self	
	Oxide Tablet	Excipients	11	q.s.	mg		
		Colour-Approved colour used		4.5.			
		* *	•				
	Montelukast and	Each Uncoated Bilayer tablet contain Montelukast Sodium	IP				
	1.1011to1to1to1tot	Eq.to Montelukast	11	10	mg		
43		Levocetirizine Hydrochloride	IP	5	Mg	Our Self	
	Tablets II	Excipients	11	q.s.	IVIg		
		Approved colour used in tablet		4.5.			
		Each film coated tablet contains					
	Artemether and	Artemether	IP	80	mg		
44	Lumefantrine	Lumefantrine	Ph.Int	480	mg		
77	Tablets	Excipients	1 11.1110	q.s.	mg	Our Self	
	1401015	Approved colour used in tablet		4.5.			
		Each film coated tablet contains:					
	Gabapentin and	Gabapentin	IP	300	mg		
45		Methylcobalamin	IP	500	mcg		
43	Tablets	Excipients	11	q.s.	meg	Our Self	
	1 401013	Approved colour used in tablet		4.5.			
		Each gasto resistant tablet contains:					
	Rabeprazole Gastro-	Rabeprazole Sodium	IP	20	mg		
46	resistant Tablets IP	Excipients	11.		mg	Our Self	
				q.s.			
		Approved colour used in tablet			<u> </u>	I	
		Eleganorals	ID	150			
47	Fluconazole	Fluconazole	IP	150	mg	Ov. 0 - 16	
	Tablets IP	Excipients		q.s.		Our Self	
		Approved colour used in tablet					

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
48	Fluconazole	Each Uncoated tablet contains Fluconazole Excipients	IP	200	mg	Our Self	
	Tablets IP	Approved colour used in tablet		q.s.		Our Sen	
		Each Uncoated tablet contains	,		T		
49	Fluconazole	Fluconazole	IP	400	mg		
.,	Tablets IP	Excipients		q.s.		Our Self	
		Approved colour used in tablet					
	Losartan	Each film coated tablet contains	1	1	ı		
	Potassium and	Losartan Potassium	IP	50	mg		
50	Hydrochlorothiazide	Hydrochlorothiazide	IP	12.5	mg	Our Self	
	Tablets IP	Excipients		q.s.			
		Approved colour used in tablet					
		Each uncoated tablet contains	,		T		
51	Deflazacort Tablets	Deflazacort	IHS	30	mg		
31	Dellazacott Tablets	Excipients		q.s.		Our Self	
		Approved colour used in tablet					
	Ramipril and	Each film coated tablet contains		1	ı		
	Hydrochlorothiazide	Ramipril	IP	5	mg		
52	Tablets IP	Hydrochlorothiazide	IP	12.5	mg	Our Self	
	140101511	Excipients		q.s.			
		Approved colour used in tablet					
		Each film coated tablet contains	_		_		
	Tranexamic Acid and	Tranexamic Acid	IP	500			
53	Mefenamic Acid	Mefenamic Acid	IP	250	mg	Our Self	
	Tablets	Excipients		q.s.			
		Approved colour used in tablet					
	Ofloxacin &	Each film coated tablet contains	_		_		
	Ornidazole Tablets IP	Ofloxacin	IP	200			
54	Officazoic Tablets II	Ornidazole	IP	500	mg	Our Self	
		Excipients		q.s.			
		Approved colour used in tablet					
		Each film coated tablet contains	_	1			
	Lornoxicam and	Lornoxicam		4	8		
55	Paracetamol Tablets	Paracetamol	IP	325	mg	Our Self	
		Excipients		q.s.			
		Approved colour used in tablet					
		Each film coated tablet contains:	_		_		
	Ferrous Ascorbate	Ferrous Ascorbate					
56	and Folic Acid	Eq. to Elemental Iron		100	mg		
	Tablets	Folic Acid	IP	1.5	mg	Our Self	
		Excipients		q.s.			
		Approved colour used in tablet	1	. •			
	Sodium Valproate	Each film coated controlled release tab			ı		
	and	Sodium Valproate	IP	333	mg		
	Valproic Acid	Valproic Acid	IP	145	mg		
57	controlled	(Both together correspond to Sodium		500	mg	Our Self	
	release Tablets	Valproate)		0.0			
	-	Excipients Approved colour used in tablet	<u> </u>	q.s.		-	
		Approved colour used III tablet					

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
58	Sodium Valproate and Valproic Acid controlled release Tablets	Each film coated controlled release ta Sodium Valproate Valproic Acid (Both together correspond to Sodium Valproate) Excipients Approved colour used in tablet	IP IP	ntains 133.5 58 200 q.s.	mg mg mg	Our Self	
59	Lornoxicam and Paracetamol Tablets	Each film coated tablet contains Lornoxicam Paracetamol Excipients Approved colour used in tablet	IP	8 325 q.s.	mg mg	Our Self	
60	Metformin and Gliclazide Tablets	Each film coated tablet contains: Metformin Hydrochloride (As Extended Release) Gliclazide (As Moderated Release) Excipients Approved colour used in tablet	IP IP	500 80 q.s.	mg mg	Our Self	
61	Aceclofenac and Drotaverine Tablets	Each film coated tablet contains Aceclofenac Drotaverine Hydrochloride Excipients Approved colour used in tablet	IP IP	100 80 q.s.	mg mg	Our Self	
62	Drotaverine Hydrochloride Tablets IP	Each Film coated tablet contains: Drotaverine Hydrochloride Excipients Approved colour used in tablet	IP	80 q.s.	mg	Our Self	
63	Ivermectin Tablets USP	Each uncoated tablet contains: Ivermectin Excipients Approved colour used in tablet	IP	12 q.s.	mg	Our Self	
64	Citicoline and Piracetam Tablets	Each film coated tablet contains Citicoline Sodium (As Anhydrous) Piracetam Excipients Approved colour used in tablet	IP IP	500 400 q.s.	mg mg	Our Self	
65	Citicoline and Piracetam Tablets	Each film coated tablet contains Citicoline Sodium (As Anhydrous) Piracetam Excipients Approved colour used in tablet	IP IP	500 800 q.s.	mg mg	Our Self	
66	Linezolid Tablets IP	Each film coated tablets contains: Linezolid Excipients Approved colour used in coating	IP	600 q.s.	mg	Our Self	

Sr. No.	Generic Name / Brand Name	Compositio	n				Mfg. for	Reference
67	Clonazepam Tablets IP	Each uncoated tablet contains Clonazepam Excipients Approved colour used in tablet	IP	0.25 q.s.	r	ng	Our Self	Withdrawn
68	Clonazepam Tablets IP	Each uncoated tablet contains Clonazepam Excipients Approved colour used in tablet	IP	0.5 q.s.		mg	Our Self	Withdrawn
69	Clonazepam Tablets IP	Each uncoated tablet contains Clonazepam Excipients Approved colour used in tablet	I	P	1 q.s.	mg	Our Self	Withdrawn
70	Escitalopram Tablets IP	Each uncoated tablet contains Escitalopram Oxalate Eq. to Escitalopram Excipients Approved colour used in tablet	I	P	5 q.s.	mg	Our Self	Withdrawn
71	Escitalopram Tablets IP	Each uncoated tablet contains Escitalopram Oxalate Eq. to Escitalopram Excipients Approved colour used in tablet	I	P	10 q.s.	mg	Our Self	Withdrawn
72	Escitalopram Tablets IP	Each uncoated tablet contains Escitalopram Oxalate Eq. to Escitalopram Excipients Approved colour used in tablet	I	P	20 q.s.	mg	Our Self	Withdrawn
73	Mefenamic Acid and Dicyclomine Hydrochloride Tablets IP	Each uncoated tablet contains Mefenamic Acid Dicyclomine Hydrochloride Excipients Approved colour used in tablet	IP IP		50 20 .s.	mg mg	Our Self	
74	Mefenamic Acid and Dicyclomine Hydrochloride Tablets IP	Each uncoated tablet contains Mefenamic Acid Dicyclomine Hydrochloride Excipients Approved colour used in tablet	IP IP	1	00 20 .s.	mg mg	Our Self	
75	Montelukast Sodium and Levocetirizine Hydrochloride Tablets IP	Each uncoated tablet contains Montelukast Sodium Eq. to Montelukast Levocetirizine Hydrochloride Excipients Approved colour used in tablet	IP IP	-	5 2.5 .s.	mg mg	Our Self	

TIRACONAZOLE	Sr. No.	Generic Name / Brand Name	Compositio	n					Mfg. for	Reference
Approved colour used Each Film coated tablet Contains: Approved colour used Each Film coate	76	IED A CONTAGON	Each film coated sustained release	table	et co	ntai	ns			
TABLET			Itraconazole	U	ISP_	_40	00 1	ng	Over Calf	
Pantoprazole Gastroresistant Tablets IP			Excipients			q.	s		Our Self	
Pantoprazole Gastroresistant Tablets IP Pantoprazole Excipients Q.s Q.s		TABLET	Approved colour used in tablet				•			
Pantoprazole Gastroresistant Tablets IP Pantoprazole Excipients Q.s Q.s			Each Enteric coated tablet Contain	1S:						
Pantoprazole Gastro resistant Tablets IP			Pantoprazole Sodium	IP						
Approved colour used	77	Pantoprazole Gastro-			4	10	r	ng	Our Self	
Azithromycin Tablets IP		resistant Tablets IP	Excipients		g	l.S				
Azithromycin Tablets IP			Approved colour used							
Azithromycin			***	I	<u> </u>					
Azithromycin Eq. to Anhydrous Azithromycin Q.50 mg Approved colour used Azithromycin Azithromycin Azithromycin Azithromycin Azithromycin Dihydrate Eq. to Anhydrous Azithromycin Excipients Q.50 mg Our Self					I	Р			1	
Tablets IP	78	Azithromycin					250	mg	Our Self	
Approved colour used			1				q.s		1	
Azithromycin Tablets IP			Approved colour used						-	
Azithromycin Tablets IP Eq. to Anhydrous Azithromycin EQ. to Anhydrous Azithromycin EQ. to Anhydrous Azithromycin EQ. to Anhydrous Azithromycin Q. s Q. s Approved colour used Q. s Ecoricoxib and Thiocolchicoside Tablets Etoricoxib IP 4 mg Ecoricoxib Thiocolchicoside IP 4 mg Qur Self Excipients Q. s Approved colour used Each Film Coated tablet Contains: Voriconazole Each Film Coated tablet contains: Voriconazole Excipients Q. s Approved colour used in tablet Excipients Q. s Approved colour used in tablet Each Film coated tablet Contains: Our Self Excipients Q. s Approved colour used IP 200 mg Our Self Excipients Q. s Approved colour used IP 100 mg Our Self Each Film coated tablet Contains: Aceclofenac and Paracetamol Each Film coated tablet Contains: Aceclofenac IP 325 mg Approved colour used Approved colour used IP 325 mg Our Self Excipients Q. s Approved colour used Q. s Approved colour used IP 8 mg Our Self Excipients Q. s Approved colour used IP 16 mg Our Self Excipients Q. s Approved colour used IP 16 mg Our Self Excipients Q. s Approved colour used IP 16 mg Our Self Excipients Q. s Approved colour used IP 16 mg Our Self Excipients Q. s Approved colour used IP 16 mg Our Self Excipients Q. s Approved colour used IP 16 mg Our Self Excipients Approved colour used IP 16 mg Our Self Excipients Approved colour used IP 300 mg Our Self Excipients Approved colour used IP 300 mg Our Self Excipients Approved colour used IP 300 mg Our Self Excipients Approved colour used IP 300 mg Our Self Excipients Approved colour used IP 300 mg Our Self Excipients Approved colour used IP 300 mg Our Self Excipients Approved colour used IP 300 mg Our Self Excipients Approved colour used IP 300 mg Our Se								<u>L</u>		
Tablets IP		Azithromycin			ΙD					
Excipients	79		· ·		11	-	500	mσ	Our Self	
Approved colour used	, ,	1 4010 10						<u>s</u>		
Etoricoxib and Thiocolchicoside Tablets		-					1			
Etoricoxib and Thiocolchicoside Tablets										
Thiocolchicoside Tablets Thiocolchicoside Excipients Q.s.		Etoricoxib and		ΙÞ		60		mg		
Rate Excipients Approved colour used Approved colour used Approved colour used IP 200 mg	80							_	Our Self	
Approved colour used				11				mg		
Solution Paracetamol Par						4.5				
Voriconazole										
State		Variaonazala			IF)	200	mσ		
Approved colour used in tablet Each Film coated tablet Contains:	81				11			mg	Our Self	
Second Contain Conta		Tablets					4.5.	1	Our Ben	
Ofloxacin Tablets Excipients Q.s			**							
Ofloxacin Tablets IP Approved colour used Each Film coated tablet Contains: Aceclofenac and Paracetamol Tablets IP Approved colour used Each Film coated tablet Contains: Aceclofenac IP 100 mg Paracetamol Excipients Approved colour used Each Film coated tablet Contains: Approved colour used Each Film coated tablet Contains: Betahistine Tablets IP 8 mg Excipients Approved colour used Each Film coated tablet Contains: Betahistine Dihydrochloride IP 8 mg Our Self Excipients Approved colour used Each Film coated tablet Contains: Betahistine Tablets IP 16 mg Our Self Excipients Approved colour used Ursodeoxycholic Each Film coated tablet Contains: Ursodeoxycholic Each Film coated tablet Contains: Ursodeoxycholic Acid IP 300 mg Our Self Our Self Our Self Our Self Our Self Excipients Approved colour used Our Self IP 16 mg Our Self IP 16 mg Our Self IP 17 mg Our Self IP 18 mg Our Self	92				ID	Τ 2	200	ma	Our Salf	
Betahistine Tablets	02	Oflovacin Tablets			IP	+		mg	Our Sen	
Raceclofenac and Paracetamol Paracetamol Paracetamol Paracetamol Paracetamol Excipients Q.s			*			-	4.8			
Aceclofenac and Paracetamol						<u> </u>				
Racelofenac and Paracetamol Paracetamol Excipients Q.s				ΙÞ	1	00		mg	Our Self	
Paracetamol Excipients q.s Approved colour used 84 Betahistine Tablets IP 85 Betahistine Tablets IP 86 Ursodeoxycholic Acid Tablets IP 86 Acid Tablets IP 87 Excipients q.s proved colour used 88 Excipients q.s proved colour used 89 Excipients q.s proved colour used 80 Ursodeoxycholic Each Film coated tablet Contains: 80 Ursodeoxycholic Each Film coated tablet Contains: 81 Betahistine Tablets proved colour used 82 Excipients q.s proved colour used 83 Ursodeoxycholic Each Film coated tablet Contains: 84 Betahistine Tablets proved colour used 85 Betahistine Tablets proved colour used 86 Acid Ursodeoxycholic Acid IP 300 mg Cour Self Excipients 87 Our Self Proved Contains: 88 Acid Ursodeoxycholic Acid IP 300 mg Cour Self Excipients 89 Our Self Proved Contains:	83	Aceclofenac and						_	our sen	
Tablets Approved colour used Betahistine Tablets IP Betahistine Tablets IP Betahistine Tablets IP Betahistine Tablets Approved colour used Each Film coated tablet Contains: Approved colour used Betahistine Tablets IP Betahistine Dihydrochloride IP 16 mg Excipients Approved colour used Ursodeoxycholic Acid Tablets IP Cur Self Our Self Our Self Our Self Our Self Dursodeoxycholic IP 10 mg Excipients Approved colour used Ursodeoxycholic Acid Tablets IP Excipients Our Self Our Self Our Self Our Self Excipients Our Self Our Self Excipients Our Self								5		
Betahistine Tablets IP Betahistine Dihydrochloride IP Betahistine Dihydrochloride IP Betahistine Dihydrochloride IP Betahistine Dihydrochloride IP Betahistine Tablets Approved colour used Betahistine Dihydrochloride IP Betahistine Tablets IP Betahistine Dihydrochloride IP Beta		Tablets			<u> </u>	1.5				
Betahistine Tablets Betahistine Dihydrochloride IP 8 mg Qur Self			**							
IP Excipients q.s Approved colour used Each Film coated tablet Contains: Betahistine Tablets IP 16 mg Excipients q.s Our Self Excipients q.s Our Self Excipients IP 300 mg Excipients q.s Our Self	84	Betahistine Tablets		I	P	8		mg	Our Self	
Approved colour used Each Film coated tablet Contains: Betahistine Tablets IP Betahistine Dihydrochloride IP IP IG IP Our Self Excipients Approved colour used Ursodeoxycholic Acid Tablets IP Excipients IP Our Self Our Self Our Self Our Self Excipients Our Self Our Self Excipients Our Self			·					8		
Betahistine Tablets IP Betahistine Dihydrochloride IP Excipients Approved colour used Ursodeoxycholic Acid Tablets IP Excipients Ursodeoxycholic Acid Tablets IP Excipients Ursodeoxycholic Acid Tablets IP Excipients Our Self			*							
Betahistine Tablets IP Excipients Approved colour used Ursodeoxycholic Acid Tablets IP Excipients Ursodeoxycholic Acid Tablets IP Excipients Betahistine Dihydrochloride IP 16 mg Qur Self IP 300 mg Our Self										
IP Excipients q.s Approved colour used Ursodeoxycholic Each Film coated tablet Contains: Acid Ursodeoxycholic Acid IP 300 mg Our Self Tablets IP Excipients q.s	85	Betahistine Tablets			ΙP	1	6	mg	Our Self	
Approved colour used Ursodeoxycholic 86 Acid Ursodeoxycholic Acid IP 300 mg Tablets IP Excipients q.s Our Self		IP	-							
86 Acid Ursodeoxycholic Acid IP 300 mg Our Self Tablets IP Excipients q.s			*							
Tablets IP Excipients q.s		Ursodeoxycholic								
Tablets IP Excipients q.s	86	Acid	Ursodeoxycholic Acid		ΙP		300	mg	Our Self	
		Tablets IP	Excipients			I	q.s			
Approved colour used			Approved colour used							

Sr. No.	Generic Name / Brand Name	Composition					Mfg. for	Reference
		Each Film coated tablet Contains:				•		
87	Etoricoxib Tablets	Etoricoxib	IP		120	mg	Our Self	
	IP	Excipients			q.s		1	
		Approved colour used			•		1	
		Each Film coated tablet Contains:		l .				
	Telmisartan and	Telmisartan	IP		40	mg		
88	Hydrochlorthiazide	Hydrochlorthiazide	IP		12.5	mg	Our Self	
	Tablets IP	Excipients			q.s			
		Approved colour used			•		-	
		Each Film coated tablet Contains:		-		1		
	Telmisartan Tablets	Telmisartan	IP		40	mg	Our Self	
89	IP	Excipients		-	q.s		= 	
		Approved colour used			4.5		= 	
		Each Film coated tablet Contains:						
	Telmisartan and	Telmisartan	II)	40	mg	1	
90	Amlodipine Tablets	Amlodipine Besilate	II		10		Our Self	
	IP	Eq. to Amlodipine	1		5	mg		
		Excipients			q.s	1115	-	
		Approved colour used			1.~		= 	
		Each uncoated tablet Contains:	<u> </u>					
91	Terbinafine Tablets	Terbinafine Hydrochloride		ΙP			Our Self	
71	IP	Eq. to Terbinafine		11	25	60 mg	our sen	
		Excipients			q.		-	
		Each Film coated tablet Contains:			1		<u> </u>	
92	Levocetirizine	Levocetirizine Hydrochloride		IP	5	mg	Our Self	
72	Tablets IP	Excipients		11	q.			
	1001000	Approved colour used			<u>q</u> .		_	
		Each Film coated tablet Contains:			<u> </u>		1	
93	Levocetirizine	Levocetirizine Hydrochloride	IP	1	0	mg	Our Self	
,,,	Tablets IP	Excipients		+	i.s	1115		
		Approved colour used						
		Each Film coated tablet Contains:	,	<u> </u>				
	Atorvastatin	Atorvastatin Calcium		P			_	
94	Tablets IP	Eq. to Atorvastatin	1	1	10	mg	Our Self	
, ,	140101511	Excipients			q.s	mg		
		Approved colour used			4.5			
		Each Film coated tablet Contains:						
	Atorvastatin	Atorvastatin Calcium	IP				Our Self	
95	Tablets IP	Eq. to Atorvastatin	11		20	mg	our sen	
,,,	1401045 11	Excipients			q.s	mg		
		Approved colour used			4.5			
	1	Each Enteric coated tablet Contain	ne.				<u> </u>	
	Esomeprazole	Esomeprazole Magnesium	115.	ΙP			\dashv	
96	Gastro-resistance	Trihydrate		IL	40	mg	Our Self	
70	Tablets IP	Eq. to Esomeprazole			1	' mg	Jui Bell	
	1 401013 11	Excipients Excipients	+		q.s	2	\dashv	
		Approved colour used	+		4.	,	\dashv	
	Paracetamol	Each Uncoated tablet Contains:	1					
97	Tablets IP	Paracetamol	Т	P	650	ma	Our Self	
91	1 autots If	Excipients	I	I .		mg	- Our Self	
		Excipionis			q.s			

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
		Each uncoated tablet Contains:			l		
	Fluoxetine and	Fluoxetine Hydrochloride	IP			Our Self	
98	Olanzapine Tablets	Eq. to Fluoxetine		20	mg		
	ÎP	Olanzapine	IP	5	mg		
		Excipients		q.s			
		Each Film coated tablet Contains:					
	Atorvastatin	Atorvastatin Calcium	IP				
99	Tablets IP	Eq. to Atorvastatin		40	mg	Our Self	
		Excipients		q.s			
		Approved colour used		1			
		Each Uncoated tablet Contains:		1	<u> </u>		<u> </u>
100	Allopurinol	Allopurinol	IP	100	mg	Our Self	
100	Tablets IP	Excipients	- 11	q.s	m _S		
		Each Film coated tablet Contains:		4.5			
		Diclofenac Potassium	BP	50	mg		
	Diclofenac and	Serratiopeptidase	IP	15	mg		
101	Serratiopeptidase	(Enzyme Activity 30,000 unit	11	13	mg	Our Self	
	Tablets	As enteric coated granules)					
		Excipients		q.s			
		Approved colour used		4.5			
		Each Film coated tablet Contains:			I		
	Atorvastatin and	Atorvastatin Calcium	IP				
102	Fenofibrate	Eq. to Atorvastatin		10	mg	Our Self	
	Tablets IP	Fenofibrate	IP	160	mg		
		Excipients		q.s	- 6		
		Approved colour used		1			
		Each Film coated tablet Contains:		•	· I		
	Rosuvastatin and	Rosuvastatin Calcium	IP				
	Fenofibrate	Eq. to Rosuvastatin		10	mg		
103	Tablets IP	Fenofibrate	IP	160	mg	Our Self	
		Excipients		q.s			
		Approved colour used					
		Each Film coated tablet Contains:					
	Rosuvastatin and	Rosuvastatin Calcium	IP				
104	Fenofibrate	Eq. to Rosuvastatin		20	mg	Our Self	
	Tablets IP	Fenofibrate	IP	160	mg		
		Excipients		q.s			
		Approved colour used					
		Each Film coated tablet Contains:					
	Losartan Potassium	Losartan Potassium	IP	50	mg		
105	and Amlodipine	Amlodipine Besilate	IP				
	Tablets IP	Eq. to Amlodipine		5	mg	Our Self	
		Excipients		q.s			
		Approved colour used					

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
•		Each film coated tablet contains:			•		
	Etodolac and	Etodolac	IP	400) mg		
106	Thiocolchicoside	Thiocolchicoside	IP	8	mg	Our Self	
	Tablets	Excipients		q.s.			
		Approved colour used in tablet]	
	Ramipril Tablets IP	Each uncoated tablet Contains:					
107		Ramipril	IP	2.5	mg	Our Self	
		Excipients		q.s			
	Ramipril Tablets IP	Each uncoated tablet Contains:					
108	*	Ramipril	IP	5	mg	Our Self	
		Excipients		q.s			
	Tranexamic Acid	Each Film coated tablet Contains:	•	-			
	and Etamsylate	Tranexamic Acid	IP	250	mg		
109	Tablets	Etamsylate	BP	250	mg	Our Self	
		Excipients		q.s]	
		Approved colour used					
	Fexofenadine	Each Film coated tablet Contains:					
110	Hydrochloride	Fexofenadine Hydrochloride	IP	120	mg	Our Self	
	Tablets IP	Excipients		q.s			
		Approved colour used		-			
	Loratadine	Each Uncoated tablet Contains:					
111	Tablets USP	Loratadine	USP	10	mg	Our Self	
		Excipients		q.s			
	Losartan Potassium	Each Film coated tablet Contains:	•	<u> </u>			
	Tablets IP	Losartan Potassium	IP	50	mg		
112		Excipients		q.s	8	Our Self	
		Approved colour used		1			
	Amitriptyline	Each Film coated tablet Contains:	<u> </u>				
	Hydrochloride	Amitriptyline Hydrochloride	IP	25	mg	Our Self	
113	Tablets IP	Excipients		q.s	8		
		Approved colour used					
	Amitriptyline	Each Film coated tablet Contains:	<u>'</u>	•	ı		
114	Hydrochloride	Amitriptyline Hydrochloride	IP	50	mg	Our Self	
	Tablets IP	Excipients		q.s		1	
		Approved colour used					
	Piroxicam	Each Film coated tablet Contains:		•	•		
115	Tablets	Piroxicam	IP	10	mg	7	
		Excipients		q.s		Our Self	
		Approved colour used		1			
	Piroxicam	Each Film coated tablet Contains:	•				
116	Tablets IP	Piroxicam	IP	20	mg	Our Self	
		Excipients		q.s	- 6		
		Approved colour used		1			
	Albendazole	Each Uncoated tablet Contains:	<u>l</u>	1			
117	Tablets IP	Albendazole	IP	400	mg	Our Self	
•	==	Excipients		q.s	5	1	
	Rosuvastatin	Each Film coated tablet Contains:	<u> </u>	7.5		1	
	Tablets IP	Rosuvastatin Calcium	IP			\dashv	
118	140101511	Eq. to Rosuvastatin	11	10	mg	Our Self	
	No.	Excipients		q.s			
		Approved colour used		7.5		_	

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
	Rosuvastatin	Each Film coated tablet Contains:					
	Tablets IP	Rosuvastatin Calcium	IP				
119		Eq. to Rosuvastatin		20	mg	Our Self	
		Excipients		q.s	8		
		Approved colour used		1.~			
		Each film coated tablet contains		<u> </u>	<u> </u>		
		Citicoline Sodium	IP				
120	Citicoline Tablets IP		1	500	mg	Our Self	
120		Excipients		q.s.	8		
		Approved colour used in tablet		1 1	I.	1	
	Ondansetron Orally	Each Orally Disentigrating tablet	Contains	2.			
	Disentigrating	Ondansetron Hydrochloride	IP	s. 		Our Self	
121	Tablets IP	Eq. to Ondansetron	11	8	mg	Our Sen	
121	Tablets II	Excipients		q.s	Ilig	-	
	D			4.5			
	Rosuvastatin Tablets IP	Each Film coated tablet Contains:	ID	1	1		
122	Tablets IP	Rosuvastatin Calcium	IP	_		Over Colf	
122		Eq. to Rosuvastatin		5	mg	Our Self	
		Excipients		q.s	+		
	D: 1 C 1	Approved colour used				1	
	Diclofenac and	Each Film coated tablet Contains:	T **	T =0	1	4	
100	Paracetamol	Diclofenac Sodium	IP	50	mg	O C-16	
123	Tablets IP	Paracetamol	IP	325	mg	Our Self	
		Excipients		q.s		_	
		Approved colour used					
	Flunarizine	Each uncoated tablet Contains:			_		
124	Dihydrochloride	Flunarizine Dihydrochloride	BP	5	mg	Our Self	
	Tablets	Excipients		q.s			
	Flunarizine	Each uncoated tablet Contains:				_	
125	Dihydrochloride	Flunarizine Dihydrochloride	BP	10	mg	Our Self	
	Tablets	Excipients		q.s			
		Each Film coated tablet Contains:					
	Telmisartan and	Telmisartan	IP	40	mg		
126	Amlodipine	Amlodipine Besilate	IP				
	Tablets IP	Eq. to Amlodipine		10	mg	Our Self	
		Excipients		q.s			
		Approved colour used					
	Telmisartan and	Each Film coated tablet Contains:					
	Amlodipine	Telmisartan	IP	80	mg	1	
127	Tablets IP	Amlodipine Besilate	IP			Our Self	
		Eq. to Amlodipine		10	mg		
		Excipients		q.s		1	
		Approved colour used					
		Each Film coated tablet Contains:					
128	Clarithromycin	Clarithromycin	IP	500	mg	Our Self	
	Tablets IP	Excipients		q.s		1	
		Approved colour used		1		1	
		Each enteric coated tablet Contains	•	1	1		
	Serratiopeptidase	Serratiopeptidase	IP	10	mg	1	
129	Tablets IP	(20,000 serratiopeptidase units)	"		1115	Our Self	
		Excipients		q.s		1	
			i	4.5	1	i .	Ī

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
	Colchicine	Each uncoated tablet Contains:					
130	Tablets IP	Colchicine	IP	500	mcg	Our Self	
		Excipients		q.s			
	Methylprednisolone	Each Film coated tablet Contains:					
131	Tablets IP	Methylprednisolone	IP	4	mg	Our Self	
		Excipients		q.s			
		Approved colour used					
	Etodolac Tablets IP	Each Film coated tablet Contains:					
132		Etodolac	IP	400	mg	Our Self	
		Excipients		q.s			
		Approved colour used					
	Ferrous Ascorbate,	Each Film coated tablet Contains:					
	Folic Acid, Zinc and	Ferrous Ascorbate					
	Cyanocobalamin	Eq. to elemental Iron		100	mg		
	Tablets	Folic Acid	IP	1.5	mg		
133		Zinc Sulphate Monohydrate	IP			Our Self	
		Eq. to elemental Zinc		22.5	mg		
		Cyanocobalamin	IP	15	mcg		
		Excipients		q.s			
		Approved colour used					
	Ondansetron Orally	Each Orally Disentigrating tablet C		T	1		
134	Disentigrating	Ondansetron Hydrochloride	IP			Our Self	
	Tablets IP	Eq. to Ondansetron		4	mg		
	-	Excipients		q.s			
	Paracetamol,	Each uncoated tablet Contains:					
	Phenylephrine,	Paracetamol	IP	500	mg		
135	Diphenhydramine	Phenylephrine Hydrochloride	IP	5	mg	0 0 10	
	and Caffeine Tablets	Diphenhydramine Hydrochloride	IP	25	mg	Our Self	
		Caffeine (Anhydrous)	IP	30	mg		
		Excipients		q.s			
100	Montelukast	Each Chewable tablet Contains:			1	-	
136	Chewable	Montelukast Sodium	IP	1.0		0 0 10	
	Tablets	Eq. to Montelukast		10	mg	Our Self	
		Excipients		q.s			
127	Trioxsalen Tablets	Each Film coated tablet Contains:	TICE	0.7		O 0 10	
137	USP	Trioxsalen	USP	25	mg	Our Self	
		Excipients		q.s			
		Approved colour used				T	
	Ibuprofen and	Each Uncoated tablet Contains:	T				
138	Paracetamol	Ibuprofen	IP	400	mg	0 0 10	
	Tablets	Paracetamol	IP	325	mg	Our Self	
		Excipients		q.s			
400	Telmisartan	Each Film coated tablet Contains:	T	T 0-	ı	_	
139	Tablets IP	Telmisartan	IP	80	mg		
		Excipients	1	q.s		Our Self	
	1	Approved colour used		<u> </u>			
	Clomifene	Each Film coated tablet Contains:		•	ı	_	
140	Tablets IP	Clomifene Citrate	IP	50	mg	Our Self	
		Excipients		q.s			
		Approved colour used					

Sr. No.	Generic Name / Brand Name	Composition			N	Mfg. for	Reference
		Each uncoated tablet Contains:			<u> </u>		
141	Methylprednisolone	Methylprednisolone	IF	16	mg		
	Tablets IP	Excipients		q.s	- 8	Our Self	
		Approved colour used		1.~			
		Each Film coated tablet Contains:	<u> </u>		<u> </u>		
		Levofloxacin Hemihydrate	IP			-	
142	Levofloxacin and	Eq. to Levofloxacin	**	500	mg	Our Self	
	Ambroxol Tablets	Ambroxol Hydrochloride	IP		mg		
		Excipients		q.s		-	
		Approved colour used		1.0		-	
		Each Film coated tablet Contains:	<u> </u>				
143	Ursodeoxycholic	Ursodeoxycholic Acid	IP	150	mg	Our Self	
143	Acid	Excipients	11		mg	Our Scii	
	Tablets IP	Approved colour used		q.s			
				. •			
	Metformin	Each uncoated Sustained release table				O C-16	
144	Hydrochloride Sustained Release	Metformin Hydrochloride	IP	1000	mg	Our Self	
144		Excipients		q.s			
	Tablets IP	F 1		. •			
1.45	Metformin	Each uncoated Sustained release table			1	0 0 10	
145	Hydrochloride	Metformin Hydrochloride	IP	500	mg	Our Self	
	Sustained Release Tablets IP	Excipients		q.s			
		Each Film coated tablet Contains:					
146	Telmisartan and Hydrochlorthiazide	Telmisartan	IF	80	mg		
		Hydrochlorthiazide	IP	12.5	mg	Our Self	
	Tablets IP	Excipients		q.s			
		Approved colour used					
		Each Film coated tablet Contains:					
	Telmisartan and	Telmisartan	IP	80	mg		
147	Amlodipine Tablets	Amlodipine Besilate	IP		<u> </u>	Our Self	
	ÎP	Eq. to Amlodipine		5	mg		
		Excipients		q.s			
		Approved colour used		•			
		Each Film coated tablet Contains:		l l			
	Azithromycin	Azithromycin Dihydrate	IP				
148	Tablets IP	Eq. to Azithromycin		1	gm	Our Self	
		Excipients		q.s			
		Approved colour used		1			
	Due solved in Create in a d	**	of Com	<u> </u>			
149	Pregabalin Sustained Release	Each uncoated Sustained release table	_		1	Our Self	
149	Tablets	Pregabalin Excipients	IP	75	mg	- Our sen	
	Tablets		 	q.s			
	0:1.1 6:1	Each uncoated effervescent tablet Co		 		_	
150	Sildenafil Tables ID	Sildenafil Citrate	IP	100		O 0 10	
150	Tablets IP	Eq. to Sildenafil		100	mg	Our Self	
		Excipients		q.s		_	
	1	Approved colour used					
	Each uncoated effervescent tablet Contains:						
4	Sildenafil	Sildenafil Citrate	IP				
151	Tablets IP	Eq. to Sildenafil		50	mg	Our Self	
		Excipients		q.s			
		Approved colour used					

Sr. No.	Generic Name / Brand Name	Composition			I	Mfg. for	Reference
- 1.01		Each uncoated effervescent tablet C	ontains	•			
	Sildenafil	Sildenafil Citrate	IP				
152	Tablets IP	Eq. to Sildenafil		25	mg	Our Self	
		Excipients		q.s	- 8		
		Approved colour used					
		Each Film coated tablet Contains:	· ·	- I			
153	Tadalafil	Tadalafil	IP	20	mg	Our Self	
	Tablets IP	Excipients		q.s	8		
		Approved colour used		4.5			
		Each Gastro-resistance tablet Conta	ins:	<u> </u>	l		
	Esomeprazole	Esomeprazole Magnesium	IP				
154	Gastro-resistance	Trihydrate	11	20	mg	Our Self	
151	Tablets IP	Eq. to Esomeprazole		20	mg	our sen	
	1 4010 15 11	Excipients		q.s			
		Approved colour used		4.5			
		Each Film coated tablet Contains:		1			1
155	Etoricoxib Tablets	Etoricoxib	IP	60	mσ		
133	IP	Excipients	11		mg	Our Self	
	11	Approved colour used	1	q.s			
		Each Film coated tablet Contains:		<u> </u>		<u> </u>	1
156	Etoricoxib Tablets	Etoricoxib	IP	00	ma	-	
130	IP		IP	90	mg	Our Self	
	ır	Excipients	1	q.s		Our Sen	
		Approved colour used					
1.57	Ebastine Tablets IP	Each Film coated tablet Contains:	ID	20		0 0 10	
157	Ebastine Tablets IP	Ebastine	IP	20	mg	Our Self	
		Excipients		q.s		_	
		Approved colour used					
		Each Film coated tablet Contains:					
158	Thiocolchicoside	Thiocolchicoside	IP	4	mg	Our Self	
	Tablets	Excipients		q.s		_	
		Approved colour used					
	Voglibose	Each Uncoated tablet Contains:		T			
159	Tablets IP	Voglibose	IP	0.2	mg	Our Self	
		Excipients		q.s			
	Voglibose	Each Uncoated tablet Contains:					
160	Tablets IP	Voglibose	IP	0.3	mg	Our Self	
		Excipients		q.s			
		Each Film coated tablet Contains:					
161	Methylprednisolone	Methylprednisolone	IP	8	mg	Our Self	
	Tablets IP	Excipients		q.s			
		Approved colour used					
		Each Film coated tablet Contains:					
162	Methylprednisolone	Methylprednisolone	IP	16	mg	Our Self	
	Tablets IP	Excipients		q.s			
		Approved colour used					
		Each Film coated tablet Contains:					
	Pregabalin Sustained	Pregabalin	IP	150	mg]	
163	release and	(In Sustained release form)				Our Self	
	Methylcobalamin	Methylcobalamin	IP	1500	mcg]	
	Tablets	Excipients		q.s		<u>8</u>	
		Approved colour used]	

Sr. No.	Generic Name / Brand Name	Composition			I	Mfg. for	Reference
		Each Uncoated tablet Contains:					
164	Aciclovir Tablets IP	Aciclovir	IP	400	mg	Our Self	
		Excipients		q.s			
	Ketorolac	Each Uncoated tablet Contains:	<u> </u>		-		
165	Tromethamine	Ketorolac Tromethamine	IP	10	mg	Our Self	
	Tablets IP	Excipients		q.s	8		
		Each Film coated tablet Contains:	<u> </u>	1.~			
	Rosuvastatin and	Rosuvastatin Calcium	IP				
	Fenofibrate	Eq. to Rosuvastatin		10	mg	Our Self	
166	Tablets	Fenofibrate	IP	145	mg		
		Excipients		q.s			
		Approved colour used		1			
	Paracetamol	Each Uncoated tablet Contains:					
167	Tablets IP	Paracetamol	IP	500	mg	Our Self	
10,	1 401015 11	Excipients		q.s	1115		
		Each uncoated Sustained release tal	olat Co				
168	Isoxsuprine Sustained	Isoxsuprine Hydrochloride	IP	40	ma	Our Self	
100	release Tablets	Excipients	11		mg	Our Sen	
	Telease Tablets	Approved colour Used		qs			
	Thiocolchicoside and	Each Film coated tablet Contains:	ID	1	T		
169	Ketoprofen Tablets	Thiocolchicoside	IP IP	50	mg	Our Self	
109	Ketoprofell Tablets	Ketoprofen	IP	+	mg	Our Sen	
		Excipients		q.s		_	
		Approved colour used					
170	Daminuil Tableta ID	Each Film coated tablet Contains:	ID	1 2.5		Over Calf	
170	Ramipril Tablets IP	Ramipril	IP	2.5	mg	Our Self	
		Excipients		q.s			
		Approved colour used					<u> </u>
171	D ' '177 11 / ID	Each Film coated tablet Contains:	ID	<u> </u>	1	0 0 10	
171	Ramipril Tablets IP	Ramipril	IP	5	mg	Our Self	
		Excipients		q.s			
		Approved colour used					
	Ramipril and	Each film coated tablet contains					
	Hydrochlorothiazide	Ramipril	IP	2.5	mg		
172	Tablets IP	Hydrochlorothiazide	IP	12.5	mg	Our Self	
	Tablets II	Excipients		q.s.		Our Sen	
		Approved colour used in tablet					
		Each Film coated tablet Contains:					
		Clopidogrel Bisulphate	IP	'		1	
173	Clopidogrel Tablets IP	Eq. to Clopidogrel		75	mg	Our Self	
		Excipients		q.s	S		
		Approved colour used				1	
	Aciclovir Tablets IP	Each Uncoated tablet Contains:					
174		Aciclovir	IP	800	mg	Our Self	
		Excipients		q.s		1	
	Lornoxicam Tablets	Each Film coated tablet Contains:					
175	Zomomeum ruotett	Lornoxicam	IHS	8	mg	Our Self	
•		Excipients	1110	q.s	5		
		Approved colour used		4.5			

Sr. No.	Generic Name / Brand Name	Composition					Mfg. for	Reference
		Each Film coated tablet Contains:						
	Etoricoxib and	Etoricoxib		P	60	mg		
176	Thiocolchicoside	Thiocolchicoside	I	P	8	mg	0 0 10	
	Tablets	Excipients			q.s			
		Approved colour used			•			
		Each film coated tablet contains:	•					
		Clopidogrel Bisulphate	I	P				
	Clopidogrel & Aspirin				75	mg		
177	Tablets	Aspirin	I	P	150	mg	Our Self	
		Excipients			q.s.			
		Approved colour used in tablets			1	l .		
		Each uncoated tablet Contains:						
	Trimethoprim &	Trimethoprim		IP	160	mg	,	
178	Sulphamethoxazole	Sulphamethoxazole		IP			0 0 10	
170	Tablets IP	Excipients		- 11	q.s		5 our sen	
	1001000	Approved colour used in tablet			q.s			
		Each uncoated tablet Contains:						
	Trimethoprim &	Trimethoprim		IP	80	mo	τ .	
179	Sulphamethoxazole	Sulphamethoxazole		IP		mg	0 0 10	
1/)	Tablets IP	Excipients		П		٠	g Our Sen	
	Tablets II	Approved colour used in tablet			q.s			
		Each Film coated tablet Contains:						
	Telmisartan, Hydrochlorothiazide	Telmisartan	I	D	40	ma		
			I		12.5	mg		
180	and Amlodipine	Hydrochlorothiazide	I		12.3	mg	Our Self	
100	Tablets	Amlodipine Besylate	11	٢	5	ma		
	Tuoiots	Eq. to Amlodipine Excipients			5	mg		
		Approved colour used			q.s			
		Each film coated tablet Contains:						
	Telmisartan,	Telmisartan	I	D.	80			
	Hydrochlorothiazide		I			mg		
181	and Amlodipine	Hydrochlorothiazide	_		25	mg	— Our sen	
101	Tablets	Amlodipine Besylate	I	1	10	****		
	Tuolots	Eq. to Amlodipine Excipients			10	mg		
		Approved colour used			q.s			
	<u> </u>	**						
	Mathylachalamin	Each Film coated tablet Contains:	Т.	D	1500	1		
	Methylcobalamin, Pregabalin, Alpha	Methylcobalamin		P	1500	mcg		
182	Lipoic Acid, L-	Pregabalin		P SP	150	mg Ma		
162	Methyl Folate,	Alpha Lipoic Acid		SP SP	100	Mg	2	
	Pyridoxal-5-	L-Methyl Folate Calcium			1	mg		
	Phosphate tablets	Pyridoxal-5-Phosphate Excipients	U	SP	1.5	mg	<u>-</u>	
	2 nospilate tuoiets	Approved colour used	-		q.s		\dashv	
		**						
		Each uncoated tablet contains:	TTT	-	100			
102	Wilderling Tables	Vildagliptin	IH		100	mg		
183	Vildagliptin Tablets	Eveinionts	S	+	7.0		Our Self	
		Excipients Approved colour used in tablet		(q.s.		_	
		Approved colour used in tablet						

Sr. No.	Generic Name / Brand Name	Composition					Mfg. for	Reference
		Each Film coated tablet Contains	s:					•
	Atorvastatin &	Atorvastatin Calcium	IP					
	Ezetimibe	Eq. to Atorvastatin			10	mg	Our Self	
184	Tablets	Ezetimibe	IP		10	mg		
		Excipients		(q.s			
		Approved colour used						
		Each Film coated tablet Contains	s:					
	Betahistine Tablets	Betahistine Dihydrochloride	IP	24	4	mg	Our Self	
185	24 MG	Excipients		q.	S			
		Approved colour used						
		Each Film coated tablet Contain]	
	Clarithromycin	Clarithromycin		IP	250	mg	Our Self	
186	Tablets IP	Excipients			q.s			
		Approved colour used						
		Each Film coated tablet Contain	s:					
	Clarithromycin	Clarithromycin		IP	500	mg	Our Self	
187	Tablets IP	Excipients			q.s]	
		Approved colour used						
		Each Film coated tablet Contain	s:					
	Dapoxetine HCL	Dapoxetine hydrochloride		ΙP				
188	Tablets IP	Eq. to Dapoxetine			30	mg	Our Self	
		Excipients			q.s			
		Approved colour used						
		Each Film coated tablet Contain	s:					
	Dapoxetine HCL	Dapoxetine hydrochloride		ΙP				
189	Tablets IP	Eq. to Dapoxetine			60	mg	Our Self	
		Excipients			q.s			
		Approved colour used					<u> </u>	
		Each Uncoated Extended-Releas						
	Doxofylline (ER)	Doxofylline	I	P	400) mg		
190	Tablets	(As Extended Release)					Our Self	
	Tablets	Excipients			q.s		Our Sen	
		Approved colour used in tablet				.		
		Each Uncoated Extended-Releas	e Table	et Co	ontain	S		
		Doxofylline Doxofylline	I		800		╡	
191	Doxofylline (ER)	(As Extended Release)	1	•				
191	Tablets	` '					Our Self	
		Excipients			q.s	•	_	
		Approved colour used in tablet						
		Each film coated tablet Contains	:					
100	Latropole Webby D	Letrozole	I	Р	2.5	mg		
192	Letrozole Tablets IP	Excipients	_		q.s		Our Self	
		Approved colour used in tablet	I					
		Each film coated tablet Contains	•					
		Letrozole	————————————————————————————————————	D		ma		
193	Letrozole Tablets IP				J	mg	_	
		Excipients			q.s		Our Self	
		Approved colour used in tablet						

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
		Each film coated tablet contains:			•		
	D 11.0	Donepezil Hcl	IP	5	mg		
194	Donepezil &	Memantine Hcl	USF	10	mg	O C-16	
	Memantine Tablets	Excipients		q.s.		Our Self	
		Approved colour used in tablet			,		
		Each film coated tablet contains:					
	D '10	Donepezil Hcl	IP	5	mg		
195	Donepezil & Memantine Tablets	Memantine Hcl	USF	5	mg	Our Self	
	Memantine Tablets	Excipients		q.s.		Our Sen	
		Approved colour used in tablet					
		Each Film coated tablet Contains:					
	Montelukast Sodium	Montelukast Sodium	IP				
196	& Fexofenadine	Eq. to Montelukast		10	mg	Our Self	
	Hydrochloride	Fexofenadine Hydrochloride	IP	120	mg		
	Tablets	Excipients		q.s			
		Approved colour used					
		Each film coated tablet Contains:					
107	Olmesartan	Olmesartan Medoxomil	IP	40	mg		
197	Medoxomil Tablets IP	Excipients		q.s.		Our Self	
	II	Approved colour used in tablet					
		Each film coated tablet Contains:					
	Olmesartan Medoxomil Tablets	Olmesartan Medoxomil	IP	20	mg		
198		Excipients			mg	Our Self	
	IP	Approved colour used in tablet		q.s.		Our ben	
		Each film coated tablet Contains:					
199	Olmesartan	Olmesartan Medoxomil	IP	5	mg		
1,7,7	Medoxomil Tablets	Excipients		q.s.		Our Self	
		Approved colour used in tablet					
		Each Uncoated tablet Contains:					
200	Azelnidipine Tablets	Azelnidipine	IP	8	mg	Our Self	
	IP	Excipients		q.s			
		Each Uncoated tablet Contains:					
201	Azelnidipine Tablets	Azelnidipine	IP	16	mg	Our Self	
	IP	Excipients		q.s			
		Each Film coated Extended-Release			s:		
202	Acotiamide Tablets	Acotiamide Hydrochloride Hydrate	IHS	100	mg	Our Self	
		Excipients		q.s		-	
		Approved colour used					
		Each uncoated tablet Contains:					
203	Primidone Tablets	Primidone	USP	50	mg	Our Self	
		Excipients		q.s			
		Each uncoated tablet Contains:	ı				
204	Primidone Tablets	Primidone	USP	250	mg	Our Self	
		Excipients		q.s			
		Each uncoated bilayered tablet contain		1 1		_	
	Metformin HCI SR	Metformin Hydrochloride	IP	500	mg		
205	& Vildagliptin	(As Sustained Release)	1	70			
	Tablets	Vildagliptin		50	mg	Our Self	
		Excipients		q.s.		4	
		Approved colour used in tablet					

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
<u> </u>		Each uncoated bilayered tablet cor	ntains:		Į.		
)	Metformin Hydrochloride	IP	850	mg	1	
20.6	Metformin HCI SR	(As Sustained Release)					
206	& Vildagliptin	Vildagliptin		50	mg	Our Self	
	Tablets	Excipients		q.s.		1	
		Approved colour used in tablet	I	1 1	l	1	
		Each uncoated bilayered tablet cor	ntains:				
		Metformin Hydrochloride	IP	1000	mg	-	
	Metformin HCI SR	(As Sustained Release)			8		
207	& Vildagliptin	Vildagliptin		50	mg	Our Self	
	Tablets	Excipients		q.s.	8		
		Approved colour used in tablet		4.5.		1	
		Each Film coated tablet contains:				1	
		Rosuvastatin calcium	IP	T		-	
	Rosuvastatin calcium	Eq. to Rosuvastatin	IP	20	ma		
208	& Fenofibrate	Fenofibrate	IP	160	mg	Our Self	
	Tablets		II		mg	Our Sen	
		Excipients Approved colour used in tablet		q.s.		-	
		Each Film coated tablet contains:	ID	T	l	4	
	Rosuvastatin calcium	Rosuvastatin calcium	IP	10			
209	& Fenofibrate	Eq. to Rosuvastatin	ID	10	mg	0 0 16	
	Tablets IP	Fenofibrate	IP	160	mg	Our Self	
		Excipients		q.s.		4	
		Approved colour used in tablet					
		Each Film coated tablet contains:		T	1	_	
	Rosuvastatin calcium	Rosuvastatin calcium	IP				
210	& Fenofibrate	Eq. to Rosuvastatin	-	5	mg		
210	Tablets	Fenofibrate	IP	160	mg	Our Self	
		Excipients		q.s.		_	
		Approved colour used in tablet					
		Each Film coated tablet contains:					
	Rosuvastatin calcium	Rosuvastatin calcium	IP				
211	& Fenofibrate	Eq. to Rosuvastatin		20	mg	_	
211	Tablets	Fenofibrate	IP	145	mg	Our Self	
	Tablets	Excipients		q.s.			
		Approved colour used in tablet					
		Each Film coated tablet contains:					
	Rosuvastatin calcium	Rosuvastatin calcium	IP				
212	& Fenofibrate	Eq. to Rosuvastatin		10	mg		
212	Tablets	Fenofibrate	IP	145	mg	Our Self	
	Tablets	Excipients		q.s.			
		Approved colour used in tablet					
		Each Film coated tablet contains:			_		
		Rosuvastatin calcium	IP			1	
615	Rosuvastatin calcium	Eq. to Rosuvastatin		20	mg		
213	& Fenofibrate	Fenofibrate	IP	67.5	mg	Our Self	
	Tablets	Excipients		q.s.	U		
	<u> </u>	Approved colour used in tablet	1	1 1	1	+	

Sr. No.	Generic Name / Brand Name	Composition					Mf	g. for	Reference
1		Each Film coated tablet contains:						•	
		Rosuvastatin calcium	II	P					
214	Rosuvastatin calcium	Eq. to Rosuvastatin			5	mg	g		
214	& Ezetimibe Tablets IP	Ezetimibe	II	P :	10	mg	g C	Our Self	
	IP	Excipients		q	ı.s.				
		Approved colour used in tablet							
		Each Film coated tablet contains:							
	Tapentadol	Tapentadol Hydrochloride	II	P					Withdrawn
215	Hydrochloride	Eq. to Tapentadol		4	50	mg	3 (Our Self	williawii
	Tablets	Excipients		g	.s.		`	our Sen	
		Approved colour used in tablet							
		Each Film coated tablet contains:							
	Tapentadol	Tapentadol Hydrochloride	II						Withdrawn
216	Hydrochloride	Eq. to Tapentadol			75	mg	<u> </u>	Our Self	Withdrawn
	Tablets	Excipients		g	.S.		`	our Ben	
		Approved colour used in tablet							
		Each Film coated tablet contains:				1			
	Tapentadol	Tapentadol Hydrochloride	II						
217	Hydrochloride	Eq. to Tapentadol			00	mg	3 (Our Self	Withdrawn
	Tablets	Excipients		g	.S.				
		Approved colour used in tablet							
		Each film coated tablet contains:		1 00					
210	Telmisartan &	Telmisartan	IP	80		mg		0.10	
218	Hydrochlorothiazide Tablets IP	Hydrochlorothiazide	IP	12.		mg	5 (Our Self	
	Tablets IP	Excipients		q.s	S				
		Approved colour used						1	
		Each Film coated tablet contains:							
219	Rifaximin Tablets	Rifaximin		Ph Eu	r	200	mg	Our	
217		Excipients				q.s.		Self	•
		Approved colour used in tablet	I				L		
		Each Film coated tablet contains:	ī				1		
220	Rifaximin Tablets	Rifaximin		Ph.Eu	ır	400	mg	Our Se	olf
220		Excipients				q.s.		Our Sc	.II
1		Approved colour used in tablet							
		Each Film coated tablet contains:	1						
221	Rifaximin Tablets	Rifaximin		Ph.Eu	ſ	550	m	g Our	Self
		Excipients				q.s.		_	
		Approved colour used in tablet							
	Ursodeoxycholic	Each Film coated sustained release	tablet	contai	ins:				
222	Acid Sustained	Ursodeoxycholic Acid		IP	4:	50	mg	Our Se	elf
	Release	Excipients			g	ı.s			
	Tablets	Approved colour used							
		Each uncoated tablet containes:							
	Metformin	Metformin Hydrochloride		IP		500	mg		
223	Hydrochloride (SR) &	(As Sustained Release form)						Our Se	olf
223	Voglibose Tablets	Voglibose		IP		0.3	mg	Jui se	Z11
		Excipients				q.s.		_	
		Approved colour used in tablet							

Sr. No.	Generic Name / Brand Name	Composition				M	lfg. for	Reference
	24.6	Each uncoated tablet containes:						
	Metformin	Metformin Hydrochloride		IP	50	0 mg	g	
224	Hydrochloride &	Voglibose		IP	0.2	2 mg	g Our S	elf
	Voglibose Tablets	Excipients			q.s	S		
		Approved colour used in tablet			•			
	Voglibose Mouth	Each uncoated mouth dissolving Tab	let co	ntain	s:			
225	Dissolving	Voglibose		IP	0.2	mg	Our Se	elf
	Tablets	Excipients			q.s			
		Approved colour used in tablet						
	Voglibose Mouth	Each uncoated mouth dissolving Tab	let co	ntain				
226	Dissolving	Voglibose	I	P	0.3	mg	Our S	elf
	Tablets	Excipients			q.s			
		Approved colour used in tablet						
		Each film coated tablet contains:						
	Chlordiazepoxide &	Chlordiazepoxide		IP	5	mg		Withdrawn
227	Clidinium Bromide	Clidinium Bromide	U	ISP	2.5	mg	Our Se	elf
	Tablets	Excipients			q.s			
		Approved colour used in tablets						
		Each Film coated tablet contains						
	Escitalopram &	Escitalopram Oxalate IP						
228	Clonazepam Tablets	Eq. to Escitalopram			ng		Our Self	Withdrawn
220	IP	Clonazepam IP	_		ng		our ben	***************************************
		Excipients	q.	.S.				
		Approved colour used in tablet						
	Nimesulide (E.R.) &	Each uncoated tablet contains:	l pp	1.0	<u> </u>			
220	Levocetirizine Hcl	Nimesulide	BP	10	00 r	ng	O C-16	
229	Tablets (Not to be given children	(As Extended-Release granules)	ID				Our Self	
	below 12 years of	Levocetirizine Hydrochloride Excipients	IP	5		ng		
	age)	Approved colour used in tablet		q.	.S			
	<u> </u>							
		Each film coated tablet contains Gliclazide	ID		70			
	Gliclazide &	Metformin Hydrochloride	IP IP			mg		
230	Metformin (E.R.)	(As extended-Release Granules)	IP	3	00 1	mg	Our Self	,
	Tablets	Excipients			.s.		Our Sen	
		Approved colour used in tablet		9	.5.			
		Each film coated tablet contains						
		Metformin Hydrochloride	T	P 5	500	mg		
	Glimepiride,	(In sustained release form)	1	• •		ms		
	Pioglitazone &	Pioglitazone Hydrochloride	I	P				
231	Metformin (S.R.)	Eq. to Pioglitazone			15	mg	Our Self	;
	Tablets	Glimepiride	Ι			mg		
		Excipients		(Į.s.			
		Approved colour used in tablet	•					
		Each film coated tablet contains						
		Cinnarizine	IF	•	20 n	ng		
232	Cinnarizine &	Domneridone	IF			ng	Our Self	.
	Domperidone Tablets	Excipients		q	.s.			
		Approved colour used in tablet						i i

Sr. No.	Generic Name / Brand Name	Composition					Mfg.	for	Reference
	Ursodeoxycholic Acid	Each Film coated tablet sustained	relea	se ta	blet co	ntains:			
	Sustained Release	Ursodeoxycholic Acid	IP		300	mg	Ou	ır Self	
233	Tablets	Excipients			q.s				
		Approved colour used							
	Ursodeoxycholic Acid	Each Film coated tablet sustained	relea	se ta	blet co	ntains:			
	Sustained Release	Ursodeoxycholic Acid	IP		600	mg	Ou	ır Self	
234	Tablets	Excipients			q.s				
		Approved colour used							
		Each enteric coated tablet contains							
	Divalproex Sodium	Divalproex Sodium		IP					
235	Tablets IP	Eq. to Valporic Acid			500	mg	Ou	ır Self	
		Excipients			q.s				
		Approved colour used in tablets							
		Each enteric coated tablet contains							
236	Divalproex Sodium	Divalproex Sodium		IP					
	Tablets IP	Eq. to Valporic Acid			250	m	g	Our Sel	f
		Excipients			q.s				
		Approved colour used in tablets							
		Each uncoated sublingual tablet cor	tains	_					
		Buprenorphine HCl		IP					
237	Buprenorphine &	Eq. to Buprenorphine			2	m	g	Our Sel	f
231	Naloxone Tablets	Naloxone Hydroehloride	_	<u>IP</u>	0.5	m	g	Our Sci	
		Excipients			q.s		_		
		Approved colour used in tablet							
		Each film coated tablet contains:			-				
238	Lithium Carbonate	Lithium Carbonate		IP	300	m	g	Our Sel	f
230	Tablets IP 300	Excipients			q.s			Our bei	1
		Approved colour used in tablet							
		Each film coated tablet contains:	_			,			
		Cyanocobalamin	В		15	mc	g		
		Chromium Picolinate	US		250	mc	g		
	Cyanocobalamin,	Folic Acid	В		1500	mc	g		
220	Chromium Picolinate,	Nicotinamide	В		100	mg	5	O C . 1	c
239	Folic Acid, Nicotinamide,	Pyridoxine Hydrochloride	В		3	mg	5	Our Sel	I
	Pyridoxine, Selenium	Selenious Acid	В	Р	100				
	& Zinc Tablets	Eq. to elemental Selenium		D	100	mc	_		
	& Zine Tuorets	Zinc Sulphate Monohydrate Eq. to 22.5 mg of elemental Zinc	В	Р	61.8	mg	5		
					Q 0				
		Excipients Approved colour used in tablets		+	q.s				
		***				<u> </u>	<u> </u>		
	N	Each uncoated tablet contains:		111	<u> </u>	<u>. </u>			
240	Nicorandil Tablets 10	Nicorandil		IF	-		ıg	Our Sel	f
	mg	Excipients			q.	S			
	<u> </u>	Approved colour used in tablet							
	I DITOGLE PER -	Each film coated tablet contains:		1	1 -	0 1			
241	LEVOSULPIRIDE	Levosulpiride			5		ng	O 0 1	
241	TABLETS	Excipients			q	.S		Our Self	
		Approved colour used in tablets							

Sr. No.	Generic Name / Brand Name	Composition				Mfg	g. for	Reference
242	Divalproex Sodium ER Tablets IP 750 mg	Each film coated extainded release to Divalproex Sodium Eq. to Valporic Acid	ablet o		ns:	mg	Our Se	elf
		Excipients		_	ą.s		1	
		Approved colour used in tablets						
	Divolmmony Codium	Each film coated extainded release		contai	ns:		-	
243	Divalproex Sodium ER Tablets IP 1000	Divalproex Sodium	IP	1/	000	ma	Our Se	ıf.
243		Eq. to Valporic Acid				mg	Our Se	511
	mg	Excipients Approved colour used in tehlets			q.s		1	
		Approved colour used in tablets	-1-1-4				1	<u> </u>
	D'1	Each film coated extainded release to		contai	ns:		-	
244	Divalproex Sodium	Divalproex Sodium	IP	_	00		Our Se	.1¢
244	ER Tablets IP 500 mg	· _ 1			00	mg	Our Se	
		Excipients		(Į.S		-	
		Approved colour used in tablets						
	D: 1 0 1:	Each film coated extainded release		contai	ns:		_	
245	Divalproex Sodium	Divalproex Sodium	IP		50		0 0	10
245	ER Tablets IP 250 mg			_	50	mg	Our Se	
		Excipients		(l.S		_	
		Approved colour used in tablets					<u> </u>	
		Each uncoated contains	1 **		-			
	Pregabalin Sustained	Pregabalin	IP	75		mg		
246	Release &	(As Sustained Release)		1.70			Our Se	elf
	Mecobalamin Tablets	Methylcobalamin	JP	150		mcg	_	
		Excipients		q.s.				
		Each film coated tablet contains						
	Trifluoperazine HCl,	1 ,		IP	5	mg		
247	Trihexiphenidyl HCl			IP	2	mg	Our Se	elf
	& Chlorpromazine	Chlorpromazine Hydrochloride		IP	50	mg		
	Hcl Tablets	Excipients			q.s			
		Approved colour used in tablets						
		Each uncoated tablet contains						
		Paroxetine Hydrochloride		IP				
		Eq. to Paroxetine			12.5	mg	Our Se	elf
2.10	Paroxetine (CR) &	(As Controlled Release)						
248	Clonazepam (IR)	Clonazepam		IP	0.5	mg		
	Tablets	(As Immediate Release)					-	
		Excipients			q.s		-	
	TH C C	Approved colour used in tablets					<u> </u>	
240	Ibuprofen &	Each uncoated tablet contains:	1	TD.	400	1		16
249	Chlorzoxazone	Ibuprofen		ID ICD	<u>400</u>		Our Se	211
	Tablets	Chlorzoxazone	\	JSP	500	mg	-	
		Excipients			q.s		<u> </u>	
		Each uncoated tablet contains					1	
	Daniel (CD) 0	Paroxetine Hydrochloride		IP	2.5			16
250	Paroxetine (CR) &	Eq. to Paroxetine			25	mg	Our Se	eii
250	Clonazepam (IR) Tablets	(As Controlled Release)		ID	0.7			
	1 abiets	Clonazepam (As Immediate Release)		IP	0.5	mg		
		Excipients			q.s		1	
		Lacipicitis			4.5			

Sr. No.	Generic Name / Brand Name		Composition				Mf	g. for	Reference
			Each filmcoated tablet contain						
	Olmesartan &		Olmesartan	IF)	20	mg		
251	Hydrochlorothiazide	e	Hydrochlorothiazide	II)	12.5	mg	Our Se	lf
	Tablets		Excipients			q.s			
			Approved colour used in tablets			•			
			Each film coated tablet contains:						
	Losartan &		Losartan Potassium		ΙP	50	mg		
252	Chlorthalidone Tabl	ets	Chlorthalidone		ΙP	12.50		Our Sel	f
			Excipients			q.s			
			Approved colour used in tablets			1			
		Each film coated tablet contains:							
	Losartan &		Losartan Potassium		IP	50	mg		
253	Chlorthalidone Tabl	ets	Chlorthalidone		IP	6.25		Our Sel	f
			Excipients			q.s	8		
			Approved colour used in tablets			1		1	
			Each film coated tablet contains:						
	Losartan &		Losartan Potassium		IP	25	mg		
254	Chlorthalidone Tabl	ets	Chlorthalidone		IP	12.50		Our Sel	f
			Excipients			q.s	7 1115		
			Approved colour used in tablets			4.5		_	
			Each film coated bilayred tablet:			<u> </u>			
	Metoprolol &		Metoprolol Tartrate IP 25		mg	1			
255	Chlorthalidone Tablets	ets	Chlorthalidone		IP	12.50			f
233			Excipients		11	q.s) IIIg		
			Approved colour used in tablets			4.5		1	
			Each film coated bilayred tablet:						
	Metoprolol &		Metoprolol Tartrate		IP	50	mg		
256	Chlorthalidone Tabl	ets	Chlorthalidone		IP	12.50		Our Sel	f
250	Cinormandone Tuoi	Cts	Excipients		11	+) IIIg		
			Approved colour used in tablets			q.s		1	
			Each uncoated extended-release t	a la l a 4	4				
	Venlafaxine Extende	ed-	Venlafaxine Hydrochloride		cont BP	ams: -		-	
257	Release Tablets 37.5		Eq. to Venlafaxine		DΓ	37.5	ma	Our Sel	f
231	Telease Laulets 37.3	mg	Excipients Excipients				mg		1
			Approved colour used in tablets			q.s	+	-	
			Each film coated tablet contains			<u> </u>		1	
			Metformin Hydrochloride		IP	500	ma	-	
			(In sustained release form)		П	300	mg		
	Glimepiride, Pioglitaz	zone	Pioglitazone Hydrochloride		IP				
258	& Metformin (S.R.	.)	Eq. to Pioglitazone		11	15	mg	Our Se	lf
	Tablets		Glimepiride		IP	13	mg	1	
			Excipients		**	q.s.	1115	1	
			Approved colour used in tablet	I		4.5.	1	1	
		Fool	* *						
	Mebeverine HCl with		Each film coated tablet contains: Mebeverine HCl IP 135 m			mg			
259	Chlordiazepoxide	-	ordiazepoxide				mg mg	Our Self	Withdrawn
237	Tablets		pients	Ш		.s	mg	g Our Self	· · · · · · · · · · · · · · · · · · ·
	1 401015		roved colour used in tablets		<u>. Ч</u>	۵.			
		1.1PP	10,04 coloar asoa in tablets					<u> </u>	

Sr. No.	Generic Name / Brand Name	Composition				Mi	fg. for	Ref	erence
		Each film coated tablet contains:							
	Aceclofenac &	Aceclofenac	IP	10	00	mg			
260	Tizanidine Tablets	Tizanidine		2	2	mg	Our Se	elf	
		Excipients		q.	.S				
		Approved colour used in tablets							
		Each film coated tablet contains:							
		Flupentixol Hydrochloride		BP					
	Flutra Flupentixol &	eq. to Flupentixol			0.5	mg			
261	MelitracenTablets	Melitracen Hcl					Our Self	f	
		eq. to Melitracen			10	mg			
		Excipients			q.s				
		Approved colours used in tablets							
		Each Film coated tablet contains							
		Escitalopram Oxalate		IP					
	Escitalopram &	Eq. to Escitalopram		•	10	mg			
262	Clonazepam Tablets	Clonazepam		IP		mg	Our Self	Wi	ithdrawn
	IP	Excipients			q.s.	5			
		Approved colour used in tablet	Į.		4.5.				
	1	Each Film coated tablet contains						1	
				IP	<u> </u>				
	Escitalopram &	Escitalopram Oxalate		IP	10	ma			
263	Clonazepam Tablets	Eq. to Escitalopram		IP		mg	Our Self	Wi	ithdrawn
	ÎP	Clonazepam		IP		mg			
		Excipients			q.s.				
		Approved colour used in tablet							
		Each uncoated dispersible tablet con							
264	Racecadotril	Racecadotril		IP	10	mg	Our Self	:	
_0.	Dispersible Tablets	Excipients			q.s.				
		Approved colour used in tablet							
		Each uncoated dispersible tablet con-	tains:						
265	Racecadotril	Racecadotril		IP	30	mg	Our Self		
203	Dispersible Tablets	Excipients			q.s.		Our Sen		
		Approved colour used in tablet							
		Each Film coated tablet Contains:							
	Olmesartan	Olmesartan Medoxomil		IP	20	mg			
	Medoxomil and	Amlodipine besylate		IP			Our		
266	Amlodipine Tablets	Eq. to Amlodipine			5	mg	Self		
		Excipients			q.s				
		Approved colour used			•				
		Each uncoated tablet contains:							
_	Ivermectin	Ivermectin		IP	6	mg	╡_		
267	Tablets	Excipients			q.s.	8	Our Se	elf	
		Approved colour used in tablet			1	<u> </u>			
	Cumotaintonitl-	Each film coated tablet contains	1	ID	0.5		_		
260	Sumatriptan with	Sumatriptan		IP	85	m	_ ^	Solf	
268	Naproxen Tablets	Naproxen		IP	500		g Our S	bell	
		Excipients			q.s				
		Approved colour used in tablets.							

Sr. No.	Generic Name / Brand Name	Composition				Mfg	g. for	Refere	ence
		Each film coated tablet contains			I				
269	Tolperisone Hcl &	Tolperisone Hcl	JF)	150	mg			
	Paracetmol Tablets	Paraceetamol	IP		500	mg	_	Self	
		Excipients			q.s	8			
		Approved colour used in tablets	<u> </u>		4.5	1			
		Each Film Coated tablet Contains:						<u>l</u>	
	Sildenafil	Sildenafil Citrate	IP						
270	Tablets IP	Eq. to Sildenafil	11	10	0 1	ng	Our Se	elf	
_, 0	1 4010 15 11	Excipients		q.:		5	0 011 20		
		Approved colour used in tablets		4.	,				
	Olmesartan	Each Film coated tablet Contains:							
	Medoxomil,	Olmesartan Medoxomil	IP		40	ma			
	Amlodipine besylate	Amlodipine besylate	IP	+	40	mg	Our	Self	
271	& hydrochlorothiazide	Eq. to Amlodipine	11		10	mg	Our	Dell	
2/1	Tablets	Hydrochlorothiazide	IP		25	mg			
		Excipients	11		q.s	mg			
		Approved colour used in tablets			4.5				
							1		
	This colohiacside &	Each film coated tablet contains: Thiocolchicoside	IT	,	4				
272	Thiocolchicoside &		IF		<u>4</u> 50	mg			
212	Ketoprofen Tablets	Ketoprofen	II	_		mg	Our S	Salf	
		Excipients Approved colour used in tablets			q.s		Ours	ocii	
							<u> </u>		
	T1i HOI1	Each film coated tablet contains:	ID	1 6					
273	Tamsulosin HCI and	Tamsulosin HCI	IP).4	mg		C -16	
213	Dutastride Tablets	Dutasteride	IP	_).5	mg	_ Our	Self	
		Excipients		(Į.S				
		Approved colour used in tablets					<u> </u>		
	Tolperisone	Each film coated tablet contains:			1.50				
27.4	Hydrochloride &	Tolperisone Hydrochloride	IP		150	mg	\perp		
274	Diclofenac Sodium	Diclofenac Sodium	IP		50	mg	Ou		
	Tablets	Excipients			q.s		Sel	1	
		Approved colour used in tablets							
	m	Each film coated tablet Contains:	1	-			_		
2==	Telmisartan,	Telmisartan	IP		20	mg	_		
275	Amlodipine	Amlodipine Besylate	IP					0.16	
	Besilate &	Eq. to Amlodipine			2.5	mg	Our	Self	
	Hydrochlorothiazide	Hydrochlorothiazide	IP		6.5	mg	4		
	Tablets	Excipients			q.s		_		
		Approved colour used							
		Each film coated tablet Contains:							
_	Rosuvastatin	Rosuvastatin Calcium	IP						
276	Calcium Tablets IP	Eq. to Rosuvastatin			20	mg	Our	Self	
		Excipients			q.s		_		
		Approved colour used					<u> </u>		
		Each Uncoated Tablet contains							
277	Clomiphene Citrate	Clomiphene Citrate IP	IP		50	mg	g Our Self	Self	
	Tablet	Excipients			q.s				
	<u> </u>								

Sr. No.	Generic Name / Brand Name	Composition			Mfg.	for	Reference
		Each Un-coated tablet Contains:			1		
		Amlodipine Besilate	IP			-	
278	Amlodipine Besilate	Eq. to Amlodipine	11	2.5	mg		
270	& Lisinopril Tablets	Lisinopril	IP	2.3	mg	Our Se	lf
	& Zismopin Tuotets	Eq. to Lisinopril Anhydrous	11	2.5	mg		
		Excipients		q.s	mg	-	
		Approved colour used in tablets.		4.5		-	
		Each Un-coated tablet Contains:					
		Amlodipine Besilate	IP			-	
279	Amlodipine Besilate	Eq. to Amlodipine	117	5	ma		
219	& Lisinopril Tablets	Lisinopril Lisinopril	IP	3	mg	Our Se	1f
	& Lismophi Tablets	•	ır	5	ma	Our Sc	11
		Eq. to Lisinopril Anhydrous Excipients		+	mg	-	
		Approved colour used in tablets.		q.s		-	
						1	
	P	Each Film Coated Contains:		1		_	
200	Paroxetine HCI	Paroxetine Hydrochloride	IP	4.0			
280	(Prolonged release)	Eq. to Paroxetine		10	mg		16
	Tablets	(As prolonged release)				Our Se	lf
		Excipients		q.s			
		Approved colour used in tablets.					
		Each Film Coated Contains:					
	Paroxetine HCI	Paroxetine Hydrochloride	IP				
281	(Prolonged release)	Eq. to Paroxetine		12.5	mg		
	Tablets	(As prolonged release)				Our Se	lf
		Excipients		q.s			
		Approved colour used in tablets.					
		Each Film Coated Contains:					
	Paroxetine HCI	Paroxetine Hydrochloride	IP				
282	(Prolonged release)	Eq. to Paroxetine		25	mg		
	Tablets	(As prolonged release)				Our Se	lf
		Excipients		q.s			
		Approved colour used in tablets.					
		Each Film Coated Contains:					
	Paroxetine HCI	Paroxetine Hydrochloride	IP				
283	(Prolonged release)	Eq. to Paroxetine		37.5	mg		
	Tablets	(As prolonged release)				Our Se	lf
		Excipients		q.s			
		Approved colour used in tablets.	•	-			
		Each Film Coated Contains:					
284	Flavoxate Tablets IP	Flavoxate Hydrochloride	IP	200	mg		
		Excipients		q.s		Our Se	lf
		Approved colour used in tablets.		7.5	1	1	
		Each uncoated tablet contains				I .	<u>I</u>
	Mefenamic Acid and		ID	250	ma	_	
205	Dicyclomine	Mefenamic Acid	IP IP	250	mg		1.0
285	Hydrochloride	Dicyclomine Hydrochloride	IP	10	mg	Our Se	eit
	Tablets IP	Excipients		q.s.			
	1 222 22 22	Approved colour used in tablet					

Sr. No.	Generic Name / Brand Name	Composition			Mfg.	fg. for Reference	
<u> </u>		Each Un Coated Tablet Contains:					
286	Cabergoline Tablets	Cabergoline	IP	0.5	mg	Our S	Self
	IP	Excipients		q.s			
		Approved colour used in tablets.	U.	•	1		
		Each Film coated tablet contains:					
287	Ginkgo biloba	Ginkgo biloba	USP	120	mg	Our S	Self
	Tablets	Excipients		q.s	8		
		Approved colour used in tablets.		1.~		1	
		Each uncoated tablet Contains					
	Cinnarizine &	Cinnarizine	IP	20	mg	-	
288	Dimenhydrinate	Dimenhydrinate	BP	40	mg	Our S	Self
	Tablets	Excipients		q.s	mg	1	
		Approved colour used in tablets.		4.5			
	Paracetamol,	Each film coated tablet Contains					
	Phenylephrine	Paracetamol	IP	325	mg		
289	Hydrochloride,	Phenylephrine Hydrochloride	IP	5	mg mg		
20)	Caffeine (Anhydrous)	Caffeine (Anhydrous)	IP	30	mg	Our S	elf
	Diphenhydramine	Diphenhydramine Hydrochloride	IP	25		Our B	
	Hydrochloride Tablet	Excipients	11	q.s	mg		
		Each uncoated tablet contains:		4.5	<u> </u>		
290	Sodium Picosulphate	Sodium Picosulphate	BP	10	ma	Our S	Salf
290	Tablet	Excipients			mg	- Our s	SCII
	Tablet	Approved colour used in tablets.		q.s		_	
		**					
	Pregabalin SR Tablet	Each Film Coated Tablet Contain:	IP	7.5		O	7-16
291		Pregabalin	IP	75	mg	Our S	Seir
291		(As sustained Release)		~ ~		_	
		Excipients Approved colour used in tablets.		q.s		_	
		11					
202	T- 1-1-61 T-1-1-4	Each Film Coated Tablet Contain:	IP	· ~			7.16
292	Tadalafil Tablet	Tadalafil	ır	5	mg	Our S	Sen
		Excipients		q.s		_	
		Approved colour used in tablets.	~ .				
	Isosorbide	Each Film coated Sustain release table		:		_	
202	Mononitrate	Diluted Isosorbide Mononitrate	IP	20			7 16
293	Sustained Release	Eq to Isosorbide Mononitrate		30	mg	Our S	Self
	Tablets	Excipients		q.s		_	
		Approved colour used in tablets.					
20.4	T. 11 C1 T. 11	Each Film Coated Tablet Contain:					x 10
294	Tadalafil Tablet	Tadalafil	IP	10	mg	Our S	Self
		Excipients		q.s			
		Approved colour used in tablets.					
		Each Film coated tablet Contains:					
295	Vildagliptin Tablets	Vildagliptin	IP	50	mg	Our S	Self
		Excipients		q.s			
		Approved colour used in tablets.					
		Each film coated tablet Contains:					
	Clopidogrel	Clopidogrel Bisulphat	IP				
296	Bisulphate & Aspirin	Eq to Clopidogrel		75	mg		Self
	Tablets	Aspirin	IP	100	mg		
		Excipients		q.s			
		Approved colour used in tablets.		_	_		

Sr. No.	Generic Name / Brand Name	Composition			Mfg.	for	Reference	
110.	Saxagliptin &	Each film coated tablet Contains:						
	Metformin	Saxagliptin Hydrochloride				1		
	Hydrochloride	Eq to Saxagliptin		5	mg	Our Se	elf	
297	(Rxtended Release)	Metformin Hydrochloride	IP	1000	mg			
	Tablet	(In Extended-release form)			C			
		Excipients		q.s				
		Approved colour used in tablets.						
		Each uncoated tablet Contains:						
	Olmesartan	Olmesartan Medoxomil	IP	20	mg	1		
298	Medoxomil and	Amlodipine besylate	IP			Our Se	elf	
	Amlodipine Tablets	Eq. to Amlodipine		5	mg			
		Excipients		q.s				
		Approved colour used in tablets.						
		Each uncoated tablet Contains:						
	Olmesartan	Olmesartan Medoxomil	IP	40	mg	1		
	Medoxomil and	Amlodipine besylate	IP			Our Se	elf	
299	Amlodipine Tablets	Eq. to Amlodipine		5	mg			
		Excipients		q.s				
		Approved colour used in tablets.						
		Each film coated tablet contains:						
300	Metformin &	Vildagliptin		50	mg			
	Vildagliptin Tablets	Metformin Hcl	IP	1000	mg	Our Se	elf	
		Excipients		q.s		1		
		Approved colour used in tablets.	•	•		1		
		Each Film coated tablet contains:						
	Quetiapine Fumarate Tablets IP	Quetiapine Fumarate	IP	50	mg			
301		Excipients		q.s.		Our Se	elf	
		Approved Colour used in Tablets		4.5.	1			
		Each Film coated tablet contains:						
	Quetiapine Fumarate	Quetiapine Fumarate	IP	100	mg	1		
302	Tablets IP	Excipients	- 11		mg	Our Se	elf	
		*		q.s.		_		
		Approved Colour used in Tablets						
	Olanzapine Tablets	Each Film coated tablet contains:	ID	_				
303	IP	Olanzapine	IP	5	mg	Our Se	elf	
		Excipients		q.s.				
		Approved Colour used in Tablets						
	Olanzapine Tablets	Each Film coated tablet contains:	1	1	T			
304	IP	Olanzapine	IP	10	mg	Our Se	olf	
304	11	Excipients		q.s.				
		Approved Colour used in Tablets						
		Each Film coated tablet contains:						
	Nitazoxanide +	Nitazoxanide Nitazoxanide		-500	mg			
305	Ofloxacin Tablets	Ofloxacin	IP	200	mg	Our Se	elf	
		Excipients		q.s.		1		
		Approved Colour used in Tablets						
		Each Gastro Resistant Tablets contains:						
	Duloxetine Gastro	Duloxetine HCL	IP			1		
306	Resistant Tablets IP	Eq. to Duloxetine		20	mg	Our Se	elf	
200		Excipients		q.s.				
	1	Approved Colour used in Tablets			I			

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
	Duloxetine Gastro	Each Gastro Resistant Tablets contain Duloxetine HCL	ns:				
307	Resistant Tablets IP	Eq. to Duloxetine Excipients		30 q.s.	mg	Our Self	
		Approved Colour used in Tablets	_ I		1		
		Each Gastro Resistant Tablets contain	1S:				
	Duloxetine Gastro	Duloxetine HCL	IP				
308	Resistant Tablets IP	Eq. to Duloxetine		40	mg	Our Self	
		Excipients		q.s.			
		Approved Colour used in Tablets					
	Dayahlamhaninamina	Each Uncoated Tablets contains:					
309	Dexchlorpheniramine Maleate Tablets IP	Dexchlorpheniramine Maleate	IP	2	mg	Our Self	
309	Walcate Tablets II	Excipients		q.s.		Our Sen	
		Approved Colour used in Tablets					
		Each Film Coated Tablets contains:					
310	Clomifene	Clomifene Citrate	IP	25	mg	Our Self	
310	Tablets IP	Excipients		q.s.		Our Sen	
		Approved Colour used in Tablets					
	C1	Each Prolonged Release tablet contai	ns:				
311	Carbamazepine Prolonged Release	Carbamazepine	IP	100	mg	Our Self	
311	Tablets IP	Excipients		q.s.		Our Sen	
	Tablets II	Approved Colour used in Tablets					
	C1	Each Prolonged Release tablet contain	ns:				
312	Carbamazepine Prolonged Release	Carbamazepine	IP	200	mg	Our Self	
312	Tablets IP	Excipients		q.s.		Our Sen	
	Tuolets II	Approved Colour used in Tablets					
	Conhamanaina	Each Prolonged Release tablet contain	ns:				
313	Carbamazepine Prolonged Release	Carbamazepine	IP	400	mg	Our Self	
313	Tablets IP	Excipients		q.s.		Our Sen	
	Tuolets II	Approved Colour used in Tablets					
		Each Film Coated tablet contains:					
314	Trioxsalen Tablets	Trioxsalen	USP	5	mg	Our Self	
314	USP	Excipients		q.s.		Our Sen	
		Approved Colour used in Tablets					
		Each Uncoated tablet contains:					
	Diclofenac	Diclofenac Potassium	BP	50	mg		
315	Potassium &	Metaxalone	USP	400	mg	Our Self	
	Metaxalone Tablets	Excipients		q.s.			
		Approved Colour used in Tablets					
		Each Film Coated tablet contains:					
316	Trioxsalen Tablets	Trioxsalen	USP	40	mg	Our Self	
510	USP	Excipients		q.s.		Our Sen	
		Approved Colour used in Tablets					
		Each Film Coated tablet contains:					
	Sumatriptan Tablets	Sumatriptan Succinate	BP	2.5			
317	BP	Eq. to Sumatripatan		25	mg	Our Self	
	Di	Excipients		q.s.			
		Approved Colour used in Tablets					

Sr. No.	Generic Name / Brand Name	Composition	Composition						
		Each Film Coated tablet contains:							
	Sumatriptan Tablets	Sumatriptan Succinate	BP						
318	BP	Eq. to Sumatripatan		50	mg	Our Self			
	Dr	Excipients		q.s.					
		Approved Colour used in Tablets							
		Each Film Coated tablet contains:							
	Sumatriptan Tablets	Sumatriptan Succinate	BP						
319	BP	Eq. to Sumatripatan		100	mg	Our Self			
	DI	Excipients		q.s.					
		Approved Colour used in Tablets							
		Each Film Coated tablet contains:		_	_				
		Sumatriptan Succinate	IP						
320	Sumatriptan &	Eq. to Sumatripatan		50	mg	Our Self			
320	Naproxen Tablets	Naproxen		275	mg	Our Sen			
		Excipients		q.s.					
		Approved Colour used in Tablets							
		Each Film Coated tablet contains:							
221	Carvedilol Tablets	Carvedilol	IP	3.125	mg	O C-16			
321	IP	Excipients		q.s.		Our Self			
		Approved Colour used in Tablets	•	•	•				
		Each Film Coated tablet contains:							
222	Carvedilol Tablets IP	Carvedilol	IP	6.25	mg	0 0 10			
322		Excipients		q.s.		Our Self			
		Approved Colour used in Tablets							
		Each Film Coated tablet contains:							
		Tolvaptan	IP	15	mg				
323	Tolvaptan Tablets IP	Excipients		q.s.		Our Self			
		Approved Colour used in Tablets		1 1	1				
		Each Film Coated tablet contains:							
		Tolvaptan	IP	30	mg				
324	Tolvaptan Tablets IP	Excipients	11	q.s.	1115	Our Self			
		Approved Colour used in Tablets		4.5.					
		Each Film Coated tablet contains:							
		Amiodarone HCI	IP						
325	Amiodarone Tablets	Eq to Amiodarone	11	100	mg	Our Self			
323	IP	Excipients		q.s.	mg	Our Sen			
		Approved Colour used in Tablets		4.5.					
		Each Film Coated tablet contains:							
		Amiodarone HCI	IP						
326	Amiodarone Tablets	Eq to Amiodarone	11	200	mg	Our Self			
320	IP	Excipients		q.s.	1115				
		Approved Colour used in Tablets		1	1				
		Each Film Coated tablet contains:							
		Amiodarone HCI	IP						
327	Ursodeoxycholic	Eq to Amiodarone	11	200	mg	Our Self			
321	Acid Tablets IP	Excipients	1	q.s.	5				
		Approved Colour used in Tablets		1	1				
		Trproved Colour asca in Tuolous							

Sr. No.	Generic Name / Brand Name	Composition	Composition					
328	Carvedilol Tablets	Each Film Coated tablet contains: Carvedilol	IP	3.125	mg	Our Self		
320	IP	Excipients Approved Colour used in Tablets		q.s.		our sen		
	Carvedilol Tablets	Each Film Coated tablet contains: Carvedilol	IP	6.25	ma			
329	IP	Excipients	11	q.s.	mg	Our Self		
		Approved Colour used in Tablets						
	a	Each Film Coated tablet contains:	ID	10.5	l			
330	Carvedilol Tablets	Carvedilol	IP	12.5	mg	Our Self		
	IP	Excipients		q.s.				
		Approved Colour used in Tablets						
	A 1	Each Film Coated tablet contains: Acenocoumarol	BP	2	- m a			
331	Acenocoumarol Tablets BP	Excipients Excipients	_BP	2	mg	Our Self		
	Tablets BP	Approved Colour used in Tablets		q.s.				
332		**				1		
332	A	Each Film Coated tablet contains: Acenocoumarol	BP	4	ma			
	Acenocoumarol Tablets BP	Excipients Excipients	DF	4	mg	Our Self		
	Tablets BP	Approved Colour used in Tablets		q.s.				
		**						
		Each Uncoated Tablet Contains:	LICD	600	1			
333	Acetylcysteine	Acetylcysteine	USP	600	mg	Our Self		
	Tablets USP	Excipients		q.s.				
		Approved Colour used in Tablets						
		Each Film Coated Tablet Contains: Olmesartan Medoxomil	1	10				
	Olmesartan,		ID	40	mg			
334	Hydrochlorothiazide	Hydrochlorothiazide	IP	12.5	mg	O C-16		
334	& Amlodipine	Amlodipine Besilate Eq to Amlodipine Besilate	IP	5	ma	Our Self		
	Besilate Tablets	Excipients		-	mg			
		Approved Colour used in Tablets		q.s.				
		Each Film Coated Delayed release tab	lot oon	toing				
	Mesalamine Tablets	Mesalamine	USP	400	ma			
335	USP	Excipients	USI	-	mg	Our Self		
	OSI	Approved Colour used in Tablets		q.s.				
		* *	lot oon	toing				
	Mesalamine Tablets	Each Film Coated Delayed release tab Mesalamine	USP	800	mg			
336	USP	Excipients	CSI	q.s.	mg	Our Self		
	CSI	Approved Colour used in Tablets		4.5.				
	Mesalamine Tablets	Each Film Coated Delayed release tab Mesalamine	USP	1200	mg			
337	USP	Excipients	551	q.s.	1115	Our Self		
		Approved Colour used in Tablets	1	14.0.	<u> </u>			
		Each Film Coated tablet contains:						
	Mycophenolate	Mycophenolate Mofetil	IP	500	mg			
338	Mofetil Tablets IP	Excipients	11	q.s.	1115	Our Self		
	more in the state of the state	Approved Colour used in Tablets	1	1 4.5.	I			
		ripproved colour used in rapicts						

Sr. No.	Generic Name / Brand Name	Composition	1			Mfg. for	Reference
339	Valganciclovir Hydrochloride Tablets	Each Film Coated tablet contains: Valganciclovir Hydrochloride Excipients Approved Colour used in Tablets	USP	450 q.s.	mg	Our Self	
340	Pyridostigmine Bormide Tablets	Each Film Coated tablet contains: Pyridostigmine Bormide Excipients Approved Colour used in Tablets	IP	10 q.s.	mg	Our Self	
341	Sodium Bicarbonate Tablets USP	Each Film Coated tablet contains: Sodium Bicarbonate Excipients Approved Colour used in Tablets	USP	500 q.s.	mg	Our Self	
342	Mirtazapine Tablets IP	Each Film Coated tablet contains: Mirtazapine Excipients Approved Colour used in Tablets	IP	15 q.s.	mg	Our Self	
343	Mirtazapine Tablets IP	Each Film Coated tablet contains: Mirtazapine Excipients Approved Colour used in Tablets	IP	30 q.s.	mg	Our Self	
344	Mirtazapine Tablets IP	Each Film Coated tablet contains: Mirtazapine Excipients Approved Colour used in Tablets	IP	45 q.s.	mg	Our Self	
345	Aripiprazole Tablets IP	Each Uncoated tablet contains: Aripiprazole Excipients Approved Colour used in Tablets	IP	10 q.s.	mg	Our Self	
346	Aripiprazole Tablets IP	Each Uncoated tablet contains: Aripiprazole Excipients Approved Colour used in Tablets	IP	15 q.s.	mg	Our Self	
347	Aripiprazole Tablets IP	Each Uncoated tablet contains: Aripiprazole Excipients Approved Colour used in Tablets	IP	20 q.s.	mg	Our Self	
348	Haloperidol Tablets IP	Each Uncoated tablet contains: Haloperidol Excipients Approved Colour used in Tablets	IP	1.5 q.s.	mg	Our Self	
349	Haloperidol Tablets IP	Each Uncoated tablet contains: Haloperidol Excipients Approved Colour used in Tablets	IP	5 q.s.	mg	Our Self	
350	Haloperidol Tablets IP	Each Uncoated tablet contains: Haloperidol Excipients Approved Colour used in Tablets	IP	10 q.s.	mg	Our Self	

Sr. No.	Generic Name / Brand Name	Composition	Composition						
		Each Film Coated tablet contains:							
	Chlordiazepoxide	Chlordiazepoxide	IP	10	mg				
351	and Amitriptyline	Amitriptyline HCL	IP			Our Self	Withdrawn		
331	Tablets USP	Eq.to Amitriptyline		25	mg	Our Sen	Withdiawn		
	Tuolots CSI	Excipients		q.s.					
		Approved Colour used in Tablets							
		Each Modified release film coated Bi	layer ta	olet con	tains:				
252	Bupropion HCL	Bupropion HCL	USP	150	mg	O C -16			
352	(ER) Tablets USP	Excipients		q.s.		Our Self			
		Approved Colour used in Tablets							
		Each Film Coated tablet contains:							
	Donepezil HCL	Donepezil HCL	IP	5	mg				
353	Tablets IP	Excipients		q.s.	8	Our Self			
	• • •	Approved Colour used in Tablets		1 1	ı				
		Each Film Coated tablet contains:							
	Donepezil HCL	Donepezil HCL	IP	10	mg				
354	Tablets IP	Excipients	11	q.s.	mg	Our Self			
	Tablets II	Approved Colour used in Tablets		4.5.					
		Each Uncoated Tablet contains							
		Tamoxifen Citrate	IP	1					
355	Tamoxifen Tablets	Eq. to Tamoxifen	IP	10	ma	Our Self			
333	IP	Excipients			mg	Our Sen			
		Approved Colour used in Tablets		q.s.					
		Each Uncoated Tablet contains							
		Tamoxifen Citrate	IP						
356	Tamoxifen Tablets	Eq. to Tamoxifen	II	20	mg	Our Self			
330	IP	Excipients		q.s.	mg	Our Sen			
		Approved Colour used in Tablets		4.5.					
		Each Film Coated Tablet contains							
	Duotavanina Tahlata	Drotaverine HCL	IP	40	ma				
357	Drotaverine Tablets IP	Excipients	111	+	mg	Our Self			
	11	Approved Colour used in Tablets		q.s.					
						1			
	G : 1 .	Each Uncoated tablet contains:	IP	25					
358	Spironolactone	Spironolactone	IP	+	mg	Our Self			
	Tablets IP	Excipients		q.s.					
		Approved Colour used in Tablets							
		Each Uncoated tablet contains:	1 70	50					
359	Spironolactone	Spironolactone	IP	50	mg	Our Self			
	Tablets IP	Excipients		q.s.		2 22 2 21			
		Approved Colour used in Tablets							
		Each Film Coated tablet contains:	1	Т					
	Atorvastatin +	Atorvastatin Calcium	IP	1.0					
360	Fenofibrate Tablets	Eq. to Atorvastatin		10	mg	Our Self			
500	IP	Fenofibrate	IP	145	mg	Our Scii			
	11	Excipients		q.s.					
		Approved Colour added in Tablets							

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
361	Metoprolol Succinate (ER) Tablets IP	Each Film coated tablet contains: Metoprolol Succinate Eq. to Metoprolol Tartrate Excipients Approved Colour added in Tablets	IP	100 q.s.	mg	Our Self	
362	Ibuprofen Tablets IP	Each Film coated tablet contains: Ibuprofen Excipients Approved Colour added in Tablets	IP	200 q.s.	mg	Our Self	
363	Terbinafine HCL Tablets IP	Each Film coated tablet contains: Terbinafine HCL Excipients Approved Colour added in Tablets	IP	250 q.s.	mg	Our Self	
364	Citicoline Sodium Tablets IP	Each Film coated tablet contains: Citicoline Sodium Eq. to Citicoline Excipients Approved Colour added in Tablets	IP	250 q.s.	mg	Our Self	
365	Cilnidipine Tablets IP	Each Film coated tablet contains: Cilnidipine Excipients Approved Colour added in Tablets	IP	5 q.s.	mg	Our Self	
366	Cilnidipine Tablets IP	Each Film coated tablet contains: Cilnidipine Excipients Approved Colour added in Tablets	IP	10 q.s.	mg	Our Self	
367	Cilnidipine Tablets IP	Each Film coated tablet contains: Cilnidipine Excipients Approved Colour added in Tablets	IP	20 q.s.	mg	Our Self	
368	Gabapentin Tablets IP	Each Uncoated tablet contains: Gabapentin Excipients Approved Colour added in Tablets	IP	300 q.s.	mg	Our Self	
369	Levetiracetam Tablets IP	Each Film coated tablet contains: Levetiracetam Excipients Approved Colour added in Tablets	IP	750 q.s.	mg	Our Self	
370	Sildenafil Tablets IP	Each Film Coated tablet Contains: Sildenafil Citrate Eq. to Sildenafil Excipients Approved colour used	IP	50 q.s	mg	Our Self	
371	Telmisartan & Amlodipine Tablets IP	Each Uncoated Tablet contains Telmisartan Amlodipine Besylate Eq. to Amlodipine Excipients	IP IP		mg	0 0 16	

Sr. No.	Generic Name / Brand Name	Composit	Mfg. for	Reference			
		Each Film Coated Tablet Contains	s:				
		Aceclofenac	IP	100	mg		
	Aceclofenac	Paracetamol	IP	325	mg		
372	Paracetamol &	Serratiopeptidase	IP	10	mg	0 0 10	
	Serratiopeptidase Tablets IHS	(eq to 20000 Enzymatic units)				Our Self	
	Tablets Ins	Excipients		q.s.			
		Approved colour used					
		Each Film Coated Tablet Contains	s:				
		Aceclofenac	IP	100	mg		
	Aceclofenac	Paracetamol	IP	325	mg		
373	Paracetamol &	Serratiopeptidase	IP	15	mg	0 6 16	
0,0	Serratiopeptidase Tablets HIS	(eq to 30000 Enzymatic units)	1	15	1115	Our Self	
	1 abiets HIS	Excipients		q.s.			
		Approved colour used		4.5.			
		Each Film Coated Tablet Contains	s:				
	A 1 - C	Aceclofenac	IP	100	mg		
	Aceclofenac Paracetamol & Chlorzoxazone Tablets IHS	Paracetamol	IP	325	mg		
374		Chlorzoxazone	IP	250	mg	Our Self	
		Excipients	111	-	mg	- Gui Seii	
		Colur: Approved colour used		q.s.			
		Each Film Coated Tablet Contains	3				
	A1 - C	Aceclofenac	IP	100	mg		
	Aceclofenac Paracetamol &	Paracetamol	IP	325	mg		
375	Chlorzoxazone	Chlorzoxazone	IP	500	mg	Our Self	
	Tablets IHS	Excipients		q.s.	ing i		
		Colur: Approved colour used		1			
		Each Film Coated Tablet Contains	s:				
	Aceclofenac,	Aceclofenac	IP	100	mg		
27.5	Paracetamol &	Paracetamol	IP	325	mg		
376	Thiocolchicoside	Thiocolchicoside	IP	4	mg	Our Self	
	Tablets IHS	Excipients		q.s.	8		
		Colour: Approved colour used			1		
		Each Film Coated Tablet Contains	s:				
	Aceclofenac,	Aceclofenac	IP	100	mg		
.==	Paracetamol &	Paracetamol	IP	325	mg		
377	Thiocolchicoside	Thiocolchicoside	IP	8	mg	Our Self	
	Tablets IHS	Excipients		q.s.	8		
		Colour: Approved colour used	ı	1 1	1		
		Each film coated tablet contains:					
	Cilnidipine &	Cilnidipine	IP	10	mg		
378	Telmisartan Tablets	Telmisartan	IP	40	mg	Our Solf	
	IHS	Excipients		q.s.		Our Self	
		Colour- Approved colour used					

Sr. No.	Generic Name / Brand Name	Compositio	Mfg. for	Reference			
		Each Film Coated Tablet Contains:					
		Calcium Citrate	USP	1000	mg		
	C 1 : C': .	Vitamin D3	IP	200	I.U.		
	Calcium Citrate,	Zinc sulphate monohydrate	IP				
379	Vitamin D3, zinc and	eq. to elementalinc Zinc		4	mg	Our Self	
	Magnesium Tablets IHS	Magnesium Hydroxide	IP			Our Sen	
	1113	eq to elemental Magnesium		100	mg		
		Excipients		q.s.			
		Colour- Approved colour used					
		Each film coated tablet contains:	1	_			
	Levocetirizine Hcl,	Levocetirizine Hcl	IP	5	mg		
	Montelukast Sodium	Montelukast Sodium	IP				
380	& Ambroxol Hcl	Eq. to Montelukast	100	10	mg	Our Self	
	Tablets IHS	Ambroxol HCL	IP	75	mg		
		Excipients		q.s.			
	Colour- Approved colour used						
	Diclofenac	Each Film Coated Tablet Contains:		_	_		
	Potassium,	Diclofenac Potassium	BP	50	mg		
381	· ·	Paracetamol	IP	325	mg		
301	Chlorzoxazone	Chlorzoxazone	USP	250	mg	Our Self	
	Tablets IHS	Excipients		q.s.			
		Approved colour used					
	Diclofenac Potassium, Paracetamol & Chlorzoxazone	Each Film Coated Tablet Contains:	•	1			
		Diclofenac Potassium	BP	50	mg		
382		Paracetamol	IP	325	mg		
362		Chlorzoxazone	USP	500	mg	Our Self	
	Tablets IHS	Excipients		q.s.			
	Tablets HIS	Approved colour used					
	G1: ::1 0	Each Uncoated Bi-Layered Tablet (Contain	s:			
	Glimepiride & Metformin	Glimepiride	IP	3	mg		
383	(Prolonged Release)	Metformin Hydrochloride	IP	500	mg	Our Self	
	Tablet	(As Prolonged Release)				Our Sen	
	Tablet	Excipients		q.s.			
	Climanirida &	Each Uncoated Bi-Layered Tablet C	Contain	s:			
	Glimepiride & Metformin	Glimepiride	IP		mg		
384	(Prolonged Release)	Metformin Hydrochloride	IP	500	mg	Our Self	
	Tablet	(As Prolonged Release)				our sen	
		Excipients		q.s.			
	Glimepiride &	Each Uncoated Bi-Layered Tablet (
20.5	Metformin	Glimepiride	IP	3	mg		
385	(Prolonged Release)	Metformin Hydrochloride	IP	1000	mg	Our Self	
	Tablet	(As Prolonged Release)					
		Excipients		q.s.			
	Glimepiride &	Each Uncoated Bi-Layered Tablet C					
20.5	Metformin	Glimepiride	IP	4	mg	0 0 10	
386	(Prolonged Release)	Metformin Hydrochloride	IP	1000	mg	Our Self	
	Tablet	(As Prolonged Release)		a a			
	Tablet	Excipients		q.s.			

Sr. No.	Generic Name / Brand Name	Composition	Mfg. for	Reference			
		Each Uncoated Tablet Contains:					
		Nimesulide	BP	100	mg		
	Nimesulide &	Paracetamol	IP	325	mg		
387	Paracetamol Tablet	Excipients		q.s.		Our Self	
	IHS	Approved colour used in tablet (NOT TO BE USED IN CHILDRE YEARS OF AGE	N BE	LOW 1	2	Our Sen	
		Each Film coated tablet Contains:					
	Duo colo lin le	Pregabalin	IP	75	mg		
388	Pregabalin & Nortriptyline HCL	Nortriptyline HCL	IP				
300	Tablets IHS	Eq. to Nortriptyline		10	mg	Our Self	
	Tablets H15	Excipients		q.s.			
		Approved colour used in tablet					
	Dun 1 - 1 - 0	Each Film Coated Tablet Contains:					
	Pregabalin & Methylcobalamin	Pregabalin	IP	75	mg		
389	Sustained Release	(As Sustained Release)					
307	Tablets IHS	Methylcobalamin	IP	1500	mcg	Our Self	
	Tuolets IIIS	Excipients		q.s.			
		Approved colour used in tablet					
	Paracetamol, Phenylephrine HCL & Cetirizine Tablets IHS	Each Uncoated Tablet Contains:					
		Paracetamol	IP	325	mg		
390		Phenylephrine HCL	IP	10	mg		
370		Cetirizine HCL	IP	5	mg	Our Self	
		Excipients		q.s.			
		Colour: Approved colour used					
		Each film coated tablet contains:	ı		,		
	Telmisartan,	Telmisartan	IP	40	mg		
	Amlodipine &	Amlodipine Besylate	IP	_			
391	Chlorthalidone Tablets	Eq. to Amlodipine	TD	5	mg	Our Self	
	IHS	Chlorthalidone	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
		Each film coated tablet contains:	ID	10			
	Telmisartan,	Telmisartan	IP IP	40	mg		
202	Amlodipine &	Amlodipine Besylate	IP	5	ma		
392	Chlorthalidone Tablets	Eq. to Amlodipine Chlorthalidone	IP	6.5	mg	Our Self	
	IHS	Excipients	111		mg		
		Approved colour used in tablet		q.s.			
		Each film coated tablet contains:					
		Teneligliptin Hydrobromide Hydrate	IHS	2			
	Teneligliptin	Eq. to Teneligliptin	1117	20	mg		
393	Hydrobromide Hydrate	Metformin Hydrochloride	IP		mg		
373	& Metformin HCL SR	(As sustain release form)	11	$\begin{bmatrix} 30 \\ 0 \end{bmatrix}$	IIIg	Our Self	
	Tablets	Excipients		q.s.			
		Approved colour used in tablet	ı	1 1	1		

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
	,	Each enteric coated tablet contains: Trypsin	BP	96	ma		
	Trypsin, Bromelain	Bromelain	DI	180	mg		
394	& Rutoside	Rutoside Trihydrate	BP	200	mg	Our Self	
	Trihydrate Tablets	Excipients	DI		mg	Our Sen	
		Approved colour used in tablet		q.s.	1		
		* *					
		Each enteric coated tablet contains:	BP	48	ma		
	Trypsin, Bromelain,	Trypsin Bromelain	Dr	90	mg		
395	Rutoside Trihydrate &	Rutoside Trihydrate	BP	100	mg		
393	Diclofenac Sodium	Diclofenac Sodium	IP	50	mg	Our Self	
	Tablets	Excipients	IF		mg		
		Approved colour used in tablet		q.s.			
		Each enteric coated tablet contains:	BP	40	1		
		Trypsin Bromelain	BP	48 90	mg		
20.6	Trypsin, Bromelain,		BP		mg		
396	Rutoside Trihydrate &	Rutoside Trihydrate Aceclofenac		100	mg	Our Self	
	Aceclofenac Tablets		IP	100	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
		Each enteric coated tablet contains:	1 55	1 40			
	Trypsin, Bromelain & Rutoside Trihydrate Tablets	Trypsin	BP	48	mg		
397		Bromelain		90	mg		
		Rutoside Trihydrate	BP	100	mg	Our Self	
		Excipients		q.s.			
		Approved colour used in tablet					
		Each Entric coated tablet contains:	- I	- 1			
	Doxylamine Succinate,	Doxylamine Succinate	Bl				
398	Pyridoxine and	Pyridoxille Hydrocilloride	IP			Our Self	
	Folic Acid Tablets	Folic Acid	IP	2.5	mg		
		Approved colour used in tablet					
	Nimesulide,	Each film coated tablet contains			_		
	Paracetamol and	Nimesulide	BP	100	mg		
	Serratiopeptidase	Paracetamol	IP	325	mg		
399	Tablets	Serratiopeptidase	IP	15	mg	0 0 10	
	(Not to be given children below 12	(As enteric coated granules) (Eq. to enzymatic activity 30000 units)				Our Self	
	years of age)	Excipients					
	years or age)	Approved colour used in tablet		q.s.	1		
		11					
	D 1 '	Each film coated tablet contains: Doxylamine Succinate	BP	10	ma		
		Pyridoxine Hydrochloride	IP	10	mg		
400	3	Folic Acid	IP	1.5	mg	Our Self	
	TOTIC ACIU TAUTOIS	Excipients	11	q.s.	mg	Our Sen	
		Approved colour used in tablet					
		Each Uncoated Bilayered tablet contain	nec.				
	Glimepride,	Metformin Hydrochloride	IP	500	mg		
	Metformin	(As Sustained Release form)	11	300	mg		
401	Hydrochloride (SR) &	Glimepride	IP	1	mg	Our Self	
	Voglihose Tablets	Voglibose	IP	0.2	mg	J 31 J J 11	
		Excipients		q.s.	5		
				1.5.			

Sr. No.	Generic Name / Brand Name	Composition		Mfg. for	Reference		
		Approved colour used in tablet					
		Each Uncoated Bilayered tablet contain	nes:				
	Glimepride,	Metformin Hydrochloride	IP	500	mg		
	Metformin	(As Sustained Release form)					
402	Hydrochloride (SR) &	Glimepride	IP	2	mg	O C-16	
	Voglibose Tablets	Voglibose	IP	0.3	mg	Our Self	
		Excipients		q.s.	_		
		Approved colour used in tablet					
	5.1	Each enteric coated tablet contains:					
	Rabeprazole and	Rabeprazole Sodium	IP	20	mg		
403	Domperidone tablets	Domperidone	IP	10	mg	Over Calf	
		Excipients		q.s.		Our Self	
		Approved colour used in tablet					
		Each film coated tablet contains					
	Diclofenac	Diclofenac Potassium	BP	50	mg		
	Potassium,	Paracetamol	IP	325	mg		
10.1	Paracetamol and	Serratiopeptidase	IP	10	mg		
404	Serratiopeptidase	(As enteric coated granules)				Our Self	
	Tablets	(Eq. to enzymatic activity 20000 units)					
		Excipients		q.s.			
		Approved colour used in tablet					
		Each film coated tablet contains					
	Diclofenac Potassium, Paracetamol and	Diclofenac Potassium	BP	50	mg		
		Paracetamol	IP	325	mg		
405		Serratiopeptidase	IP	15	mg		
403	Serratiopeptidase Tablets	(As enteric coated granules)				Our Self	
	Tablets	(Eq. to enzymatic activity 30000 units)					
		Excipients		q.s.			
		Approved colour used in tablet					
		Each film coated tablet contains		_			
		Levofloxacin Hemihydrate	IP				
406	Levofloxacin and	Eq. to Levofloxacin		250	mg		
400	Ornidazole Tablets	Ornidazole	IP	500	mg	Our Self	
		Excipients		q.s.			
		Approved colour used in tablet					
	Paracetamol and	Each uncoated bilayered tablet contain		,			
	Nimesulide Tablets	Paracetamol	IP	325	mg		
407	(Not to be given	Nimesulide	BP	100	mg	Our Self	
	children below 12	Excipients		q.s.		Our Ben	
	years of age)	Approved colour used in tablet					
	Nimesulide,	Each film coated tablet contains					
	Paracetamol and	Nimesulide	BP	100	mg		
	Serratiopeptidase	Paracetamol	IP	325	mg		
408	Tablets	Serratiopeptidase	IP	10	mg	Our Self	
100	(Not to be given	(As enteric coated granules)					
	children below 12	(Eq. to enzymatic activity 20000 units)					
	years of age)	Excipients		q.s.			
		Approved colour used in tablet					

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
409	Sodium Valproate and Valproic Acid controlled release Tablets	Each film coated controlled release to Sodium Valproate Valproic Acid (Both together correspond to Sodium Valproate) Excipients Approved colour used in tablet	IP IP	200 87 300 q.s.	mg mg mg	Our Self	
410	Aceclofenac Sustained Release Tablets	Each film coated Sustained release to Aceclofenac Excipients Approved colour used in tablet	blet cor IP	200 q.s.	mg	Our Self	
411	Desloratadine and Montelukast Tablets	Each film coated tablet contains: Desloratadine Montelukast Sodium Eq. to Montelukast Excipients Approved colour used in tablet	IP	5 10 q.s.	mg mg	Our Self	
412	Levocetirizine and Ambroxol Tablets	Each film coated tablet contains: Levocetirizine Hydrochloride Ambroxol Hydrochloride Excipients Approved colour used in tablet	IP IP	5 60 q.s.	mg mg	Our Self	
413	Methylcobalamin, Vitamin B1, Vitamin B6, Calcium Pantothenate and L- Glutamic Acid Tablets	Each film coated tablet contains Methylcobalamin Vitamin B1 Vitamin B6 Calcium Pantothenate L-Glutamic Acid Excipients Approved colour used in tablet	IP IP IP IP	1500 10 3 50 100 q.s.	mcg mg mg mg mg	Our Self	
414	Ciprofloxacin and Tinidazole Tablets	Each film coated tablet contains: Ciprofloxacin Hydrochloride Eq. to Ciprofloxacin Tinidazole Excipients Approved colour used in tablet	IP IP	500 600 q.s.	mg mg	Our Self	
415	Trypsin- Chymotrypsin Tablets	Each enteric coated tablet contains Trypsin- Chymotrypsin 1,00,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1 Excipients Approved colour used in tablet	1,00,000	Q.s.	J	Our Self	

Sr. No.	Generic Name / Brand Name	Composition					Mfg. for	Reference
		Each film coated tablet contains:				l l		
		Calcium Citrate Malate		12	250	mg		
		Eq. to Elemental Calcium			50	mg		
	Calcium, Vitamin K ₂ 7,	Vitamin K ₂ 7			90	mg	7	
	Vitamin D ₃ ,		ΙΡ		000	IU	Our Self	
416	Methylcobalamin,	-	IP			mcg		
	Zinc Sulphate, &	Zinc Sulphata Monohydrata	IP			8		
	Magnesium Hydroxide	Eq. to Elemental Zinc]	15	mg		
	Tablets	^	ΙP		10	mg		
		Excipients		q	.s.			
		Approved colour used in tablet						
		Each Film coated tablet Contains:						
		Calcium Carbonate (Oyster Shell)		IP	1250	mg		
		Eq. to elemental Calcium			500	mg		
	Calcium Carbonate,	Calcitriol]	ΙP	0.25	mcg	Our	
417	Calcitriol and Zinc	Zinc Sulphate Monohydrate]	ΙP			Self	
	Tablets	Eq. to elemental Zinc			7.5	mg		
		Excipients			q.s			
		Approved colour used in tablet			•			
		Each Film coated tablet Contains:		•				
		Aceclofenac		ΙP	100	mg		
418	Aceclofenac and	Serratiopeptidase		ΙP	10	mg		
	Serratiopeptidase	(Enzyme Activity 20,000 units					Our	
	Tablets	As enteric coated granules)					Self	
		Excipients			q.s			
		Approved colour used in tablet						
	Lansoprazole Orally	Each Orally Disentigrating tablet Co	ntair	ıs:				
419	Disentigrating	Lansoprazole	IP)	15	mg	Our Self	
	Tablets IP	Excipients			q.s			
	Mefenamic and	Each Film coated tablet Contains:						
	Paracetamol	Mefenamic Acid	IP)	250	mg		
420	Tablets	Paracetamol	IP)	325	mg	Our Self	
		Excipients			q.s			
		Approved colour used in tablet						
	Esomeprazole and	Each Enteric coated tablet Contains:	:					
	Domperidone	Esomeprazole Magnesium Trihydrate		ΙP			1	
	Tablets	Eq. to Esomeprazole			20	mg	Our Self	
421		Domperidone		ΙP	10	mg]	
		Excipients			q.s		1	
		Approved colour used in tablet						
	Diacerein,	Each Film coated tablet Contains:						
	Glucosamine	Diacerein	II	P	50	mg		
	Sulphate Potassium	Glucosamine Sulphate Potassium	US	SP	750	mg		
	Chloride and Methyl	Chloride					Our Self	
422	Sulfonyl Methane	Eq. to Glucosamine			446	mg		
	Tablets	Methyl Sulfonyl Methane	US	SP	250	mg		
		Excipients			q.s			
		Approved colour used in tablet						

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
		Each Enteric coated tablet Contains:					
		Pantoprazole Sodium	IP				
	Pantoprazole and	Eq. to Pantoprazole		40	mg	Our Self	
423	Domperidone	Domperidone	IP	10	mg		
	Tablets	Excipients		q.s			
		Approved colour used in tablet					
		Each Enteric coated tablet Contains:					
424	Rabeprazole Gastro-	Rabeprazole Sodium	IP	20	mg	1	
	resistant Tablets	Excipients		q.s		Our Self	
		Approved colour used in tablet					
		Each Film coated tablet Contains:					
425	Mirtazapine	Mirtazapine	IP	7.5	mg	Our Self	
	Tablets	Excipients		q.s	- 6	7	
		Approved colour used in tablet		4		7	
		Each Film Coated Tablet Contains:	<u> </u>	<u> </u>			
		Pregabalin	IP	75	mg	-	
	Pregabalin,	Nortriptyline Hydrochloride	IP		8	-	
426	Nortriptyline HCL &	Eq. to Nortriptyline		10	mg		
0	Methylcobalamin	Methylcobalamin	IP		mcg	Our Self	
	Tablets	Excipients		q.s.		1	
		Approved colour used in tablet	_11				
	Doxylamine,	Each Enteric coated tablet Contains	ı:				
	Pyridoxine and Folic	Doxylamine Succinate	USP	20	mg		
427	Acid Tablets	Pyridoxine Hydrochloride	IP	20	mg	Our Self	
		Folic Acid	IP	5	mg		
		Excipients		q.s			
		Approved colour used in tablet					
	Paracetamol and	Each Film coated tablet Contains:					
	Domperidone Tablets	Paracetamol	IP	325	mg		
428		Domperidone	IP	10	mg	Our	
		Excipients		q.s		Self	
		Approved colour used in tablet					
	Paracetamol and	Each Film coated tablet Contains:					
	Domperidone Tablets	Paracetamol	IP	325	mg		
429		Domperidone	IP	20	mg		
		Excipients		q.s		Self	
		Approved colour used in tablet					
	Cholecalciferol	Each Uncoated Chewable tablet Co	ntains:				
430	Chewable Tablets	Cholecalciferol	IP	6000	0 IU	Our Self	
		Excipients		q.s			
		Each Film coated tablet Contains:					
	Mefenamic,	Mefenamic Acid	IP	250	mg	:]	
431	Dicyclomine and	Dicyclomine Hydrochloride	IP	10	mg	Our Self	
	Acetoaminophen	Acetaminophen	US	P 325	mg		
	Tablets	Excipients		q.s			
		Approved colour used in tablet					
	Drotaverine &	Each Film coated tablet Contains:					
432	Mefenamic Acid	Drotaverine Hydrochloride	IP	80	mg		
	Tablets	Mefenamic Acid	IP	250	mg	Our Self	
		Excipients		q.s			
		Approved colour used in tablet					

Sr.	Generic Name /	Composition				Mfg. for	Reference
No.	Brand Name						
		Each Film coated tablet Contains	s:				
		Calcium citrate malate		1000	mg		
	Calcium citrate malat	e, Zinc Oxide	IP	15	mg		
433	Zinc, Magnesium,	Magnesium Oxide	IP	50	mg	Our Self	
	Vitamin K ₂ -7 &	Vitamin D3	IP	1000	IU		
	Vitamin D3 Tablets	Vitamin K ₂ -7		50	mcg		
		Excipients		qs			
		Approved colour used in tablet					
		Each Combikit contains:					
		A. One Fluconazole Tablets IP 1	50 mg				
		Each Uncoated tablet Contains:					
		Fluconazole	IP	150	mg		
		Permitted Colour : Ponceau 4R		q.s			
		B. One Azithromycin Tablets	IP	1 4.5	gm		
	Fluconazole,	,	11	1	gm	_	
	Azithromycin &	Each Film coated tablet Contains:				Our Self	
434	Secnidazole		TD			4	
	Tablets	Azithromycin Dihydrate	IP	1			
		Eq. to Azithromyein		1	gm	4	
		Excipients	Tit	q.s	: 1 ID	1	
		Permitted Colour : Ponceau 4R &	1				
		C. Two Secnidazole Tablets	IP	1	gm	_	
		Each Film coated tablet					
		Contains:	ID	1			
		Secnidazole	IP	1	gm		
	1	Permitted Colour : Titanium Dio	xide IP		1	1	
		Excipients		q.s			
		Each Uncoated Dispersible table					
40.5	Montelukast and	Montelukast Sodium	IF			0 0 10	
435	Levocetirizine	Eq. to Montelukast		4	mg	Our Self	
	Dispersible Tablets	Levocetirizine Hydrochloride	IF		mg		
		Excipients		q.s			
		Approved colour added in tablet					
	Thiocolchicoside	Each Film coated tablet Contains:					
436	Tablets	Thiocolchicoside	IP	8	mg	Our Self	
		Excipients		q.s			
		Approved colour used in tablet.					
	Etoricoxib and	Each Film coated tablet Contains:					
437	Paracetamol Tablets	Etoricoxib	IP	60	mg	Our Self	
		Paracetamol	IP	325	mg		
		Excipients		q.s		1	
	Sodium Picosulfate	Each Film`coated tablet Contains:					
438	Tablets	Sodium Picosulfate	BP	5	mg	Our Self	
		Excipients	+	q.s	0		
		Approved colour used in tablet.	1	4.5			
		rapproved colour used ill tablet.					1

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
NO.	Brand Name	Each film ageted tablet contains					
439	Trypsin- Chymotrypsin, Aceclofenac &	Each film coated tablet contains Trypsin- Chymotrypsin 50,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1	5	50,000	AU	Our Self	
	Paracetamol Tablets	Aceclofenac Paracetamol Excipients Approved colour used in tablet.	IP IP	100 325 q.s.	mg mg		
440	Trypsin- Chymotrypsin, Aceclofenac & Paracetamol Tablets	Each film coated tablet contains Trypsin- Chymotrypsin 1,50,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1 Aceclofenac Paracetamol Excipients Approved colour used in tablet.	IP IP	,000 100 325 q.s.	Mg mg	Our Self	
441	Clopidogrel & Aspirin Tablets	Each film coated tablet contains: Clopidogrel Bisulphate Eq. to Clopidogrel Aspirin Excipients Approved colour used in tablets	IP IP	75 75 q.s.	mg mg	Our Self	
442	Aceclofenac & Diacerin Tablets	Each film coated tablet contains: Aceclofenac Diacerin Excipients Approved colour used in tablets	IP IP	100 50 q.s.	mg mg	Our Self	
443	Trypsin- Chymotrypsin, Diclofenac & Paracetamol Tablets	Each film coated tablet contains Trypsin- Chymotrypsin 1,50,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1 Diclofenac Potassium Paracetamol Excipients Approved colour used in tablet	1,50	50 325 q.s.	mg mg	Our Self	

Sr. No.	Generic Name / Brand Name	Composition				N	Mfg. for	Reference
444	Trypsin- Chymotrypsin, Diclofenac & Paracetamol Tablets	Each film coated tablet contains Trypsin- Chymotrypsin 50,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1 Diclofenac Potassium Paracetamol Excipients Approved colour used in tablets.	BP IP	3	50	mg mg	Our Self	
445	Gabapentin & Nortriptyline HCL Tablets	Each Film Coated Tablet Contains: Gabapentin Nortriptyline Hydrochloride Eq. to Nortriptyline Excipients Approved colour used in tablets.		IP IP	400 10 q.s.	mg	Our Self	
446	Methylcobalamin, L- Methyl Folate, Pyridoxal-5-Phosphate Tablets	Each uncoated dispersible tablet co Methylcobalamin Pyridoxal-5-Phosphate L-Methyl Folate Calcium Excipients Approved colour used in tablet	II	IS: IP HS HS	1500 0.5 1 q.s.	mcg mg mg	Our Self	
447	Methylcobalamin, L Methyl Folate, Pyridoxal-5-Phosphate Tablets	Each film tablet contains: Methylcobalamin Pyridoxal-5-Phosphate L-Methyl Folate Calcium Excipients Approved colour used in tablet	TF	IP AS AS	1500 0.5 1 q.s.	meg mg mg	Our Self	
448	Cilnidipine & Telmisartan Tablets	Each film coated Tablet contains: Cilnidipine Telmisartan Excipients Colour- Approved colour used in ta	IP IP		10 80 q.s.	mg mg	Our Self	
449	Cilnidipine Telmisartan, & Chlorthalidone Tablets	Each film coated Tablet contains: Cilnidipine Telmisartan Chlorthalidone Excipients Colour- Approved colour used in ta	IP IP IP		10 40 6.25 q.s.	mg mg	Our Self	
450	Cilnidipine Telmisartan, & Chlorthalidone Tablets	Each film coated Tablet contains: Cilnidipine Telmisartan Chlorthalidone Excipients Colour- Approved colour used in ta	IP IP IP		10 40 12.5 q.s.	mg mg mg	Our Self	

Sr. No.	Generic Name / Brand Name	Composition					Mfg. for	Reference
451	Trypsin- Chymotrypsin Tablets	Each enteric coated tablet contains Trypsin- Chymotrypsin 2,00,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1 Excipients Approved colour used in tablet	2,0	q.:		IU	Our Self	
452	Telmisartan, Hydrochlorothiazide and Amlodipine Tablets	Each film coated tablet Contains: Telmisartan Hydrochlorothiazide Amlodipine Besylate Eq. to Amlodipine Excipients Approved colour used in tablets.	IP IP IP	12	5 1.8	mg mg	Our Self	
453	Flavoxate Hydrochloride Tablets IP	Each Film coated tablet Contains: Flavoxate Hydrochloride Excipients Approved colour used in tablet	IP q.s	-	200	mg	Our Self	
454	Terbinafine & Itraconazole Tablet	Each Film coated tablet Contains: Terbinafine BI Itraconazole US Excipients Approved colour used in tablets.	P	250 200 q.s		ng ng	Our Self	
455	Deflazacort Tablets	Each uncoated tablet contains Deflazacort Excipients Approved colour added in tablets.		IHS	6 q.s.	mg	Our Self	
456	Deflazacort Tablets	Each uncoated tablet contains Deflazacort Excipients Approved colour added in tablets.		IHS	12 q.s.	mg	Our Self	
457	Ferrous Bis- Glycinate, Folic Acid, Zinc Bis- Glycinate,& Methylcobalamin Tablets	Each film coated tablet contains: Ferrous Bis-glycinate Eq. to Elemental iron Folic Acid Zinc Bis-glycinate Eq. to Elemental Zinc Methylcobalamin Excipients Approved colour used in tablets.		IP IP	60 1500 15 500 q.s.	mg mcg mg mcg	Our Self	
458	Letrozole Tablets	Each film coated tablet Contains: Letrozole Excipients Approved colour used in tablets.		P	5 q.s.	mg	Our Self	

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
		Each uncoated tablet contains:					
		Metoprolol Succinate	IP				
	Metoprolol Succinat	-		25	mg		
459	Extended-Release &					0 0 16	
	Ramipril Tablets	Ramipril	IP	2.5	mg	Our Self	
		Excipients		q.s.			
		Colour- Approved colour used in t	ablets.	-			
		Each bilayred tablet contains:					
		Metoprolol Succinate	IP				
	Metoprolol Succinat	e Eq. to Metoprolol Tartrate		50	mg		
460	Extended-Release &					O C . 16	
	Ramipril Tablets	Ramipril	IP	5	mg	Our Self	
		Excipients		q.s.			
		Colour- Approved colour used in t	ablets.				
	Olmesartan	Each Film coated tablet Contains:					
	Medoxomil &	Olmesartan Medoxomil	IP	40	mg		
461	Chlorthalidone	Chlorthalidone	IP	12.50		Our Self	
	Tablets	Excipients		q.s	Ŭ		
		Approved colour used in tablets.					
	Olmesartan	Each Film coated tablet Contains:					
	Medoxomil &	Olmesartan Medoxomil	IP	20	mg		
462	Chlorthalidone	Chlorthalidone	IP	6.25		Our Self	
	Tablets	Excipients		q.s	Ŭ		
		Approved colour used in tablets.					
	Olmesartan	Each Film coated tablet Contains:					
	Medoxomil,	Olmesartan Medoxomil	IP	20	mg		
463	Amlodipine besylate	Amlodipine besylate	IP			Our Self	
	& Chlorthalidone	Eq. to Amlodipine		5	mg		
	Tablets	Chlorthalidone	IP	12.5	mg		
		Excipients		q.s			
		Approved colour used in tablets.					
	Olmesartan	Each Film coated tablet Contains:					
	Medoxomil &	Olmesartan Medoxomil	IP	40	mg		
464	Chlorthalidone	Chlorthalidone	IP	12.50) mg	Our Self	
	Tablets	Excipients		q.s			
		Approved colour used in tablets.					
		Each Film Coated bilayered Tablet	Contair	ns:			
		Pregabalin	IP	75	mg		
	Pregabalin &	(As Sustained Release)					
465	Nortriptyline HCL	Nortriptyline Hydrochloride	IP			Our Self	
	SR Tablets	Eq. to Nortriptyline		10	mg	Our Self	
		Excipients		q.s.			
		Approved colour used in tablets.					
		Each Film coated tablet contains:					
		Rosuvastatin calcium	IP			\dashv	
	Rosuvastatin calcium		"	10	mg		
466	& Ezetimibe Tablets		IP	10	mg	_ ~ ~	
		Excipients		q.s.	<u></u>		
		Approved colour used in tablets.	1	1 1.~.	1		
	<u> </u>	1 PP-0 - CD COICE ESSEE IN MISSIES.				1	

Sr. No.	Generic Name / Brand Name	Composition					Mfg. for	Reference
•		Each uncoated tablet contains:						
	T 1 1 0	Telmisartan	I	P	40	mg		
467	Telmisartan &	Chlorthalidone	I	P	6.25	mg	0 0 1	,
	Chlorthalidone Tablets	Excipients			q.s.		Our Self	-
		Approved colour used in tablets.	<u> </u>		1			
		Each uncoated tablet contains:						
		Telmisartan	I	P	80	mg		
468	Telmisartan &	Chlorthalidone	I	Р	12.5	mg		,
	Chlorthalidone Tablets	Excipients			q.s.		Our Self	
		Approved colour used in tablets.	<u> </u>	L	1			
469		Each uncoated tablet contains:						
407		Bilastine			20	mg	,	T
	Bilastine Tablets	Excipients			q.s.	3111	Our Self	
		Approved colour used in tablets.			9.5.			
		Each uncoated chewable tablet co	ntaine					
	Ivermectin and	Ivermectin			12	me	T	
470	Albendazole Tablets	Albendazole			400	mg		c
470	Albendazole Tablets		1	Г		mg	Our Sel	L
		Excipients Approved colour used in tablets.			q.s.			
		* *						
	Telmisartan, Hydrochlorothiazide and Amlodipine Tablets	Each film coated tablet Contains:	ID	1 20	. 1			
		Telmisartan	IP	20		mg		
471		Hydrochlorothiazide	IP	12.	5	mg	Our Self	
4/1		Amlodipine Besylate	IP	2.6			Our Sen	
		Eq. to Amlodipine		2.5		mg		
		Excipients Approved colour used in tablets.		q.s	5			
		11						
	Activoted	Each Entric coated tablet Contain	_	10				
	Activated Dimethicone,	Activated Dimerthicone	IP	40	_	mg	Our Self	
472	Pancreatin & Bile	Pancreatin	IP	192		mg	Our Sen	
7/2	Constituents Tablets	Bile Constituents	1	25	_	mg		
	Constituents Tablets	Excipients		q.s				
		Approved colour used in tablets.				1		
		Each Film coated tablet Contains	<u>: </u>	1				
		Calcium citrate malate		100		ng		
472	Calcium citrate	Vitamin D3	IP	20	<u>U</u>	HU		
473	malate, Vitamin D3,	Magnesium Oxide	_IP	1			Our Self	
	Magnesium Oxide,	Eq. to Elemental calcium		10	0 1	ng	Our Sell	
	Zinc Sulphate Monohydrate	Zinc Sulphate Monohydrate	IP.	—				
	Tablets	Eq. to Elemental Zinc		7.		ng		
	aulois	Excipients Approved colour yeard in tableto		q	8			
=	<u> </u>	Approved colour used in tablets.						
_		Each Film coated tablet Contains	:		<u> </u>			
477.4	0 1011 0	Coral Calcium					0 0 10	
474	Coral Calcium &	Eq. to Elemental Calcium	—	50		0	Our Self	
	Vitamin D3 Tablets	Vitamin D3	-IP	50	$\overline{}$	IU		
		Excipients		q	8	\rightarrow		
	+	Approved colour used in tablets.						

Sr. No.	Generic Name / Brand Name	Composition		Mfg. for	Reference		
		Each Film coated tablet Contain	ıs:				
		Coral Calcium				1 /	
	Coral Calcium,	Eq. to Elemental Calcium		500	mg		
475	Vitamin D3,	Vitamin D3	IP	500	IU	1	
	Magnesium Oxide,	Magnesium Oxide	IP			Our Self	
	Zinc Sulphate	Eq. to Elemental ealcium		40	mg		
	Monohydrate	Zine Sulphate Monohydrate	IP		\perp		
	Tablets	Eq. to Elemental Zinc		7.5	mg		
_		Excipients		qs]	
		Approved colour used in tablets					
		Each Film coated tablet Contain	s:			_	
	Coral Calcium ,	Coral Calcium					
	Calcitrol, Zinc	Eq. to Elemental Calcium		225	mg]	
476	Sulphate	Calcitrol	<u>IP</u> 0.		mcg	0 0 10	
	Monohydrate	Zinc Sulphate Monohydrate	IP.			Our Self	
	Tablets	Eq. to Elemental Zinc		22.5	mg		
_		Excipients		qs		1	
		Approved colour used in tablets.					
		Each Film coated tablet Contain	is:	1	1		
477	0 101: 0	Coral Calcium		500		0 0 10	
477	Coral Calcium & Vitamin D3 Tablets	Eq. to Elemental Calcium		500	mg	Our Self	
	Vitaliili D3 Tablets	Vitamin D3	TP.	500	IU	1	
		Excipients Approved colour used in tablets		qs			
		Each enteric coated tablet contain					
				0 A	r T		
	-	Trypsin- Chymotrypsin 1,00,000 Armour Unit of	1,00,00	O A	U		
		enzymatic activity (Supplied					
	Trypsin,	by a purified concentrate					
	Diclofenac	which has specific trypsin					
478	Potassium &	and chymotrypsin activity in				Our Self	
	Paracetamol Tablets	a ratio of approximately 6:1					
	Turacetamor Tuorets	Diclofenac Potassium	BP	50	mg		
		Paracetamol	IP	32			
		Excipients		q.			
		Approved colour used in tablets.		1	I I		
		Each Film coated tablet Contain					
	L-Carnitine, L-	L-Carnitine L-Tartrate	113.				
	Tartrate, Folic Acid &			500	mg		
479	Methylcobalamine	Folic Acid	IP	1.5	mg	~ ~	
	Tablets.	Methylcobalamin	USP	_			
		Excipients		qs			
		Approved colour used in tablets	S.				
		Each Entric coated tablet contai					
400	Doxylamine Succinate,			SP 1	0 mg	2 0 0 11	
480	& Pyridoxine Tablets	Pyridoxine Hydrochloride	I		0 mg	Unit Self	
		Approved colour used in tablets			1 5		
		Each Film coated tablet contains					
	L-Arginine	L-Arginine		IP 100	00 mg)	
481	Tablet	(micronized)		100	1118	Our Self	
	140701	Approved colour used in tablets				301 801	
	l		•				

						Т		T
Sr. No.	Generic Name / Brand Name	Composition					Mfg. for	Reference
No.	Brand Name	Early Eiler and dealer Contain					1	
	Mathedachalamin	Each Film coated tablet Contain		1.5	700			
	Methylcobalamin, Pyridoxine	Methylcobalamin	USP			mcg		
482	Hydrochloride &	Pyridoxine Hydrochloride	IP		.0	mg	Our Self	
402	Folic Acid Tablets.	Folic Acid	IP	+	5	mg	Our Sen	
	Tone Acid Tablets.	Excipients		C	ĮS			
	<u> </u>	Approved colour used in tablets						
402	Clomiphene Citrate &				7 0			
483	Co-Enzyme Q-10	Clomiphene Citrate	IP		50	mg	0 0 10	
	Tablets	Co-Enzyme Q-10	BI	2	50	mg	Our Self	
		Excipients			qs			
	1	Approved colour added in table						
		Each Film coated tablet Conta			1			
	Tranexamic Acid &			IP	250	mg		
484	Pine Bark extract	Pine Bark Extract			50	mg	g Our Self	ſ
	Tablets	Excipients			qs			
		Approved colour Used in table	ets					
		Each film coated tablet contai	ns:					
	Calcium Asparto	Calcium Asparto glycinate			500	mg	7	
485	glycinate, Vitamin D			IP	2000) IU		
	Zinc & Magnesiun	Zinc sulphate Monohydrate		IP			Our Self	f
	Oxide tablets	Eq. to Elemental Zinc			4	mg	7	
		Magnesium Oxide (Light)		IP	100	mg	7	
		Excipients			qs			
		Approved colour Used in table	ets					
		Each film coated tablet contai	ns:					
	Calcium Carbonate	, Calcium Carbonate		IP	1250) mg	g	
486	Vitamin D3,	Eq. to Elemental calcium			500			
	Methylcobalamin, I	- Vitamin D3		IP	2000			f
	Methyl Folate Calciu	m Methylcobalamine		IP	1500) mc	g	
	& Pyridoxal 5	L-Methyl Folate Calcium			1	mg		
	Phosphate tablets	Pyridoxal 5 Phosphate		Ip	0.6	mg		
		Excipients			qs			
		Approved colour used in table	ets					
		Each film coated tablet contains						
	m 11 11 11	Teneligliptin Hydrobromide Hyd	lrate	IP				
	Teneligliptin	Eq. to Teneligliptin			20	mg		
487	Hydrobromide Hydrat & Metformin HCL SI			IP	1000	mg	Over Colf	
	Tablets	(As sustain release form)		_			Our Self	
	Tablets	Excipients			q.s.			
		Approved colour used in tablets.						
		Each uncoated tablet Contains:						
488	Terbinafine Tablets			IP			Our Self	
		Eq. to Terbinafine			500	mg		
		Excipients			q.s			
		Approved colour used in tablet	s.		1			
		Each uncoated tablet containes			•	•		
	1	Metformin Hydrochloride		IP	500	mg		
	Metformin	*				8	1	1
400	Metformin Hydrochloride (SR)	& (As Sustained Release form)	J				~ ~ -	C
489	Hydrochloride (SR)			IP	0.2	mg	Our Sel	f
489		Voglibose		IP	-	mg	Our Sel	f
489	Hydrochloride (SR)			IP	0.2 q.s.	Ť	Our Sel	f

Sr. No.	Generic Name / Brand Name	Composition			N	Ifg. for	Reference
	Hydrochloride &	Metformin Hydrochloride	IP	500	mg	<u> </u>	
	Voglibose Tablets	Voglibose	IP	0.3	mg		
		Excipients		q.s.			
		Approved colour added in tablets.	•				
	Paracetamol,	Each uncoated tablet Contains:					
	Phenylephrine HCl,	Paracetamol	IP	325	mg		
491	Chlorpheniramine	Phenylephrine Hydrochloride	-IP	10	mg		
	Maleate & Caffeine	Chlorpheniramine Maleate	IP	2	mg	Our Self	
	Tablets	Caffeine (Anhydrous)	TP	30	mg		
		Excipients		q.s			
		Approved colour added in tablets.					
		Each Film coated tablet Contains:					
	Aceclofenac and	Aceclofenac	IP	100	mg		
492	Serratiopeptidase	Serratiopeptidase	IP	15	mg		
	Tablets	(Enzyme Activity 30,000 units				Our Self	
		As enteric coated granules)					
		Excipients		q.s			
		Approved colour used in tablets					
		Each Film coated tablet Contains:	_				
493	L-ornithine L-	L-Ornithine L-Aspartate		500	mg		
	Aspartate Tablets	Excipients		q.s		Our Self	
		Approved colour used in tablets					
	Rabeprazole & Domperidone Tablets	Each entric coated tablet contains:					
		Rabeprazole Sodium	II			—	
494		Domperidone	II	P 10	mg	Our Self	
		Excipients		q.s	,		
		Approved colour used in tablets					
		Each enteric coated tablet contains:	T				
	Doxylamine &	Doxylamine Succinate	BP		mg		
495	Pyridoxine	Pyridoxine Hydrochloride	IP	10	mg	Our Self	
	Hydrochloride Tablets			q.s			
		Approved colour used in tablet					
		Each film coated tablet contains:					
	Dimethicone &	Dimethicone	В		mg		
496	Pancreatin Tablets	Pancreatin	В	P 170	mg	Our Self	
		Excipients		q.s			
		Approved colour used in tablet					
		Each enteric coated tablet contains:					
	Doxylamine &	Doxylamine Succinate	В				
497	Pyridoxine	Pyridoxine Hydrochloride	В	P 20	mg	Our Self	
	Hydrochloride Tablets	Excipients		q.s			
		Approved colour used in tablet					
		Each Uncoated Tablet Contains:					
	Daragatama1	Paracetamol	IF	500	mg		
498	Paracetamol, Phenylephrine HCL &	Phenylephrine Hydrochloride	IF		U		
470	Cetirizine Tablets	Cetirizine Hydrochloride	IF	5	mg	Our Self	
		Excipients		q.s.			
		Approved colour used in tablets.					

Sr. No.	Generic Name / Brand Name	Composition			Mf	g. for	Reference
		Each film coated controlled released t	ablet c	ontains			
499	Nitroglycerin Controlled Release Tables 6.4 mg	Dilute Nitroglycerin Eq. to Nitroglycerin Excipients Approved colour added in tablets.	USP	6.4 q.s.	mg	Our Se	elf
500	Azithromycin Dispersible Tablets	Each uncoated dispersible tablet conta Azithromycin Dihydrate Eq. to Azithromycin Excipients Approved colour added in tablets.	ains: -	100 q.s	mg	Our Se	elf
501	Nitroglycerin Controlled Release Tables 2.6 mg	Each film coated controlled released to Dilute Nitroglycerin Eq. to Nitroglycerin Excipients Approved colour added in tablets.	ablet c	ontains 2.6 q.s.	mg	Our Se	elf
502	Calcium L-5- Methyltetrahydrofolate Tablets	Each film coated tablet contains: Calcium L-5-Methyltetrahydrofolate Excipients Approved colour used in tablets	e	USP	1 mg	Our Se	elf
503	Montelukast and Olopetadine Hcl Tablets	Each film coated tablet contains: Montelukast Sodium Eq. to Montelukast Olopetadine Hcl Excipients Approved colours used in tablets	IP USP	10 5 q.s	mg mg	Our Se	elf
504	Ascorbic Acid Chewable Tablets	Each chewable tablet contains: Ascorbic Acid Sodium Ascorbate Eq. to Ascorbic Acid Zinc Oxide Eq. to elemental Zinc Excipients Approved colour used in tablets.	USP USP BP	100 450 400 18.67 15 q.s	mg mg mg mg mg	Our Se	elf

Sr. No.	Generic Name / Brand Name	Composition				Mfg.	for 1	Reference
		Each film coated tablet contains:			<u> </u>			
		Vitamin A (as Acetate)	BP	2500	IU			
		VitaminB1	BP	3	mg			
		Vitamin B2	BP	3	mg			
		Vitamin B6	BP	4	mg			
		Vitamin B0	BP	6	meg			
		Vitamin C	BP	100	mg			
		Vitamin D3	BP	200	IU			
		Vitamin E 50 %	USP	15	IU			
		Nicotinamide	BP	20	mg			
		Folic Acid	BP	0.4				
505	Multivitamins &	Dibasic calcium Phosphate	Di	0.4	mg		0 0 10	
505	Multiminerals tablets	Eq. to Calcium	BP	150	meg		Our Self	
		Magnesium oxide	BP	6.13	mg			
		Zinc	Di	0.13	IIIg	,		
		(As Zinc Sulfate monohydrate BP)		2.5	mg	,		
		Copper		2.5	1112	,		
		(As Copper Sulfate pentahydrate BP)		0.7	mg			
		Iron (As Ferrous Fumarate BP)		10	mg			
		Manganese						
		(As Manganese Sulfate BP)		0.56	mg	5		
		Potassium						
		(As Potassium Chloride BP)		4.98	mg	;		
		Iodine (As Potassium Iodide BP)		0.749	mcg	2		
		Excipients		q.s				
		Approved colour used in tablets.						
		Each film coated tablet containes: -						
		Calcium Citrate		USP	1000	mg		
		Zinc Sulphate Monohydrate		IP				
	Calcium Citrate,	Eq. to Elemental Zinc			4	mg		
506	Zinc, Vitamin D3 &	Vitamin D3		IP	200	IU	Our Se	elf
	Magnesium Tablets	Magnesium Hydroxide		IP	100	mg		
		Excipients			q.s			
		Approved colour used in tablets.						
		Each chewable tablet contains:	T	l _	1			
		L-Lysine Hcl	BP	50	mg			
		Vitamin A (as Acetate)	BP	1500	IU			
		VitaminB1	BP	0.25	mg	5		
		Vitamin B2	BP	0.25	mg			
507	Multivitamin with	Vitamin B6	BP	0.25	mg	(Our Self	
307	antioxidant Tablets	Vitamin B12	BP	2	mcg	3	our bell	
	antioxidant Tablets	Vitamin C	BP	50	mg			
		Vitamin D3	BP	100	IU			
		Vitamin E 50 %	USP	10	IU			
		Nicotinamide	BP	2.5	mg	5		
		Folic Acid	BP	0.25	mg	5		
		L-Taurine	USP	50	mg	5		
		Excipients		q.s				
		Approved colour used in tablets.						

Sr. No.	Generic Name / Brand Name	Composition	osition				g. for	for Reference	
•		Each uncoated tablet contains:							
	Diclofenac,	Diclofenac Potassium	I	P	50	mg	ρ		
	Paracetamol,	Paracetamol		P	325	m		Our Self	
508	Cetirizine Hcl &	Cetirizine Hydrochloride		P	5	mg			
	Magnesium	Magnesium Trisilicate		P	100	mg			
	Trisilicate Tablets	Excipients			q.s				
		Approved colour used in tablets.	ı.		•				
	Nimesulide &	Each enteric coated tablet contains							
	Serratiopeptidase	Nimesulide	BP	100)	mg	_		
509	tablets	Serratiopeptidase	IP-	$\overline{10}$	_	mg			
	'Note: Not for use in	(Enzyme Activity 20,000 units		10		8	Oı	ır Self	
	children below 12	As enteric coated granules)		/					
	years of age.	Excipients		q.s					
		Approved colour used in tablets			· ·				
		Each uncoated tablet contains							
	Dicyclomine HCl	Paracetamol	IP	325	<u> </u>	mg	1		
510	Mefenamic Acid,	Dicyclomine HCl	IP	10		mg	Our	Self	
	Paracetamol &	Mefenamic Acid	IP	250		mg	1		
	Simethicone Tablets	Simethicone	IP	50		mg			
		Excipients		q.s					
		Approved colour used in tablets	I	1					
		Each film coated tablet contains							
		L-Carnitine	BP	50		mg			
		(As a Levocarnitine BP)				υ			
		Vitamin A Acetate	BP	700)	mcg			
		Cholecalciferol	USP	15		mcg			
		Tocopheryl Acetate 50%	BP	20		mg			
		Ascorbic Acid	BP	40		mg			
		Thiamine Mononitrate	BP	30		mg			
		Riboflavin	BP	5		mg			
		Pyridoxine Hcl	BP	10		mg			
	N. 1. '	Folic Acid	BP	400		mcg			
5 11	Multivitamins &	Cyanocobalamin	BP	9		mcg		C -16	
511	Multiminerals tablets	Nicotinamide	BP	45		mg		ır Self	
		Calcium Pantothenate	BP	10		mg			
		Biotin	BP	200		mcg			
		Magnesium			-	25	1		
		(As Magnesium Oxide BP)		100)	mg			
		Iron (As Ferrous Fumarate BP)		8		mg			
		Zinc (As Zinc Oxide BP)		15		mg			
		Copper				0			
		(As Copper Sulfate Pentahydrate BP)		100	0	mcg			
		Manganese							
		(As Manganese Sulfate BP)	<u> </u>	2		mg			
		Selenium							
		(As Sodium Selenite Pentahydrate BP)		100)	mcg			
		Chromium							
		(As Chromium Picolinate USP)		160)	mcg			
		Iodine (As Potassium Iodide BP)							
		Excipients		q.s					
		Approved colour used in tablets.							

Sr. No.	Generic Name / Brand Name	Composition			Mfg	g. for	Ref	erence
110.	Dranu Name	Each film agets deablet contained				<u> </u>		
		Each film coated tablet contains:	ID	525		0	C -1£	
512	Silvmarin & Lagithin	Lecithin	IP	525	mg	Our	Sen	
312	Silymarin & Lecithin Tablets			140	mg			
	Tablets	In Cream base		q.s		_		
		Approved colours used in tablets.						
		Each uncoated tablet contains:	T					
	Dextromethorphan	Dextromethorphan Hydrobromide	IP	10	mg			
	Hydrobromide,	Chlorpheniramine Maleate	IP	_2	mg			
513	Chlorpheniramine	Guaifenesin	TP	100	mg			
	Maleate,	Bromhexine Hydrochloride	IP	8	mg	Our So	elf	
	Guaifenesin,	Excipients		q.s				
	Bromhexine	Approved colour used in tablets						
_	Hydrochloride						\rightarrow	_
	Tablets							
		Each film coated tablet contains]	T	
		Ginkgo Biloba Extract		120	mg			
		5-HTP (As Oxitriptan)		20	mg			
		L-Arginine	BP	40	mg	1		
		Glutamine	USP	10	mg			
		L-Gluathione	BP	5	mg	1		
		Co-Enzyme Q10	+	10	mg			
		Phosphatidylserine		10	mg			
		Phosphatidylcholine		10	mg	-		
		Carotenoids		2				
		Cholecalciferol	BP	25	mg			
			_		mcg			
		Alpha Tocopheryl Acetate 50%	USP	20	mg	Our So	elf	
	Ginkgo Biloba, Co-	Ascorbic Acid	BP	40	mg			
514	Enzyme Q10,	Thiamin Mononitrate	BP	25	mg			
	Antioxidants,	Riboflavin	BP	3	mg			
	Multivitamins,	Nicotinamide	BP	32	mg	1		
	Multminerals &	Pyridoxine Hydrochloride	BP	10	mg			
	Trace Elements	Folic Acid	BP	400	mcg			
	Tablets	Cyanocobalamin	BP	100	mcg			
		Calcium Pantothinate	BP	36	mg			
		Magnesium (Magnesium Oxide BP)		75	mg			
		Iron (As Ferrous Fumarate BP)		8	mg]		
		Zinc (As Zinc Oxide BP)		15	mg]		
		Manganese (As Manganese Sulfate BP)		2	mg			
		Copper]		
		(As Copper Sulfate Pentahydrate BP)		250	mcg			
		Selenium (As Sodium Selenite BP)		40	mcg]		
		Chromium]		
		(As Chromium Picolinate BP)		40	mcg			
		Iodine (As Potassium Iodide BP)		150	mcg]		
		Excipients		q.s		1		
		Approved colour used in tablets.	•			1		

Sr. No.	Generic Name / Brand Name	Composition			Mfg	G. for Reference Our Self Our Self Our Self Our Self Our Self	
•		Each uncoated vaginal tablet conta	ins:		•		
		Tinidazole	IP	500	mg		
	Clotrimazole, Tinidazole,	Clotrimazole	IP	200	mg		
515	Povidone-Iodine & Lactic	Povidone Iodine	IP	200	mg		
	Acid Vaginal Tablets	Lactic Acid Bacillus			million	Our Self	
		Lactic Field Bacillas		1.50	spores		
		Excipients		q.s	зрог с в		
		Approved colour used in tablets	<u> </u>	4.5			
		Each film coated tablet contains:					
		Omega-3 FattyAcid	BP	250	mg		
		Eq. to Eicosapentaenoic Acid		60	mg		
		Eq. to Docosahexaenoic Acid		90	mg		
		Co-enzyme Q10		50	mg		
		Lycopene 10 %	USP		mg		
	Omega-3 FattyAcid, Co-	Mecobalamin	IP	1500	mcg		
	enzyme Q10, Lycopene	Mixed Carotene		10.3	mg		
	10 % Macabalamin	mg					
	Mixed Carotene,	Selenium Dioxide Monohydrate	USP		1118		
	Calcium Citrat, Selenium	Eq. to elemental Selenium	CDI	75	mcg		
516	Dioxide, Zinc Sulphate,	Zinc Sulphate Monohydrate	IP	7.5	meg	Our Self	
	Magnesium Hydroxide, Vitamin D3, Benfotiamine, Alpha Lipoic Acid, Pyridoxine Hydrochloride, Folic Acid tablets	Eq. to Elemental Zinc		10.96	mg		
		Magnesium Hydroxide	IP	10.70	1115		
		eq to elemental Magnesium		5	mg		
		Vitamin D3	IP	400	I.U.		
		Benfotiamine		150	mcg		
		Alpha Lipoic Acid	USP	_	mg		
		Pyridoxine Hydrochloride	IP	15	mg		
		Folic Acid	IP	3			
			117		mg		
		Excipients Approved colour Used tablets	1	qs			
		Approved colour Used tablets					1
		Each Film Coated tablet contains:		500			
515	D 1 : (ED) E 11 :	Ranolazine		500	mg	0 0 10	
517	Ranolazine (ER) Tablets	(As Extended Release)				Our Self	
		Excipients		q.s.			
		Approved Colour used in Tablets					
		Each Film Coated tablet contains:	T				
518	Methoxsalen Tablets	Methoxsalen	USI	P 10	mg	Our Self	
310	Wichioxsalen Tublets	Excipients		q.s.		Our ben	
		Approved Colour used in Tablets					
		Each Film Coated tablet contains:					
£10	Mathematica T 11	Methoxsalen	US	P 20	mg	00-1	,
519	Methoxsalen Tablets	Excipients		q.s.		Our Self	
		Approved Colour used in Tablets		, ,	1	1	
		Each Film Coated tablet contains:				i	
	Solifenacin Succinate	Solifenacin Succinate	В	P 5	mg	1	
520	Tablets	Excipients				Our Self	
	1 autots	Approved Colour used in Tablets		q.s.		-	
	1	Approved Colour used III Tablets					

Sr. No.	Generic Name / Brand Name		Composition		Mfg. for	Reference			
521	Solifenacin Succinate Tablets	Solifenac Excipien	m Coated tablet contains: cin Succinate ts d Colour used in Tablets	Bl		10 q.s.	mg	Our Self	
522	Torsemide & Spironolactone Tablets	Each Und Torsemic Spironola Excipien	coated tablet contains: de actone	III II)	20 25 q.s.	mg mg	Our Self	
523	Entecavir Tablets	Each Fili Entecavi Excipien	m Coated tablet contains:	IF		0.5 q.s.	mg	Our Self	
524	Nimesulide, Paracetamol Phenylephrine HCL, Caffeine Tablets	Nimesuli Paracetar Phenylep Caffeine Cetirizin Excipien	mol bhrine Hydrochloride (Anhydrous) e Hydrochloride	Bl IF IF IF q.s) 3)	100 325 10 25 5	mg mg mg mg mg	Our Self	
525	Telmisartan and Chlorthalidone Tablets	Each Und Telmisar Chlortha Excipien	coated tablet contains: tan lidone	III II	1	40 2.5 q.s.	mg mg	Our Self	
526	Paracetamol, Phenylephrine Hydrochloride, Guaiphenesin, Cetiriz Dihydrochloride, Ambroxol Hydrochlor Tablets	Eacl Para Pher Gua Ceti Aml Exc	h Uncoated tablet contains: acetamol nylephrine Hydrochloride aiphenesin rizine Dihydrochloride broxol Hydrochloride ipients broved Colour added in Tablets	S	IP IP IP IP	325 5 50 5 15 q.s.	mg mg mg mg	Our Self	
527	Diclofenac Potassium Paracetamol + Cetiriz Dihydrochloride + Magnesium Trisilica Tablets	Eacl 1 + Dicl ine Para Ceti te Mag Exc	h Uncoated tablet contains: lofenac Potassium acetamol arizine Dihydrochloride gnesium Trisilicate ipients proved Colour added in Tablets		BP IP IP	100 325 5 100 q.s.	mg mg mg	Our Self	
528	Acebrophylline (SR Fexofenadine & Montelukast Sodiur Tablets	Ace (In S Fexa Eq. Mor Eq. Exc.	h Film Coated tablet contains: brophylline Sustained Release Form) ofenadine Hydrochloride to Fexofenadine ntelukast Sodium to Montelukast ipients broved Colour added in Tablets	IF IF		200 120 10 q.s.	mg mg	Our Self	

Sr.	Generic Name /	Composition				Mfg. for	Reference
No.	Brand Name	<u> </u>					
	A 1 C	Each Uncoated tablet contains:					
	Aceclofenac,	Aceclofenac	IP	100	mg		
	Paracetamol, Cetirizi	1 dractamor	IP	325	mg		
529	Dihydrochloride, Phenylephrine HCL	& Cetirizine Dihydrochloride	IP	10	mg	Our Self	
	Caffeine Anhydrou		IP	5	mg		
	Tablets	Caffeine Anhydrous	IP	25	mg		
	1401048	Excipients		q.s.			
		Approved Colour added in Table	ets				
		Each Film Coated tablet contains:					
		Saxagliptin hydrochloride				1	
530	Saxagliptin Tablets	Eq. to Saxagliptin		2.5	mg	Our Self	
		Excipients		q.s.			
		Approved Colour added in Tablets					
		Each Film Coated tablet contains:					
		Saxagliptin hydrochloride					
531	Saxagliptin Tablets	Eq. to Saxagliptin		5	mg	Our Self	
		Excipients		q.s.			
		Approved Colour added in Tablets					
	Saxagliptin &	Each uncoated bilayered tablet Conta	ins:				
	Metformin Hydrochloride	Saxagliptin Hydrochloride					
		Eq to Saxagliptin		5	mg	Our Self	
532	(Extended Release)	Metformin Hydrochloride	IP	500	mg		
	Tablet	(In Extended-release form)					
		Excipients		q.s			
		Approved colour used in tablets.					
	Saxagliptin &	Each uncoated bilayered tablet Conta	ins:				
	Metformin	Saxagliptin Hydrochloride					
	Hydrochloride	Eq to Saxagliptin		5	mg	Our Self	
533	(Extended Release)	Metformin Hydrochloride	IP	1000	mg		
	Tablet	(In Extended-release form)					
		Excipients		q.s			
		Approved colour used in tablets.					
		Each Film Coated tablet contains:					
FO 4	F (' T 11 /	Entecavir	IP	1	mg	0 6 16	
534	Entecavir Tablets	Excipients		q.s.		Our Self	
		Approved Colour used in Tablets	1			1	
		Each enteric coated tablet contains:					
		Trypsin	BP	96	mg		
	Trypsin, Bromelain,	Bromelain		-180	mg		
535	Rutoside Trihydrate	Rutoside Trihydrate	BP	200	mg	0 0 10	
-	& Diclofenac Sodium	Diclofenae Sodium	IP	-5 0	mg	Our Self	
	Lableis ——	Excipients		q.s.			
_		Approved colour used in tablet					

Sr. No.	Generic Name / Brand Name		Composition			I	Mfg. for	Reference
			Each Uncoated Tablet contains					
536	Folic Acid Tablet	IP	Folic Acid	I	P 5	mg	Our Self	
		Ī	Excipients		q.s		1	
			Approved colour used in tablet	<u>, </u>	-	•	1	
			Each film Coated Tablet Contains:					
	110	.	Metoprolol Succinate	IF	47.5	mg		
527	Metoprolol Succir		Eq. to Metoprolol Tartrate		50	mg	O C-16	
537	Extended-Releas Tablet IP	se	(As Extended-release)				Our Self	
	1 ablet IP		Excipients		q.s.			
			Colour- Approved colour used					
			Each Film coated tablet contains:					
			Pantoprazole Sodium Sesquihydrate		IP			
	Pantoprazole Sodi	ium	eq to Pantoprazole		40	mg		
538	Sesquihydrate &		Ondansetron Hydrochloride		IP		Our Self	
	Ondansetron Tab	let	eq to Ondansetron		4	mg		
			Excipients		q.s.			
			Colour- Approved colour used in tab	lets.				
			Each Film coated tablet contains:					
	Calcium Orotate V	X7;+h	Calcium Orotate		740	mg		
539	Vitamin D3 Tablet		Vitamin D3	USF	1000	IU	Our Self	
	vitaliili D3 Taol	ici	Excipients		q.s.			
			Colour- Approved colour used in tab	lets.				
			Each Film Coated Tablet Contains:					
			Calcium Citrate	USP	1000	mg		
	Calcium Citrate	,	eq. to elemental calcium		210	mg		
540	Magnesium		Magnesium Hydroxide	IP	100	mg		
	Hydroxide, Zinc w		Zinc Sulphate	IP			Our Self	
	Calcitriol Tablet	S	Eq. to Zinc		7.5	mg	=	
		_	Calcitriol	IP	0.25	mcg	-	
		_	Excipients		qs			
1			Approved colour Used in tablets					
			ch film coated tablet contains:		1		1	
			tamin C	IP	100	mg	4	
			acianamide	IP	50	mg	-	
			nc Oxide	IP	15	mg		
			tamin B5	IP	12.5	mg	1	
541	Antioxidants,		tamin B1	IP	12.5	mg		
311	Multivitamin,		tamin B2 tamin B6	IP IP	10	mg	-	
	Multimineral &		anganese Chloride	IP	1.4	mg	Our Self	
	Methylcobalamin		lic Acid	IP	1.4	mg		
	Tablet		copene 10%	USP	5000	mg	1	
		_	ethylcobalamin	IP	500	mcg mcg	-	
			aromium Chloride	USP	65		1	
			dium Selenate	BP	60	mcg	1	
			tamin A Acetate	IP	5000	mcg IU	-	
				117		10	-	
			cipients		qs		-	
	<u> </u>		pproved colour Used in tablets					

Sr. No.	Generic Name / Brand Name	Composition			I	Mfg. for	Reference
		Each film coated tablet contains:					
5.40	Cholecalciferol	Cholecalciferol	IP.	4000	IU	0 0 10	
542	Tablets	Excipients	_	q.s.		Our Self	
		Colour- Approved colour used in tablet	S.				
		Each film coated tablet contains:					
	Methylcobalamin,	Methylcobalamin	IP	1500	mcg		
	Alpha Lipoic Acid,	Alpha Lipoic Acid	USP	100	mg		
543	Folic acid,	Folic acid	IP	1.5	mg		
	Pyridoxine	Pyridoxine Hydrochloride	IP	3	mg	Our Self	
	Hydrochloride,	Biotin	USP	500	mcg		
	Biotin & Vitamin D3	Vitamin D3	IP	1000	IU		
	Tablets	Excipients		qs			
		Approved colour Used in tablets	1	1"	l .		
		Each film coated tablet contains:					
		Vitamin A (Acetate)	IP	5000	IU		
		Vitamin B1	IP	10	mg		
		Vitamin B2	IP	10	mg		
		Vitamin B5	IP	12.5	mg		
		Vitamin B6	IP	3	mg		
		Vitamin B12	IP	15	mcg		
544	Multivitamin &	Vitamin C	IP	50	mg	Our Self	
	Multimineral Tablets	Niacianamide	IP	50	mg		
		Zinc Oxide	IP	15	mg		
		Manganese Chloride	IP	1.4	mg		
		Folic Acid	IP	1	mg		
		Chromium Chloride	USP	65	mg		
		Sodium Selenate	BP	60	mg		
		Excipients		qs			
		Approved colour Used in tablets			ı		
		Each Film Coated Tablet Contains:					
	Vitamin D3,	Methylcobalamin	IP	750	mcg		
	Methylcobalamin,	Folic Acid	IP	1.5	mcg mg		
	Folic Acid, Calcium	Calcium Orotate	11	740	mg		
545	Orotat, Magnesium	Vitamin D3	IP	1000	IU	Our Self	
	Stearatee,	Magnesium Stearate	IP	150	mg		
	Magnesium, Vitamin	Vitamin K2-7	11	50	mcg		
	k2-7, Zinc with	Zinc Sulphate Monohydrate	IP		11108		
	Tablets	Eq. to elementaline Zinc		10	mg		
		Excipients	1	qs	- 8	1	
		Approved colour Used in tablets	1		1	1	
	Dextromethorphan	Each Film Coated Tablet Contains:				<u> </u>	
	Hydrobromide,	Dextromethorphan Hydrobromide	IP	10	mg	†	
	Chlorpheniramine	Chlorpheniramine Maleate	IP	2	mg	†	
546	Maleate &	Phenylephrine Hydrochloride	IP	5	mg	Our Self	
	Phenylephrine	Excipients	 	qs	1115	1	
	Hydrochloride	Approved colour Used in tablets		1 4º	<u> </u>		
	Tablets	Tr The state of th					

Sr.	Generic Name /	Composition			I	Mfg. for	Reference
No.	Brand Name					1	
		Each Film Coated Tablet Conatins:	1	7.50			
547	Calcium Aspartate	Calcium Aspartate Anhydrous		_ 560	mg	O C-16	
547	Anhydrous Tablet	eq. to elemental Calcium		75	mg	Our Self	
		Exeipients		qs			
		Approved colour Used in tablets				1	
		Each Film Coated Tablet Conatins:	T	1120			
5 40	Calcium Aspartate	Calcium Aspartate Anhydrous		_ 1120	mg	Over Calf	
548	Anhydrous Tablet	eq. to elemental Calcium		146	mg	Our Self	
		Excipients Agreement and any Head in tablets		qs			
		Approved colour Used in tablets					
		Each Film coated tablet contains:	LIGD	1000	1		
	Coloium Citanto	Calcium Citrate	USP	1000	mg		
549	Calcium Citrate,	Vitamin D3	IP	1000	IU		
549	Vitamin D3, Zinc Sulphate &	Zinc Sulphate Monohydrate	IP	7.5		Our Self	
	Magnesium Sulphate	Eq to Elemental Zinc	ID	7.5	mg	Our Sen	
	Tablet	Magnesium Sulphate	IP	20	mg	-	
	Tablet	Excipients		qs			
	<u> </u>	Approved colour Used in tablets					
		Each Film Coated Tablet Contains:	1		ı		
	Calcium Orotate,	Calcium Orotate	1	500	mg		
550	Calcium Aspartate,	Calcium Asparatate		500	mg		
550	omega-3 fatty Acid,	Omega 3 Fatty Acid	BP	300	mg	O C-16	
	Calcitriol, Boron &	Calcitriol	IP	0.25	mcg	Our Self	
	Magnesium Tablet	Boron (as Sodium Borate BP)	1	250	mcg		
		Magnesium (As Magnesium Oxide IP)		30	mg		
		Excipients	1	qs			
==		Approved colour Used in tablets				1	
		Each Film Coated Tablet Contains:	T 70	ı	T		
	Earnava Clysonata	Ferrous Gluconate	IP	25			
	Ferrous Gluconate, Astaxanthin 10%	Eq. to Elemental Iron		25	mg		
	Zinc Oxide, L –	Astaxanthin 10%	TICD	8	mg		
	Arginine,	Zinc Oxide	USP	15	ma		
	Pyridoxine	Eq to Elemantal Zinc	IP	7.5 5	mg		
	Hydrochloride,	L -Arginine Pyridoxine Hydrochloride	IP	1.5	mg	Our Self	
551	Lycopene, Folic	Lycopene (6% Powder)	USP	1.3	mg	Our Ben	
001	Acid, L-	Folic Acid	IP	0.5	mg		
	Selenomethionine,,	L-Selepomethionine	II	0.5	mg		
	Vitamin B12 &	eq. to selenium		100	mea		
	Inositol Tablets	Vitamin B12	IP	7.5	mcg mcg		
		Inositol	USP	100	mg		
		Excipients	CDI	qs	mg	`	
		Approved colour Used in tablets.	<u> </u>	45	I		
		Each Film Coated Tablet Contains				<u> </u>	
	Calcium Citrate	Calcium Citrate Malate		1000	mg	1	
	Malate, Calcitriol,	Calcitriol	IP	0.25	mcg	1	
552	Zinc, Vitamin K2-7	Zinc Sulphate Monohydrate	IP		8	1	
	with Tablets	eq to elemental Zinc		7.5	mg	Our Self	
	I			50	mcg	1	
		Vitamin K2-/		50	HICE		l l
		Vitamin K2-7 Excipients		qs	ineg	-	

Sr. No.	Generic Name / Brand Name	Composition			I	Mfg. for	Reference
553	Ferrous Asparto Glycinate, L-Methyl Folate Methylcobalamin & Vitamin D3 Tablets	Each Film coated tablet contains: Ferrous Asparto Glycinate Eq to Elemental Iron L-Methyl Folate Methylcobalamin Vitamin D3 Excipients Approved colour Used in tablets	IP IP	100 300 300 2000 qs	mg mcg mcg IU	Our Self	
554	Calcium Citrate, Calcitriol, Folic Acid, Vitamin B6 & Methylcobalamin Tablet	Each Film Coated Tablet Conatins: Calcium Citrate Calcitriol Folic Acid Vitamin B6 Methylcobalamin Excipients Approved colour Used in tablets	USP IP IP IP IP	750 0.25 1.5 3 1500 qs	mg mcg mg mg	Our Self	
555	Alpha Lipoic Acid, Folic Acid, Vitamin B6, Biotin, Vitamin D3 & Methylcobalamin Tablet	Each Film Coated Tablet Conatins: Alpha Lipoic Acid Folic Acid Vitamin B6 Biotin Vitamin D3 Methylcobalamin Excipients Approved colour Used in tablets	USP IP IP USP IP IP IP	200 1.5 3 200 1000 1500 qs	mg mg mg mcg IU mcg	Our Self	
556	Tepentadol Extended-Release Tablet	Each Film coated extended-release table Tepentadol Hydrochloride Eq to Tepentadol Excipients Approved colour Used in tablets	et contai	ns: 50 qs	mg	Our Self	
557	Methylcobalamin, Alpha Lipoic Avid, vitamin B6, Folic Acid, Benfotiamine, Biotin & Chromium Picolinate Tablets (For Therapeutic Use)	Each Film Coated Tablet Contain: Methylcobalamin Alpha Lipoic Acid Vitamin B6 Folic Acid Benfotiamine Biotin Chromium Picolinate Excipients Approved colour Used in tablets	IP USP IP IP USP USP	1500 100 3 1.5 50 5 200 qs	mcg mg mg mg mg mg	Our Self	
558	Calcium Citrate, Vitamin D3, Zinc, Methylcobalamin & Folic Acid Tablets	Each Film Coated Tablet Contain: Calcium Citrate Vitamin D3 Zinc Sulphate Monohydrate Eq to Elemental Zinc Mehthylcobalamin Folic Acid Excipients Approved colour Used in tablets	USP IP IP IP IP	1250 500 4 1500 1.5 qs	mg IU mg mcg mgg	Our Self	

Sr. No.	Generic Name / Brand Name	Composition			ľ	Mfg. for	Reference
1100	214444	Each Film Coated Tablet Contain:			ļ.		
		Calcium Orotate		500	mg		
		Calcoum Aspartate		500	mg	-	
	Calcium Orotate,	Calcitriol	IP	0.25	mcg	-	
	Calcium Aspartate,	Zinc Sulphate Monohydrate	IP	0.25	meg	Our Self	
559	Calcitriol, Zinc,	Eq to Elemental Zinc		7.5	mg		
	Magnesium & Folic	Magnesium Oxide (Light)	IP		8	1	
	Acid Tablets	Eq to Elemental Magnesium		50	mg		
		Folic Acid	IP	1.5	mg		
		Excipients		qs			
		Approved colour Used in tablets					
		Each Film Coated Tablet Contain:					
	Calcium Citrate,	Calcium Citrate	USP	750	mg	1	
	Calcium Aspartate,	Calcium Aspartate	0.01	270	mg	1	
560	Calcium Orotate,	Calcium Orotate		100	mg		
	Calcitriol Vitamin	Calcitriol	IP	0.25	mcg	Our Self	
	K2-7 & Soya	Vitamin k 2 7		50	mcg		
	Isoflavones Tablet	Soya Isoflavones 40 %		100	mg	-	
		Excipients		qs	8		
		Approved colour Used in tablets		13			
		Each gastro-resistant Tablet Contains:					
	Esomeprazole and	Esomeprazole Magnesium Trihydrate	IP			-	
561	Domperidone	Eq. to Esomeprazole	11	20	mg	Our Self	
	gastro-	Domperidone	IP	15	mg		
	resistantTablets	Excipients		q.s		-	
	Tesistant radicts	Approved colour used in tablets.		4.5		-	
	Myo-Inositol &		<u>. </u>				
562	Metformin	Each uncoated bilayered tablet contains Myo-Inositol	BP	600	ma	-	
302	Hydrochloride (SR)	Metformin Hydrochloride	IP	500	mg	Our Self	
	tablets	(Sustained Release form)	l IF	300	mg	Our Sen	
	tuolets	Excipients		as			
		Approved colour Used in tablets.		qs		-	
		1 **					
	Coloium aitmata	Each Film coated tablet Contains:	1 1	1050			
5.62	Calcium citrate malate & Vitamin	Calcium citrate malate	ID	1250	mg	Our Self	
563	D3 Tablets	Vitamin D3	IP	1000	IU	Our Sen	
	D3 Tablets	Excipients Approved colour Used		qs			
		11					
		Each Film coated tablet Contains:	ID	7.50	1		
561	Lavoflavasin 750 ma	Levofloxacin Hemihydrate	IP	750	mg	Our Calf	
564	Levofloxacin 750 mg IP TABLETS	Eq. to Levofloxacin			1	Our Self	
	IF TABLETS	Excipients		q.s	<u> </u> 		
		Approved colour used					
		Each Film coated tablet Contains:	T	250	1		
	T CI : 250	Levofloxacin Hemihydrate	IP	250	mg	0 6 16	
565	Levofloxacin 250 mg	Eq. to Levofloxacin				Our Self	
	IP TABLETS	Excipients		q.s] [
	,	Approved colour used					
		Each Film coated tablet Contains:	1		1		
		Levofloxacin Hemihydrate	IP	500	mg		
566	Levofloxacin 500 mg	Eq. to Levofloxacin				Our Self	
	IP TABLETS Ex	Excipients		q.s			
1		Approved colour used					

Sr. No.	Generic Name / Brand Name	Composition]	Mfg. for	Reference
		Each Enteric coated tablet Contains: Pantoprazole Sodium	IP		•		
	Pantoprazole and	Eq. to Pantoprazole	11	40	mg	Our Self	
567	Domperidone	Domperidone Domperidone	IP	10	mg	our sen	
	Tablets	Excipients	11	q.s	1115		
		Approved colour used		4.5			
		Each Film coated tablet Contains:		1 1			
		Diclofenac Potassium	BP	50	mg		
	Diclofenac and	Serratiopeptidase	IP	10	mg		
568	Serratiopeptidase	(Enzyme Activity 20,000 unit		10	8	Our Self	
	Tablets	As enteric coated granules)					
		Excipients		q.s		_	
		Approved colour used					
		Each film coated tablet contains					
	Aceclofenac and	Aceclofenac	IP	100	mg		
569	Thiocolchicoside	Thiocolchicoside	IP	4	mg	Our Self	
• • •	Tablets	Excipients		q.s.	- 0		
		Approved colour used in tablet	II.	1		_	
		Each film coated tablet contains					
	Aceclofenac and	Aceclofenac	IP	100	mg		
570	Thiocolchicoside	Thiocolchicoside	IP	8	mg	Our Self	
270	Tablets	Excipients		q.s.	8		
		Approved colour used in tablet		1 1	1	_	
		Each Uncoated bilayered tablet contains					
	Aceclofenac Sustained		IP	200	mg		
	Release and	(As Sustained Release)			8		
571	Thiocolchicoside	Thiocolchicoside	IP	16	mg	0 0 16	
	Tablets	(As Sustained Release)				Our Self	
		Excipients		q.s.			
		Approved colour used in tablet					
		Each Uncoated bilayered tablet contains					
	Aceclofenac Sustained	Aceclofenac	IP	200	mg		
	Release and	(As Sustained Release)					
572	Thiocolchicoside	Thiocolchicoside	IP	8	mg	Our Self	
	Tablets	(As Sustained Release)				Our Sen	
		Excipients		q.s.			
		Approved colour used in tablet					
		Each uncoated tablet contains:		1			
573	Chlorthalidone 12.5	Chlorthalidone	IP	12.5	mg		
575	mg IP Tablets	Excipients		q.s.		Our Self	
		Approved colour used in tablet					
	Lornoxicam	Each Uncoated Sublingual tablet Contains:		_	1		
574	Sublingual Tablets	Lornoxicam	IHS	8	mg	Our Self	
		Excipients	1	q.s		_	
		Approved colour used					
	Fexofenadine	Each Film coated tablet Contains:	T		1		
575	Hydrochloride	Fexofenadine Hydrochloride	IP	180	mg	Our Self	
	Tablets IP	Excipients		q.s	-		
		Approved colour used	1				

Sr. No.	Generic Name / Brand Name	Composition	-							Reference
	Ketoconazole	Each Film coated tablet Contains:								
576	Tablets 1P	Ketoconazole		IP	200) 1	mg	Our Se	lf	
		Excipients			q.					
		Approved colour used			•					
	Acyclovir	Each Uncoated Dispersible tablet Con	tains:			I				
577	Dispersible Tablets	Acyclovir	tuiiis.	IP	200) 1	mg	Our Se	lf	
	1P 200 mg.	Excipients			q.		1115	0 611 20		
	6	Approved colour used			4.					
	Acyclovir	Each Uncoated Dispersible tablet Con	tains			<u> </u>				
578	Dispersible Tablets	Ketoconazole		-IP	400		mg	Our Se	1f	
370	lP 400 mg.	Excipients			q.		ing	our se	11	
	11 100 1118	Approved colour used			9.					
	Acyclovir	Each Uncoated Dispersible tablet Con	taine							
579	Dispersible Tablets	Ketoconazole	tams	TD_	800		mg	Our Se	1f	
317	IP 800 mg.	Excipients			a.		ing	Our Sc	11	
	ii ooo iiig.	Approved colour used			Ч.	<u> </u>				
		**								
		Each Film Coated Tablet Contains: Ferrous Ascorbate								
					10					
	Ferrous Ascorbate,	Eq. to. Elemental Iron Folic acid		IP	1		mg			
500	Folic acid, Zinc &	Zinc Oxide		IP	1	3 1	mg			
580	Vitamin D3 Tablet IHS			IP	7.:	<u>-</u> ا .	ma	Our Se	elf	
	IHS	Eq. to. Elemental Zinc Vitamin D3		IP	20		mg IU			
				IP			IU			
		Excipients			q.s	S.				
		Approved colour used								
		Each Film coated tablet Contains:	T * * * * *				_			
701	0.1.	Calcium Citrate	USF	_	250	mg				
581	Calcium citrate &	Calcitriol	IP	_	25	mcg		C -16		
	Calcitriol Tablets	Excipients		C	[S		10	ur Self		
		Approved colour Used								
		Each Film coated tablet Contains:	1		1					
		Calcium Carbonate	IP	12	250	mg				
700	~	Derived from an Organic Source						G 10		
582	Calcium With	(Oyster Shell)			00		O	ur Self		
	Vitamin D3 Tablets IP	eq. to elemental calcium	ID	_	00	mg	4			
	IP	Vitamin D3	IP	-	000	IU	4			
		Excipients		Ç	[S		4			
		Approved colour Used								
		Each Film coated tablet Contains:	1							
		Calcium Carbonate	IP	12	250	mg				
	0.1.	Derived from an Organic Source						G 16		
502	Calcium Carbonate	(Oyster Shell)			20		O	ur Self		
583	With Vitamin D3	eq. to elemental calcium	ID	_	00	mg	4			
	Tablets	Vitamin D3	IP		50	IU	-			
		Excipients		C	S		-			
		Approved colour Used					<u> </u>	1		
		Each film coated tablet contains:	1	ı						
	Ferrous Ascorbate	Ferrous Ascorbate								
584	and L-Methyl Folate	Eq. to Elemental Iron	**~		100	mg				
	Tablets	L-Methyl Folate	USI		1	mg	_ O	ur Self		
	Tablets	Excipients		q.	S.					
		Approved colour used in tablet					1			

Sr.	Generic Name /	Composition				Mfg. for		Reference
No.	Brand Name							
		Each Film coated tablet contains:						
	Febuxostat Tablets	Febuxostat	IHS	40	mg	Our Self		
585	40mg	Excipients		q.s				
		Approved colour used		•				
		Each Film coated tablet contains:						
	Febuxostat Tablets	Febuxostat	IHS	80	mg	Our Self		
586	80mg	Excipients		q.s				
		Approved colour used		•				
		Each uncoated dispersible tablet contai	ns:					
587	Cetirizine	Cetirizine Hydrochloride	IP	10	m	g Our Se	elf	
	Hydrochloride	Excipients		q.s	,	5		
	Dispersible Tablets	Approved colour used		1				
		Each uncoated dispersible tablet conta	ains:	1	•		1	
	Levocetirizine	Levocetirizine Hydrochloride	IP	5	m	g Our Se	elf	
588	Dihydrochloride	Excipients		q.s		5 0 0 0 0 0		
	Dispersible Tablets 5	Approved colour used		1.~				
	mg							
	Levocetirizine	Each uncoated dispersible tablet conta	ains:					
589	Dihydrochloride	Levocetirizine Hydrochloride	IP	10	m	g Our Se	elf	
	Dispersible Tablets	Excipients		q.s				
	10 mg	Approved colour used						
		Each Film Coated Tablet Contains:						
		Pregabalin	IP	75	m	g		
	Pregabalin, (SR)	(in sustained relase form)						
590	Nortriptyline HCL &	Nortriptyline HCL	IP					
390	Methylcobalamin	Eq. to Nortriptyline		10	m	g Our Se	elf	
	Tablets	Methylcobalamin	IP	1500	mc	g		
		Excipients		q.s.				
		Approved colour used in tablet						
		Each Un Coated Tablet Contains:						
591	Cabergoline 0.25 mg	Cabergoline	IP	0.25	m	g Our Se	elf	
	Tablets IP	Excipients		q.s				
		Approved colour used in tablets.						
		Each Un Coated Tablet Contains:						
	Cabergoline 1 mg	Cabergoline	IP	1	m	g Our Se	elf	
592	Tablets IP	Excipients		q.s	i i	_		
		Approved colour used in tablets.	•		•			
	BetahistadineTablet	Each Film Coated Tablet Contains:						
593	IP 16 mg	Betahistadine Dihydrochloride	IP	16	m	g Our Se	elf	
		Excipients		q.s		<u> </u>		
'n		Approved colour used in tablets.	-					

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
	Serratiopeptidase 20	Each enteric coated tablet Contains:				Our	
	mg (EC) Tablets	Serratiopeptidase	IP	20	mg	Self	
594		(40,000 serratiopeptidase units)					
		Excipients		q.s			
		Approved colour used					
	ETODOLAC	Each Film coated tablet Contains:					
	(extended release	Etodolac	IP	500	mg	:	
595	form) IP TABLETS	(extended release form)				Our Self	
		Excipients		q.s			
		Approved colour used					
		Each Film coated tablet Contains:					
		Calcium Citrate Malate.		500	mg	5	
596	Calcium Citrate	Vitamin D3	IP	1000	IÜ		
	Malate & Vitamin	Excipients		qs		Our Self	
	D3	Approved colour Used		•	l .		
		Each film coated tablet contains:					
		Montelukast Sodium	IP				
	Montelukast Sodium	Eq. to Montelukast		10	mg		
597	& Loratadine FC	Loratadine	USP	5	mg		
	Tablet	Excipients		q.s.			
		Approved colour used in tablet	1	1 1			
	Calcium carbonate	Each Film coated tablet Contains:					
	(from coral grain)	Calcium carbonate		1250	mg	,	
	& Vitamin d3 tablets	(from coral grain)		1250	35	,	
598		Eq. to Elemental Calcium		500	mg		
		Vitamin D3	IP	2000	IU		
		Excipients		qs			
		Approved colour Used	1				
	Coral calcium,	Each Film coated tablet Contains:					
	Vitamin D3 & zinc	Coral calcium		225	mg		
	tablets	Cholecalciferol (Vitamin d3)	IP	500	IU		
599		Zinc sulphate monohydrate Eq. To	IP	4	mg		
		elemental zin				Our Self	
		Excipients		qs			
		Approved colour Used	II.	•			
	Pregabalin Sustained	Each uncoated Sustained release tabl	et Conta	nins:			
600	Release 150 MG	Pregabalin	IP	150	mg	Our Self	
	Tablets	Excipients		q.s			
	Pregabalin Sustained	Each uncoated Sustained release tabl	et Conta				
601	Release 300 MG	Pregabalin	IP	300	mg	Our Self	
001	Tablets	Excipients	- 11	q.s	31112		
	Methylcobalamin	Each uncoated Mouth dissolving table	et Cont				
602	Mouth dissolving	Methylcobalamin	IP	1500	mcg	Our Self	
002	tablet	Excipients	11	q.s	11108		
		Each uncoated Sustained release tablet	Contain		 	<u> </u>	
603	Acebrophylline 200	Acebrophylline			me		
003	mg Sustained Release	Excipients			mg	Our Self	
	Tablets	Approved colour used	<u> </u>	q.s			
	1 401013	Approved colour used					

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference	
	Paracetamol	Each Uncoated tablet Contains:						
604	Tablets IP	Paracetamol	IP	5	000	mg	Our Self	
		Excipients		(q.s			
		Each Uncoated bilayered tablet contai	ns					
		Paracetamol (As Immediate Release)	IP	3	300	mg		
605	Paracetamol Sustained Release Tablets	Paracetamol	IP	7	700	mg	Our Self	
	Trongue Tuerous	(As Sustained Release)						
	-	Excipients Approved colour used in tablet		q	.S.			
		**						
	Levocetirizine	Each Uncoated tablet contains:	ID		_			
	hydrochlo ride, Phenylephrine	Levocetirizine hydrochloride	IP		5	mg		
	Hydrochloride,	Phenylephrine Hydrochloride	IP	32		mg		
606	Paracetamol &	Paracetamol	IP		0	mg	Our Self	
	Ambroxol	Ambroxol Hydrochloride Excipients	ΤP		$\overline{}$	mg	_	
	Hydrochloride	Approved Colour added in Tablets		Ç	l.S.			
	Tablets	Approved Colour added in Tablets						
		Each Uncoated Tablet Contains:						
	Paracetamol,	Paracetamol	IP	32		mg		
607	Phenylephrine HCL &		IP	5		mg		
007	Cetirizine Tablets	Cetirizine Hydrochloride	IP	5	5	mg	Our Self	
	IHS	Excipients		q.	s.			
		Colour: Approved colour used						
		Each film coated tablet contains	•					
	Lornoxicam and	Lornoxicam			8	mg		
608	Paracetamol Tablets	Paracetamol	IP	3	325	mg	Our Self	
		Excipients		q	.S.			
		Approved colour used in tablet						
		Each uncoated tablet Contains:		1 00	1			
	Paracetamol,	Paracetamol	IP	32		mg		
600	Domperidone &	Domperidone Florancia Dibada de la cida dela cida de la cida de l	IP	1	0	mg		
609	Flunarizine Tablets	Flunarizine Dihydrochloride Eq.to flunarizine	IP	5	_	ma	Our Self	
	-	Excipients				mg		
		Colour: Approved colour used	1	q.	ь.			
		Each Film coated tablet Contains:						
		Roxithromycin		IP	150) mg		
610	Roxithromycin Tablets IP	Excipients			q.s		Our Self	
	1401015 11	Approved colour used						
		Each Film coated tablet Contains:						
	Sparfloxacin 200 mg	Sparfloxacin			200	mg		
611	Tablets	Excipients			q.s		Our Self	
		Approved colour used						
	Diavalaria	Each uncoated tablet contains:						
	Dicyclomine Hydrochloride &	Dicyclomine Hydrochloride		IP	20	mg		
612	Diclofenac potassium	Diclofenac potassium		BP	50	mg	ng Our Self	
	Tablets	Excipients			q.s.			
		Approved colour used in tablet						

Sr. No.	Generic Name / Brand Name	Composition]	Mfg. for	Reference
613	Risperidone Tablet BP 2 MG	Each uncoated tablet contains Risperidone Excipients Approved colour used in tablets		BP	2 m		Our Self	
614	Dextromethorphan, Cetirizine Phenylephrine, Ambroxol & Guaiphenesin, Tablets	Each Uncoated tablet contains: Dextromethorphan Hydrobromide Cetirizine Dihydrochloride Phenylephrine Hydrochloride Ambroxol Hydrochloride Guaiphenesin Excipients Approved Colour added in Tablets	IP IP IP IP	15 5 10 30 100 q.s	mg mg mg mg	; ;	Our Self	
615	Paracetamol, Phenylephrine HCl, Chlorpheniramine Maleate & Caffeine Tablets	Each uncoated tablet Contains: Paracetamol Phenylephrine Hydrochloride Chlorpheniramine Maleate Caffeine (Anhydrous) Excipients		IP IP IP	325 5 2 16 q.s	mg mg mg	Our Self	
616	Methylcobalamin, Pyridoxine Hydrochloride & Folic acid Tablets	Each uncoated tablet Contains: Methylcobalamin Pyridoxine Hydrochloride Folic Acid Excipeints Approved colour used in tablet		IP IP IP	1500 3 1.5 q.s.	mcg mg	Our Self	
617	Aceclofenac and Paracetamol Tablets	Each Uncoated tablet Contains: Aceclofenac Paracetamol Excipients Approved colour used		IP IP	100 325 q.s	mg mg	Our Self	
618	Pancreatin Gastro- resistant Tablets (with protease activity Lipase activity Amylase activity)	Each gasto resistant tablet contains: Pancreatin Eq. to Protease Activity 700 FIP Units Lipase Activity 10,000 FIP Units Amylase Activity 12,000 FIP Units Excipients Approved colour used in tablet	S	IP	500 q.s.	mg	Our Self	
619	Clomiphene Citrate Tablet	Each Uncoated Tablet contains Clomiphene Citrate IP Excipients		IP	25 q.s	mg	Our Self	
620	Doxycycline and Lactic Acid Bacillus Tablets	Each film coated tablet Contains: Doxycycline Hydrochloride Eq. to Doxycycline Lactic Acid Bacillus Excipients Approved colour used in tablets.	P	100 60 q.s	mg Millio spor	on	Our Self	

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
	Piracetam Tablets 800	Each film coated tablet contains Piracetam					
621		Excipients	IP	900 q.s.	mg	Our Self	
	mg	Approved colour used in tablets		q.s.		Our Sen	
		Approved colour used in tablets					
		Each uncoated Sustained release ta					
622		Isoxuprine Hydrochloride	IP	40	mg		
	Isoxsuprine Sustained	Excipients		q.s.	J	Our Self	
	Release Tablets	Approved colour added in tablets					
		Each uncoated mouth dissolving ta		_	1		
	Pantoprazole 20 mg	Pantoprazole Sodium	IP	20	mg		
623	Mouth Dissolving	Excipients		q.s.		Our Self	
	Tablet	Approved colour added in tablets					
	<u> </u>	Each uncoated mouth dissolving ta	hlet co	ntaina			<u> </u>
	Pantoprazole 40 mg	Pantoprazole Sodium	IP	40	ma	-	
624		Excipients	11	q.s.	mg	Our Self	
024	Mouth Dissolving Tablet	Approved colour added in tablets		4.5.		- Our Self	
		Approved colour added in tablets					
		Each film coated tablet contains:					
	Gemfibrozil 200 mg Tablet	Gemfibrozil	IP	200	mg	Our Self	
625		Excipients		q.s.			
		Approved colour added in tablets		<u> </u>			
		Each film coated tablet contains:	1	T	1		
	Gemfibrozil 600 mg Tablet	Gemfibrozil	IP	600	mg		
626		Excipients	_	q.s.		Our Self	
		Approved colour added in tablets					
		Each uncoated tablet contains :					
		Deflazacort	IP	18	mg		
627	Deflazacort Tablets 18 mg Tablet	Excipients	11	q.s.	mg	Our Self	
		Approved colour added in tablets		4.5.		— Our Ben	
027	ing rabict	ADDIOVED COIONI AUGEN III IADIEIS					
U2/	ing rablet	Approved colour added in tablets	<u> </u>				
027	ing radict	Each film coated tablet contains:					
027	mg radict	Each film coated tablet contains: Faropenem Sodium					
	Faropenem 200 mg	Each film coated tablet contains:		200	mg	Our Salf	
628		Each film coated tablet contains: Faropenem Sodium Eq. to Faropenem Excipients		200 q.s.	mg	Our Self	
	Faropenem 200 mg	Each film coated tablet contains: Faropenem Sodium Eq. to Faropenem			mg	Our Self	
	Faropenem 200 mg	Each film coated tablet contains: Faropenem Sodium Eq. to Faropenem Excipients Approved colour added in tablets			mg	Our Self	
	Faropenem 200 mg	Each film coated tablet contains: Faropenem Sodium Eq. to Faropenem Excipients Approved colour added in tablets Each film coated tablet contains:			mg	Our Self	
	Faropenem 200 mg Tablet	Each film coated tablet contains: Faropenem Sodium Eq. to Faropenem Excipients Approved colour added in tablets Each film coated tablet contains: Faropenem Sodium		q.s.		Our Self	
	Faropenem 200 mg Tablet Faropenem 300 mg	Each film coated tablet contains: Faropenem Sodium Eq. to Faropenem Excipients Approved colour added in tablets Each film coated tablet contains: Faropenem Sodium Eq. to Faropenem		300	mg	Our Self Our Self	
628	Faropenem 200 mg Tablet	Each film coated tablet contains: Faropenem Sodium Eq. to Faropenem Excipients Approved colour added in tablets Each film coated tablet contains: Faropenem Sodium		q.s.			

Tamsulosin HCL(MR) Tamsulosin HCL (MR) Tamsulosin HCL (MR) Cas modified-selence) IP 0.4 mg Dutasteride Tablets Each film coated tablet contains:	Sr. No.	Generic Name / Brand Name	Composition					N	Mfg. for	Reference	
Tamsulosin HCL(MR) and Dutasteride Tablets Dutasteride			Ea	ach film tablet contains :							
Dutasteride IP 0.5 mg Our Self	630		Ta	amsulosin HCL	IP	().4	mg			
and Dutasteride Tablets Dutasteride LP 0.5 mg Our Self		Tamsulosin HCL(MR)	(a	s modified release)							
Approved colour used in tablets. Colour Col				utasteride	— IP	().5	mg	(Our Self	
Each film coated tablet contains: Ofloxacin, Ornidazole, Lactic Acid Bacillus & Saccharomyces boulardii Tablets Excipients Lactic Acid Bacillus Saccharomyces boulardii Tablets Excipients Qs. Approved colours used coating		and Dutusteride Tublets		ceipients	q.s	3					
Ofloxacin, Ornidazole, Ornidazole, Lactic Acid Bacillus & Saccharomyces boulardii Tablets Saccharomyces boulardii Tablets Excipients Approved colours used coating Each film coated tablet contains: Mathylcobalamin, L-Methylfolate, Pyridoxal 5 Phosphate & DHA (40%) Tablets Cilnidipine, Metoprolol, & Chlorthalidone Tablets Cilnidipine, Metoprolol, & Chlorthalidone Tablets Approved colour used in tablet Each film coated tablet contains: Cilnidipine IP 10 mg Metoprolol, & Chlorthalidone Tablets Approved colour used in tablet Each film coated tablet contains: Cilnidipine IP 10 mg Metoprolol IP 50 mg Cour Self Metoprolol IP 50 mg Our Self Excipients Approved colour used in tablet Each film coated tablet contains: Cour Self Domperidone & Domperidone IP 10 mg Metoprolol IP 50 mg Our Self Excipients Approved colour used in tablet Each film coated tablet contains: N-Acetylcysteine Effervescent Tablets 635 Effervescent Tablets 636 Silodosin & Dutasteride Each film coated tablet contains: Each film coated tablet contains: Silodosin Dutasteride Each film coated tablet contains: Each film coated tablet contains: Each film coated tablet contains: Silodosin Dutasteride Each film coated tablet contains: Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin IP 0.5 mg Our Self Each film coated tablet contains: Silodosin IP 0.5 mg Our Self Each film coated tablet contains: Silodosin IP 0.5 mg Our Self Our Self Our Self Our Self Our Self Each film coated tablet contains: Silodosin IP 0.5 mg			A	pproved colour used in tablets.							
Ofloxacin, Ornidazole, Ornidazole, Lactic Acid Bacillus & Saccharomyces boulardii Tablets Saccharomyces boulardii Tablets Excipients Approved colours used coating Each film coated tablet contains: Mathylcobalamin, L-Methylfolate, Pyridoxal 5 Phosphate & DHA (40%) Tablets Cilnidipine, Metoprolol, & Chlorthalidone Tablets Cilnidipine, Metoprolol, & Chlorthalidone Tablets Approved colour used in tablet Each film coated tablet contains: Cilnidipine IP 10 mg Metoprolol, & Chlorthalidone Tablets Approved colour used in tablet Each film coated tablet contains: Cilnidipine IP 10 mg Metoprolol IP 50 mg Cour Self Metoprolol IP 50 mg Our Self Excipients Approved colour used in tablet Each film coated tablet contains: Cour Self Domperidone & Domperidone IP 10 mg Metoprolol IP 50 mg Our Self Excipients Approved colour used in tablet Each film coated tablet contains: N-Acetylcysteine Effervescent Tablets 635 Effervescent Tablets 636 Silodosin & Dutasteride Each film coated tablet contains: Each film coated tablet contains: Silodosin Dutasteride Each film coated tablet contains: Each film coated tablet contains: Each film coated tablet contains: Silodosin Dutasteride Each film coated tablet contains: Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Each film coated tablet contains: Silodosin Dutasteride IP 0.5 mg Our Self Each film coated tablet contains: Silodosin IP 0.5 mg Our Self Each film coated tablet contains: Silodosin IP 0.5 mg Our Self Each film coated tablet contains: Silodosin IP 0.5 mg Our Self Our Self Our Self Our Self Our Self Each film coated tablet contains: Silodosin IP 0.5 mg		_	Ea	ach film coated tablet contains:	l .	l e		· ·			
Offoxacin, Ornidazole, Lactic Acid Bacillus & Saccharomyces boulardii Lactic Acid Bacillus Saccharomyces boulardii 2 million spores Spores Mathylcobalamin Lactic Acid Bacillus Saccharomyces boulardii 2 million spores Spores Mathylcobalamin Lactic Acid Bacillus Saccharomyces boulardii 2 million spores Mathylcobalamin Lactic Acid Bacillus Saccharomyces boulardii 2 million spores Mathylcobalamin Lactic Acid Bacillus Saccharomyces boulardii 2 million spores Mathylcobalamin Lactic Acid Bacillus Lactic Acid Bacillus Saccharomyces boulardii 2 million spores Mathylcobalamin Lactic Acid Bacillus Lactic Acid Bacillus Saccharomyces boulardii 2 million spores Mathylcobalamin Lactic Acid Bacillus Lactic Acid Bacillus					IP	20	00	mg			
Cartic Acid Bacillus & Saccharomyces boulardii Tablets Saccharomyces boulardii Tablets Saccharomyces boulardii Saccharomyces deating Saccharomyces deati		Ofloxacin, Ornidazole	$\overline{}$			_			+		
Saccharomyces boulardii	621	Lactic Acid Bacillus &		actic Acid Bacillus		12	20	million		our Self	
Excipients Approved colours used coating	051		Sa	accharomyces boulardii		2	<u> </u>	million		our sen	
Beach film coated tablet contains: Mathylcobalamin 1500 meg 1000 meg			Ex	ccipients		q.	s.	•	1		
Methylcobalamin, L-Methylfolate, Pyridoxal 5 Phosphate & DHA (40%)			Aj	pproved colours used coating							
L-Methylfolate, Pyridoxal 5 Phosphate & DHA (40%) 200 mg Our Self			Each	film coated tablet contains:							
L-Methylfolate, Pyridoxal 5 Phosphate & DHA (40%) Tablets		Methylcobalamin	Math	ylcobalamin		15	00	mcg			
Phosphate & DHA (40%) Tablets Excipients Approved colours used coating Each film coated bilayred tablet contains: Cilnidipine, Metoprolol, & Chlorthalidone Tablets Each film coated tablet contains: Cilnidipine Metoprolol Chlorthalidone Tablets Each film coated tablet contains: Domperidone & Domperidone Naproxen Sodium Tablets Domperidone Naproxen Sodium Tablets Each Uncoated Effervescent tablet contains: N-Acetylcysteine Effervescent Tablets Silodosin & Dutasteride tablets Silodosin & Dutasteride tablets Silodosin & Dutasteride tablets Approved colour used in tablet Each film coated tablet contains: N-Acetylcysteine Each Uncoated Effervescent tablet contains: N-Acetylcysteine Excipients Approved color & flavor used in tablet Each film coated tablet contains: N-Acetylcysteine Excipients Approved color & flavor used in tablet Each film coated tablet contains: N-Acetylcysteine Excipients Approved color & flavor used in tablet Each film coated tablet contains: Our Self Dutasteride Each film coated tablet contains: Our Self Approved color wised in tablet Our Self Approved color used in tablet Our Self Approved color used in tablet			L-Me	ethylfolate		10	00	mcg			
Prospinate & DHA (40%) Tablets Excipients Approved colours used coating Each film coated bilayred tablet contains: Cilnidipine, Metoprolol, & Chlorthalidone Tablets Chlorthalidone Tablets Approved colour used in tablet Each film coated tablet contains: Cilnidipine, Metoprolol IP 50 mg Chlorthalidone IP 12,5 mg Our Self Excipients Approved colour used in tablet Each film coated tablet contains: Domperidone & Naproxen Sodium Tablets Approved colour used in tablet Each Uncoated Effervescent tablet contains: N-Acetylcysteine Effervescent Tablets 635 Silodosin & Dutasteride tablets Silodosin & Dutasteride tablets Silodosin & Dutasteride tablets Approved colour used in tablet Each film coated tablet contains: N-Acetylcysteine BP 600 mg Our Self Each Uncoated Effervescent tablet contains: N-Acetylcysteine Excipients Approved color & flavor used in tablet Each film coated tablet contains: Silodosin & Dutasteride tablets Our Self Dutasteride IP 0.5 mg Our Self Excipients Approved colour used in tablet Our Self Excipients Approved colour used in tablet	632	•	Pyrid	loxal 5 Phosphate		_0.	5	mg	O	ur Self	
Approved colours used coating Each film coated bilayred tablet contains: Cilnidipine, Metoprolol, & Chlorthalidone Tablets Each film coated tablet contains: Cilnidipine, Metoprolol IP 50 mg Chlorthalidone Tablets Excipients	032	_	DHA	(40%)		20	Æ	mg			
Each film coated bilayred tablet contains: Cilnidipine, Metoprolol, & Chlorthalidone Tablets Chlorthalidone Tablets Excipients Approved colour used in tablet Each film coated tablet contains: Domperidone & Domperidone Each film coated tablet contains: Naproved colour used in tablet Each Uncoated Effervescent tablet contains: N-Acetylcysteine Each Uncoated Effervescent tablet contains: N-Acetylcysteine Excipients Approved color & flavor used in tablet Each film coated tablet contains: Silodosin & Dutasteride tablets Each film coated tablet contains: Silodosin Dutasteride Excipients Approved colour used in tablet Our Self Cour Self Each film coated tablet contains: Silodosin Dutasteride Excipients Approved colour used in tablet Our Self		(40%) Tablets	Excip	pients		q.	s.				_
Cilnidipine, Metoprolol, & Chlorthalidone Tablets Chlorthalidone Tablets Approved colour used in tablet Each film coated tablet contains: Domperidone & Naproxen Sodium Tablets Approved colour used in tablet Each Uncoated Effervescent tablet contains: N-Acetylcysteine Effervescent Tablets 600 mg Approved color & flavor used in tablet Silodosin & Dutasteride tablets Silodosin & Dutasteride tablets Approved colour used in tablet Each film coated tablet contains: N-Acetylcysteine Effervescent Tablets Silodosin & Dutasteride tablets Silodosin Dutasteride Excipients Approved colour used in tablet Each film coated tablet contains: Silodosin Dutasteride Excipients Approved colour used in tablet Our Self Our Self Our Self Our Self Our Self Approved colour used in tablet Our Self Approved colour used in tablet		A		oved colours used coating							
Clintdipine, Metoprolol, & Chlorthalidone Tablets Chlorthalidone Tablets Chlorthalidone Tablets Excipients Approved colour used in tablet Each film coated tablet contains: Domperidone & Naproxen Sodium Tablets Excipients Approved colour used in tablet Each Uncoated Effervescent tablet contains: N-Acetylcysteine Effervescent Tablets 600 mg Approved colour used in tablet Each Uncoated Effervescent tablet contains: N-Acetylcysteine Excipients Approved colour used in tablet Each Uncoated Effervescent tablet contains: N-Acetylcysteine Excipients Approved colour used in tablet Each Incoated Effervescent tablet contains: Silodosin & Dutasteride tablets Silodosin & Dutasteride Each film coated tablet contains: Silodosin Dutasteride IP Our Self Our Self Our Self Our Self Approved colour used in tablet Our Self Our Self Approved colour used in tablet			Each								
Metoprolol, & Chlorthalidone Tablets Chlorthalidone Tablets Excipients Q.s.		Cilnidinina				1	0	mg			
Chlorthalidone Tablets Excipients Approved colour used in tablet Each film coated tablet contains: Domperidone & Domperidone Naproxen Sodium Tablets Excipients Approved colour used in tablet Each Uncoated Effervescent tablet contains: N-Acetylcysteine Effervescent Tablets 600 mg Approved colour used in tablet Each Uncoated Effervescent tablet contains: N-Acetylcysteine Excipients Approved color & flavor used in tablet Silodosin & Dutasteride tablets Approved colour used in tablet Each film coated tablet contains: Silodosin Silodosin & Dutasteride Excipients Approved colour used in tablet Our Self Our Self Our Self Our Self Our Self Approved colour used in tablet Our Self Approved colour used in tablet	633	Metoprolol, &						mg			
Approved colour used in tablet Each film coated tablet contains: Domperidone & Naproxen Sodium Tablets					119-	12	.5	mg	O	our Self	
Each film coated tablet contains:		Exc				q.	S.				
Domperidone & Naproxen Sodium Tablets											
Naproxen Sodium Tablets Naproxen Sodium Tablets Excipients Approved colour used in tablet N-Acetylcysteine Effervescent Tablets 600 mg Approved color & flavor used in tablet Silodosin & Dutasteride tablets Silodosin & Dutasteride Excipients Approved colour used in tablet Each film coated tablet contains: Silodosin Dutasteride Excipients Approved colour used in tablet Our Self											
Tablets Excipients Q.s. Our Self Approved colour used in tablet N-Acetylcysteine Effervescent Tablets 600 mg Excipients Approved color & flavor used in tablet Silodosin & Dutasteride Each film coated tablet contains: Silodosin Silodosin Silodosin Dutasteride Excipients Our Self Each film coated tablet contains: Silodosin Silodosin Silodosin Dutasteride Excipients Approved colour used in tablet Our Self Our S		Naproxen Sodium Tablets							+		
Approved colour used in tablet N-Acetylcysteine Effervescent Tablets 600 mg Approved color & flavor used in tablet Silodosin & Dutasteride tablets Each film coated tablet contains: Each film coated tablet contains: Silodosin Silodosin Dutasteride Excipients Approved colour used in tablet Our Self Our Self Our Self Our Self Approved colour used in tablet	634				BP	_		mg	O	ur Self	
Silodosin & Dutasteride tablets Excipients Excipients Dutasteride tablets Excipients Dutasteride tablets Excipients Dutasteride tablets Excipients Excipients Excipients Our Self Our Self Excipients Our Self Ou			_			q.	S.		+		
N-Acetylcysteine Effervescent Tablets 600 mg Approved color & flavor used in tablet Silodosin & Dutasteride tablets Silodosin & Dutasteride tablets Silodosin Silodosin Silodosin Dutasteride Excipients Approved colour used in tablet Our Self Our Self Our Self Our Self			11	**							
635 Effervescent Tablets 600 mg Excipients Government Excipients Excipients Government Governmen		N-Acetylcysteine					00				
Approved color & flavor used in tablet Silodosin & Dutasteride tablets	635	Effervescent Tablets 600 mg			BP			mg	-	Num Calf	
Silodosin & Dutasteride tablets Each film coated tablet contains: Silodosin Dutasteride Excipients Approved colour used in tablet Each film coated tablet contains: Silodosin Dutasteride IP Our Self Our Self					1 ₀ t	4.	S		-	our Sen	
Silodosin & Dutasteride tablets Silodosin Silodosin Dutasteride Excipients Approved colour used in tablet Silodosin B mg Dutasteride IP 0.5 mg Qur Self Our Self			Appi							<u> </u>	
636 Silodosin & Dutasteride tablets Dutasteride IP 0.5 mg Excipients q.s. Approved colour used in tablet Our Self	636				ns:			Q	ma	1	
Excipients q.s. Our Self Approved colour used in tablet		Silodosin & Dutasterid	ide			ΙÞ	+			_	
Approved colour used in tablet		tablets				11	1		mg	Our Self	
				*	et		<u> </u>			-	
Each mill coaled tablet contains.	637	Myo-Inositol, L-Arginine, I Methyl Folate, Vitamin D3 & N-Acetyloysteine Tablet		Each film coated tablet contain							
Myo-Inositol BP 1 gm				Myo-Inositol		BP		1	gm	1	
L-Arginine IP 100 mg				L-Arginine		IP	1	00	mg		
				L-Methyl Folate			1	00	mcg		
				Vitamin D3		IP	10	000	IU	Our Self	
N-Acetyloysteine USP 600 mg						USP	6	00	mg		
Excipients q.s.				*			q	.s.]	
Approved colour used in tablet				Approved colour used in table	t						

Sr. No.	Generic Name / Brand Name	Composition				Mfg. for	Reference
		Each film tablet contains:					
638		Methylcobalamin	IP	1500	_meg		
	Methylcobalamin, L-Methyl	Pyridoxal-5-Phosphate	HIS	0.5	mg		
	Folate, Pyridoxal-5-	L-Methyl-Folate Calcium	IHS	1	mg	Our Self	
	Phosphate Tablets	Excipients		q.s.	mg		
		Approved colour used in tablet	1	1	1		
		Each Film coated tablet contains:					
		L-Arginine	IP	1000	mg	Our Self	
639	L-Arginine	(micronized)			8		
	Tablet	Excipients		q.s.			
		Approved colour used in tablet	1	1 1			
$\overline{}$		Each Film coated tablet Contains:					
		Calcium citrate malate		1000	mg	_	
	Calcium citrate malate.	Vitamin D3	IP	200_	-HU		
	Vitamin D3, Magnesium	Magnesium Oxide	-117	200	10		
640	_	Eq. to Elemental calcium	11	100	mg	Our Self	
0.0	Monohydrate	Zinc Sulphate Monohydrate	JP.	100	9		
	Tablets	Eq. to Elemental Zinc		7.5	mg		
		Excipients		q.s.	-		
		Approved colour used in tablet	1	1 1	l		
641		Each uncoated tablet Contains:					
	Paracetamol, Phenylephrine HCl, Chlorpheniramine Maleate & Caffeine Tablets	Paracetamol	IP	325	mg	Our Self	
		Phenylephrine Hydrochloride	IP	10	mg		
		Chlorpheniramine Maleate	IP	2	mg		
		Caffeine (Anhydrous)	IP	30	mg		
		Excipients	11	q.s.	mg		
		Approved colour used in tablet		q.s.			
		11					
642	Dextromethorphan Hydrobromide, Chlorpheniramine Maleate, Guaifenesin, Bromhexine Hydrochloride Tablets	Each uncoated tablet Contains:	ID	10			
		Dextromethorphan Hydrobromide	IP IP	10	mg	Our Self	
		Chlorpheniramine Maleate	-	2	mg		
		Guaifenesin	IP	100	mg		
		Bromhexine Hydrochloride	IP	8	mg		
		Excipients Approved colour used in tablet	1	q.s.	<u> </u>		
		Approved colour used in tablet					
643	Calcium citrate malate & Vitamin D3 Tablets	Each Film coated tablet Contains:	1	1050			
		Calcium citrate malate	In	1250	mg	Our Self	
		Vitamin D3	IP	1000	IU		
		Excipients	<u> </u>	q.s.			
644		Approved colour used in tablet					
	Paracetamol, Phenylephrine HCl, Chlorpheniramine Maleate & Caffeine Tablets	Each uncoated tablet Contains:	1		1		
		Paracetamol	IP	325	mg	Our Self	
		Phenylephrine Hydrochloride	IP	5	mg		
		Chlorpheniramine Maleate	IP	2	mg		
		Caffeine (Anhydrous)	IP	16	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

Sr. No.	Generic Name / Brand Name	Composition	Mfg. for	Reference
645	Paracetamol, Phenylephrine HCl, levocetirizine Dihydrochloride Tablets	Phenylephrine Hydrochloride IP 5	mg Our Self	
646	N-Acetylcysteine Effervescent Tablets 600 mg	Each Effervescent tablet contains: N-Acetylcysteine Excipients Approved color & flavor used in tablet	mg Our Self	
647	Myo-Inositol & Metformi HCI Tablets	Each Film coated tablet contains: Myo-Inositol Metformin HCI Excipients Approved color & flavor used in tablet	mg Our Self	